

GERMANY



2025 | 2026

Workbook

VK's

NORDICA



Our Values	4
Ski Boots	6
Skis	30
Racing	54
Rental	58
Accessories	66
RYB	74

Our Values

Be the best.

We never settle for less than delivering excellent products for all skiers.



Nordica Catalogue 2025 | 2026

Do the right thing.

We always treat people and the planet with integrity.



Build relationships.

We empower community through shared passion. We build deeper bonds between people and their skis.



Keep creating legacy.

Our experience and expertise fuel leading innovation and help shape the future of skiing.




Share the joy.

We love what we do. We live to share the fun and happiness skiing brings into our lives.



Manifesto



This one goes out to all the people who love to ski.
To every skier who makes each run one to remember.
And to everyone who opens their powder-packed hearts to the world.
This goes out to the boots and skis that make our days brighter and our runs better.
To the adventures that bring us closer and remind us what matters.
Together, we create family and fellowship. We always raise the bar. We play it our way.
And we invite the world to come along with us.

NORDICA
LET'S SKI



Ski boots

Closure Systems.

Fit You Desire,
Closure You Deserve.

Traditional Buckles

Precise.
Performing.
Timeless.

BOA® Fit System

Iconic.
Adaptive.

Memory Wiring

Easy.
Fast.
Memory Fit.



Dobermann 5



Word Cup / Dobermann

93mm

Dobermann 5 RD-93 Extra Stiff

050A06 01 100 - black

799,-



soles
Not replaceable -
Alpine DIN 5355
last (mm) **flex**
93 150-130
size range
22,5-29,5
g / MP 26,5
2450
liner type/style
Heel Link Laced Race Fit
technologies
Dynamic Booster Stiff
Double Setting
Quick Spoiler
4 buckles RD Micro Alu

Dobermann 5 RD-93 Stiff

050A08 01 100 - black

799,-



soles
Not replaceable -
Alpine DIN 5355
last (mm) **flex**
93 140-120
size range
22,5-29,5
g / MP 26,5
2450
liner type/style
Heel Link Laced Race Fit
technologies
Dynamic Booster Stiff
Double Setting
Quick Spoiler
4 buckles RD Micro Alu

Dobermann 5 RD-93 Medium

050A10 01 100 - black

799,-



soles
Not replaceable -
Alpine DIN 5355
last (mm) **flex**
93 120-100
size range
22,5-29,5
g / MP 26,5
2450
liner type/style
Heel Link Laced Race Fit
technologies
Dynamic Booster Med
Double Setting
Quick Spoiler
4 buckles RD Micro Alu

Dobermann 5 RD-93 Soft L.C.

050A12 01 100 - black

699,-



soles
Not replaceable -
Alpine DIN 5355
last (mm) **flex**
93 110-90
size range
22,5-27,5
g / MP 24,5
2060
liner type/style
Heel Link Laced Race Fit L.C.
technologies
Dynamic Booster Med
Double Setting
Quick Spoiler
4 buckles RD Micro Alu

Race – On Piste / Dobermann

96mm

Dobermann 5-96 Stiff

050A20 01 100 - black

599,-



soles
Not replaceable -
Alpine DIN 5355
last (mm) **flex**
96 140-120
size range
22,5-29,5
g / MP 26,5
2310
liner type/style
Dobermann 5 Race laced
technologies
Dynamic Booster Med
Double setting
Quick Spoiler
4 Buckles Micro Alu
screwed

Dobermann 5-96 Medium

050A22 01 100 - black

599,-



soles
Not replaceable -
Alpine DIN 5355
last (mm) **flex**
96 120-100
size range
22,5-29,5
g / MP 26,5
2310
liner type/style
Dobermann 5 Race laced
technologies
Dynamic Booster Med
Double setting
Quick Spoiler
4 Buckles Micro Alu
screwed

Dobermann 5-96 L.C. Medium

050A24 01 100 - black

359,-



soles
Not replaceable -
Alpine DIN 5355
last (mm) **flex**
96 110-90
size range
21,5-27,5
g / MP 24,5
2060
liner type/style
Dobermann 5 Race laced L.C.
technologies
Strap 45mm
Quick set Spoiler
4 Buckles Micro Alu
screwed

Dobermann 5-96 Soft L.C.

050A28 01 100 - black

359,-



soles
Not replaceable -
Alpine DIN 5355
last (mm) **flex**
96 90-70
size range
21,5-27,5
g / MP 24,5
2060
liner type/style
Dobermann 5 Race laced L.C.
technologies
Strap 45mm
Quick set Spoiler
4 Buckles Micro Alu
screwed



All Mountain / High Performance / Promachine

98mm

Promachine 130 GW 649,-

CARRY FORWARD
050F42 04 7T1 - black / anthracite / red



soles
Michelin® Gripwalk® soles

last (mm)	flex
98	130

size range
22,5-30,5

g / MP 26,5
1870

liner type/style
Isotherm 3D Cork Fit R
laced & adjustable tongue

technologies
Infrared
Tri-Fit Technology
Dynamic Booster med
Tri Force Construction
Easy Entry Soft Flap

Promachine 120 GW 549,-

CARRY FORWARD
050F44 03 688 - grey / black / red



soles
Gripwalk® soles

last (mm)	flex
98	120

size range
24,0-30,5

g / MP 26,5
1830

liner type/style
Isotherm 3D
Cork Fit Primaloft®

technologies
Infrared
Tri-Fit Technology
45mm Power
Driver Strap
Tri Force Construction
Easy Entry Soft Flap



Promachine 115w GW 599,-

CARRY FORWARD
050F46 04 6R5 - black / green / white



soles
Michelin® Gripwalk® soles

last (mm)	flex
98	115

size range
22,0-27,5

g / MP 24,5
1690

liner type/style
Isotherm 3D Cork Fit W
Primaloft®

technologies
Infrared
Tri-Fit Technology
Dynamic Booster med
Tri Force Construction
Easy Entry Soft Flap

Promachine 105w GW 529,-

CARRY FORWARD
050F48 03 9F7 - white / light blue / black



soles
Gripwalk® soles

last (mm)	flex
98	105

size range
22,0-27,5

g / MP 24,5
1670

liner type/style
Isotherm 3D Cork Fit W
Primaloft®

technologies
Infrared
Tri-Fit Technology
35mm Power
Driver Strap
Tri Force Construction
Easy Entry Soft Flap

Promachine 110 GW 459,-

CARRY FORWARD
050F50 03 7T1 - black / anthracite / red



soles
Gripwalk® soles

last (mm)	flex
98	110

size range
24,0-30,5

g / MP 26,5
1810

liner type/style
Isotherm 3D
Primaloft®

technologies
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Easy Entry Soft Flap

Promachine 100 GW 419,-

CARRY FORWARD
050F53 03 4F1 - anthracite / grey / red



soles
Gripwalk® soles

last (mm)	flex
98	100

size range
24,0-30,5

g / MP 26,5
1810

liner type/style
Isotherm 3D
Primaloft®

technologies
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Easy Entry Soft Flap

Promachine 90 GW 359,-

CARRY FORWARD
050F70 03 7T1 - black / anthracite / red



soles
Gripwalk® soles

last (mm)	flex
98	90

size range
22,0-28,5

g / MP 24,5
1630

liner type/style
Isotherm 3D
Primaloft®

technologies
Tri-Fit Technology
35mm Strap
Tri Force Construction
Easy Entry Soft Flap

Promachine 95w GW 459,-

CARRY FORWARD
050F52 03 798 - black / light blue / white



soles
Gripwalk® soles

last (mm)	flex
98	95

size range
22,0-27,5

g / MP 24,5
1650

liner type/style
Isotherm 3D W
Primaloft®

technologies
Infrared
Tri-Fit Technology
Strap 35mm
Tri Force Construction
Easy Entry Soft Flap

Promachine 85w GW 419,-

CARRY FORWARD
050F54 03 4F2 - black / avio / white



soles
Gripwalk® soles

last (mm)	flex
98	85

size range
22,0-27,5

g / MP 24,5
1630

liner type/style
Isotherm 3D W
Primaloft®

technologies
Infrared
Tri-Fit Technology
Strap 35mm
Tri Force Construction
Easy Entry Soft Flap



The BOA® Fit System

Single Dial SHELL WRAP

The BOA® Fit System delivers a micro-adjustable, multi-directional precision fit that's uniform-reducing pressure points, while locking in the heel to deliver improved power transfer and edge-to-edge control. BOA® is engineered and guaranteed to perform in the toughest conditions.

THE ALL-NEW SPORTMACHINE 3 BOA®, our highest-volume Machine boot now has the micro-adjustable BOA® Fit System integrated on the shell to improve user-experience, fit and skiing performance. Its shell and liner are completely redesigned to offer more support and comfort, with the same Machine precision and wider chassis. This pairing creates a consistent wrapping fit around the foot for ultimate power transfer, control and comfort while skiing.



Single Dial CUFF WRAP

The BOA® Fit System featuring H+i1 is specifically designed for the demands of Alpine skiing, providing a micro-adjustable, multi-directional, precision fit that uniformly wraps the lower leg-reducing pressure points.

By incorporating the BOA® Fit System into our redesigned **SPEEDMACHINE 3** Tri Force cuff, we have improved the overall user experience while delivering a uniform fit on the cuff-reducing pressure points. With a classic two-buckle configuration on the lower shell, we have prioritized a speedy transition from lift to descent.

Dual Dial SHELL + CUFF WRAP

The BOA® Dual-Dial Fit System delivers a micro-adjustable, multi-directional, zonal precision fit that's uniform-reducing pressure points, while locking in the heel to deliver superior power transfer and edge-to-edge control. BOA® is engineered and guaranteed to perform in the toughest conditions.

DUAL DIAL ON SPEEDMACHINE
We have paired our award-winning Tri-Force shell technology with the BOA® Dual Dial Fit System, amplifying the Speedmachine 3's wrapping fit and performance with strategic integration and placement. Dual Dial BOA® ensures superior heel-hold, support and uniform fit for controlled power transmission and edge-to-edge control.



BOA® POWERED ALPINE BOOTS ADVANTAGE

BOA® Fit System Benefits	Traditional Buckles	Single Dial Cuff Wrap	Single Dial Shell Wrap	Dual Dial Shell + Cuff Wrap
Micro-adjustable, multi-directional, zonal precision fit – adaptable, uniform and secure - reducing pressure points		• •	• •	• • •
Biomechanical performance improvement – Increased heel-hold delivering superior power transfer and edge-to-edge control	•		• •	• • •
Fast and effortless user experience	•	• • • *	• • • *	• • •
Performs in toughest conditions – environment and activities	•	• • •	• • •	• • •
Quality and Durability – Guaranteed for life of the product		• • •	• • •	• • •

* Due to combination of buckles and BOA®

THE BOA® FIT SYSTEM COMPONENTS



H+i1 DIAL PLATFORM

The geared H+i1 system delivers optimal power and precise multi-directional adjustment to effortlessly tighten or loosen the fit of the boot. The innovative bayonet and cartridge design ensures maximum durability.

H+i1 SINGLE PULL (USED ON SHELL ONLY)

H+i1 single pull is designed to optimize input power and effortlessly control the wrapping of the lower shell around the foot. One lace end is threaded into the dial, while the other extends to the toe of the boot, where it terminates.

H+i1 DUAL PULL (USED ON CUFF ONLY)

H+i1 dual pull is engineered to streamline lace management and accelerate adjustment speed for the boot cuff, all while ensuring a uniform fit around the lower leg. After forming a loop via the guides on the cuff, both lace ends are then simultaneously guided into the dial where they terminate.



LACE

This super strong, lightweight lace expertly combines over 100 individual strands of stainless steel to deliver maximum lace flexibility and a tensile strength of over 250kg.



LACE GUIDES

Low-friction guides settle the lace tension to support a uniform wrap that optimally adapts to each individual leg and foot shape.



RELEASABLE GUIDES (USED ON CUFF ONLY)

Enables intuitive cuff release and re-engagement, creating ample space for effortless entry/exit.



All Mountain / High Performance / Speedmachine
100mm with BOA® Fit System

Speedmachine 3 130 S BOA® C. GW

NEW
050Q60 00 7T1 - black / anthracite / red **649,-**



soles
Gripwalk® soles
last (mm) flex
99 130
size range
22,5-30,5
g / MP 26,5
1920
liner type/style
3D Cork Fit R
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Power
Driver Strap
Tri Force Construction
Easy Entry Soft Flap

Speedmachine 3 130 BOA® DD GW

NEW
050Q02 00 7T1 - black / anthracite / red **749,-**



soles
Gripwalk® soles
last (mm) flex
100 130
size range
22,5-30,5
g / MP 26,5
1920
liner type/style
3D Cork Fit Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Easy Entry Soft Flap

Speedmachine 3 120 BOA® DD GW

NEW
050Q04 00 688 - grey / black / red **699,-**



soles
Gripwalk® soles
last (mm) flex
100 120
size range
22,5-30,5
g / MP 26,5
1920
liner type/style
3D Cork Fit Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Easy Entry Soft Flap

All Mountain / High Performance / Speedmachine
100mm with BOA® Fit System

Speedmachine 3 115w BOA® DD GW

NEW
050Q05 00 137 - black / rose / white **649,-**



soles
Gripwalk® soles
last (mm) flex
100 115
size range
22,5-27,5
g / MP 24,5
1700
liner type/style
3D Cork Fit W
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Easy Entry Soft Flap

Speedmachine 3 105w BOA® DD GW

NEW
050Q06 00 4F3 - green / black / aqua **599,-**



soles
Gripwalk® soles
last (mm) flex
100 105
size range
22,5-27,5
g / MP 24,5
1700
liner type/style
3D Cork Fit W
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Easy Entry Soft Flap



Speedmachine 3 120 BOA® GW

CARRY FORWARD
050Q10 00 688 - grey / black / red **599,-**



soles
Gripwalk® soles
last (mm) flex
100 120
size range
24,5-30,5
g / MP 26,5
1920
liner type/style
3D Cork Fit Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Easy Entry Soft Flap

Speedmachine 3 110 BOA® GW

CARRY FORWARD
050Q14 00 N96 - black / grey / red **549,-**



soles
Gripwalk® soles
last (mm) flex
100 110
size range
24,5-30,5
g / MP 26,5
1910
liner type/style
3D Cork Fit Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Easy Entry Soft Flap

Speedmachine 3 100 BOA® GW

NEW
050Q20 00 243 - anthracite / black / white **499,-**



soles
Gripwalk® soles
last (mm) flex
100 100
size range
24,5-30,5
g / MP 26,5
1910
liner type/style
3D Performance Fit
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Easy Entry Soft Flap

Speedmachine 3 105w BOA® GW

CARRY FORWARD
050Q11 00 4F3 - green / black / aqua **549,-**



soles
Gripwalk® soles
last (mm) flex
100 105
size range
22,5-27,5
g / MP 24,5
1700
liner type/style
3D Cork Fit W
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Speedmachine 3 95w BOA® GW

CARRY FORWARD
050Q17 00 798 - black / light blue / white **499,-**



soles
Gripwalk® soles
last (mm) flex
100 95
size range
22,5-27,5
g / MP 24,5
1700
liner type/style
3D Cork Fit W
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Speedmachine 3 85w BOA® GW

NEW
050Q22 00 4A2 - black / white / rose **449,-**



soles
Gripwalk® soles
last (mm) flex
100 85
size range
22,5-27,5
g / MP 24,5
1700
liner type/style
3D Performance Fit W
Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

All Mountain / High Performance / Speedmachine
100mm

Speedmachine 3 130 GW 549,-

CARRY FORWARD
050G14 00 7T1 - black / anthracite / red



soles
Gripwalk® soles
last (mm) flex
100 130
size range
24,0-31,0
g/MP 26,5
1920
liner type/style
3D Cork Fit Primaloft®
technologies
Infrared
Tri-Fit Technology
45mm Power
Driver Strap
Tri Force Construction
Easy Entry Soft Flap

Speedmachine 3 120 GW 499,-

CARRY FORWARD
050G18 00 688 - grey / black / red



soles
Gripwalk® soles
last (mm) flex
100 120
size range
24,0-31,0
g/MP 26,5
1910
liner type/style
3D Cork Fit Primaloft®
technologies
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Easy Entry Soft Flap

Speedmachine 3 110 GW 449,-

CARRY FORWARD
050G22 00 N96 - black / grey / red



soles
Gripwalk® soles
last (mm) flex
100 110
size range
24,0-31,0
g/MP 26,5
1910
liner type/style
3D Cork Fit Primaloft®
technologies
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Easy Entry Soft Flap

Speedmachine 3 100 GW 399,-

CARRY FORWARD
050G26 00 243 - anthracite / black / white



soles
Gripwalk® soles
last (mm) flex
100 100
size range
24,0-31,0
g/MP 26,5
1910
liner type/style
3D Performance Fit
Primaloft®
technologies
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Easy Entry Soft Flap



All Mountain / High Performance / Speedmachine
100mm

Speedmachine 3 105w GW 499,-

CARRY FORWARD
050G19 00 4F3 - green / black / aqua



soles
Gripwalk® soles
last (mm) flex
100 105
size range
22,0-27,5
g/MP 24,5
1700
liner type/style
3D Cork Fit W
Primaloft®
technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Speedmachine 3 95w GW 449,-

CARRY FORWARD
050G23 00 798 - black / light blue / white



soles
Gripwalk® soles
last (mm) flex
100 95
size range
22,0-27,5
g/MP 24,5
1700
liner type/style
3D Cork Fit W
Primaloft®
technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Speedmachine 3 85w GW 399,-

CARRY FORWARD
050G27 00 4A2 - black / white / rose



soles
Gripwalk® soles
last (mm) flex
100 85
size range
22,0-27,5
g/MP 24,5
1700
liner type/style
3D Performance Fit W
Primaloft®
technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap



All Mountain / High Performance / Sportmachine
102mm with BOA® Fit System

Sportmachine 3 130 BOA® GW

NEW
050S10 00 M99 - anthracite / black / red **599,-**



soles
Gripwalk® soles
last (mm) flex
102 130
size range
24,5-32,5
g/MP 26,5
1980
liner type/style
3D Cork Fit Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 120 BOA® GW

NEW
050S14 00 N96 - black / grey / red **549,-**



soles
Gripwalk® soles
last (mm) flex
102 120
size range
24,5-32,5
g/MP 26,5
1980
liner type/style
3D Cork Fit Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
45mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 110 BOA® GW

NEW
050S18 00 4A5 - black / avio / red **499,-**



soles
Gripwalk® soles
last (mm) flex
102 110
size range
24,5-32,5
g/MP 26,5
1970
liner type/style
3D Performance Fit Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 100 BOA® GW

NEW
050S22 00 4R4 - green / black / red **449,-**



soles
Gripwalk® soles
last (mm) flex
102 100
size range
24,5-32,5
g/MP 26,5
1900
liner type/style
3D Performance Fit Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

All Mountain / High Performance / Sportmachine
102mm

Sportmachine 3 120 GW (4 Schnallen mit gleicher Optik) **469,-**

Sportmachine 3 110 GW

NEW
050T06 01 4A5 - black / avio / red **419,-**



soles
Gripwalk® soles
last (mm) flex
102 110
size range
24,0-32,5
g/MP 26,5
1970
liner type/style
3D Performance Fit Primaloft®
technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 100 GW

NEW
050T10 01 4R4 - green / black / red **359,-**



soles
Gripwalk® soles
last (mm) flex
102 100
size range
24,0-32,5
g/MP 26,5
1900
liner type/style
Precision Fit Primaloft®
technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 90

NEW
050T14 01 4N3 - black / anthracite / grey **299,-**



soles
5355 Alpine High Traction soles
last (mm) flex
102 90
size range
24,0-32,5
g/MP 26,5
1700
liner type/style
Comfort Fit Primaloft®
technologies
Tri Force Construction
35mm Strap
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 80

NEW
050T18 01 M99 - anthracite / black / red **259,-**



soles
5355 Alpine High Traction soles
last (mm) flex
102 80
size range
24,0-32,5
g/MP 26,5
1700
liner type/style
Comfort Fit
technologies
Tri Force Construction
35mm Strap
Easy Entry Soft Flap

Sportmachine 3 105w BOA® GW

NEW
050S16 00 798 - black / light blue / white **549,-**



soles
Gripwalk® soles
last (mm) flex
102 105
size range
22,5-27,5
g/MP 24,5
1780
liner type/style
3D Cork Fit W Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 95w BOA® GW

NEW
050S20 00 4N1 - black / irid purple / white **499,-**



soles
Gripwalk® soles
last (mm) flex
102 95
size range
22,5-27,5
g/MP 24,5
1780
liner type/style
3D Performance Fit W Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 85w BOA® GW

NEW
050S24 00 4N2 - bronze / black / rose **449,-**



soles
Gripwalk® soles
last (mm) flex
102 85
size range
22,5-27,5
g/MP 24,5
1780
liner type/style
Precision Fit W Primaloft®
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 95w GW

NEW
050T07 01 4N1 - black / irid purple / white **419,-**



soles
Gripwalk® soles
last (mm) flex
102 95
size range
22,5-27,5
g/MP 24,5
1780
liner type/style
3D Performance Fit W Primaloft®
technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 85w GW

NEW
050T11 01 4N2 - bronze / black / rose **359,-**



soles
Gripwalk® soles
last (mm) flex
102 85
size range
22,5-27,5
g/MP 24,5
1780
liner type/style
Precision Fit W Primaloft®
technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 75w

NEW
050T15 01 4M9 - black / grey / blue **299,-**



soles
5355 Alpine High Traction soles
last (mm) flex
102 75
size range
22,5-27,5
g/MP 24,5
1580
liner type/style
Comfort Fit W Primaloft®
technologies
Tri Force Construction
35mm Strap
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 65w

NEW
050T19 01 4N4 - black / anthracite / mauve **259,-**



soles
5355 Alpine High Traction soles
last (mm) flex
102 65
size range
22,5-27,5
g/MP 24,5
1580
liner type/style
Comfort Fit W
technologies
Tri Force Construction
35mm Strap
Easy Entry Soft Flap

The All-Mountain Adventure.



All Mountain / Touring / Unlimited 99mm

Unlimited LT DYN

NEW
050P30 01 4N6 - blue / black / copper **799,-**



soles
Gripwalk® Michelin® + Dynafit® inserts
last (mm) **flex**
99 130
size range
22,5-30,5
g / MP 26,5
1480
liner type/style
3D Light Performance Fit TF Primaloft®
technologies
Infrared
Tri-Fit Technology
Hike Mechanism
50mm Power Strap + quick release
Tri Force Construction
Memory wiring closure

Unlimited 130 DYN

NEW
050P34 00 4N8 - black / sand / copper **699,-**



soles
Gripwalk® PU + Dynafit® inserts
last (mm) **flex**
99 130
size range
22,5-30,5
g / MP 26,5
1480
liner type/style
3D Cork Fit Primaloft® Light
technologies
Infrared
Tri-Fit Technology
Hike Mechanism
50mm Power Strap + quick release
Tri Force Construction
Memory wiring closure

Unlimited 120 DYN

NEW
050P36 00 4N9 - sand / black / copper **649,-**



soles
Gripwalk® PU + Dynafit® inserts
last (mm) **flex**
99 120
size range
22,5-30,5
g / MP 26,5
1680
liner type/style
3D Cork Fit Primaloft® Light
technologies
Infrared
Tri-Fit Technology
Hike Mechanism
50mm Power Strap + quick release
Tri Force Construction
Memory wiring closure

Unlimited 105w DYN

NEW
050P37 00 3V4 - black / blue / light blue **699,-**



soles
Gripwalk® PU + Dynafit® inserts
last (mm) **flex**
99 105
size range
22,5-27,5
g / MP 24,5
1530
liner type/style
3D Cork Fit W Primaloft® Light
technologies
Infrared
Tri-Fit Technology
Hike Mechanism
45mm Power Strap
Tri Force Construction
Memory wiring closure

Unlimited 95w DYN

NEW
050P39 00 4N5 - sand / black / light blue **649,-**



soles
Gripwalk® PU + Dynafit® inserts
last (mm) **flex**
99 95
size range
22,5-27,5
g / MP 24,5
1530
liner type/style
3D Cork Fit W Primaloft® Light
technologies
Infrared
Tri-Fit Technology
Hike Mechanism
45mm Power Strap
Tri Force Construction
Memory wiring closure



HF family.

Entry Reimagined.



HF Pro.

Comfort meets precision.

Uncover the pinnacle of comfort and convenience with **Nordica's HF Pro Collection**. Effortlessly slip them on and off with a user-friendly closure system that perfectly conforms to your foot's unique shape. With a refined and modern design, these boots excel in providing the control and confidence you seek. **Nordica's HF Pro Collection** give you the power to ski with unwavering control and unmatched confidence while ensuring unparalleled comfort, so you can relish each and every run with a lasting smile.

Closure System

Incredibly easy to operate, the HF Pro Closure System maximizes convenience while boosting stability and control.

- **EXCEPTIONALLY EASY TO STEP IN AND OUT OF AND ADJUST.**
- **CONTROL AND RESPONSE PAIRED WITH CONVENIENCE.**

XL Wiring Cable Buckle

The HF Pro's Micro Fit Dial allows you to fine tune the boot's fit and return to this tailored fit each time you step into the boots.

- **CREATES A PRECISE, PERSONALIZED FIT.**
- **SET-IT-AND-FORGET-IT CONVENIENCE.**

Adjustable Cable

The HF Pro closure system can easily be adjusted to fit a variety of foot and lower leg shapes.

- **CREATES A PERSONALIZED FIT THAT MIMICS YOUR FOOT AND LOWER LEG SHAPE.**
- **MAXIMIZES PERFORMANCE AND COMFORT.**

ACP

The HF Pro's Adjustable Cuff Profile allows skiers with high volume calves to increase the circumference of the boot's upper cuff by up to 8mm..

- **EASILY ATTAINS THE ULTIMATE FIT**
- **BOOSTS PERFORMANCE AND COMFORT.**



All Mountain / Premium Comfort / HF Pro

100mm

HF Pro 130 GW

599,-

CARRY FORWARD
050J06 00 7T1 - black / anthracite / red



soles
Gripwalk® soles
last (mm) flex
100 130
size range
24,5-30,5
g/MP 26,5
1780
liner type/style
3D Cork Fit Primaloft®
technologies
Infrared
Double Axis Pivot
45mm Strap
Hands Free
Step In & Out
Monolock Buckle
Memory wiring closure

HF Pro 110 GW

529,-

CARRY FORWARD
050J10 00 688 - grey / black / red



soles
Gripwalk® soles
last (mm) flex
100 110
size range
24,5-30,5
g/MP 26,5
1780
liner type/style
3D Cork Fit Primaloft®
technologies
Infrared
Double Axis Pivot
35mm Strap
Hands Free
Step In & Out
Monolock Buckle
Memory wiring closure

HF Pro 105w GW

599,-

CARRY FORWARD
050J11 00 P36 - light blue / white / green



soles
Gripwalk® soles
last (mm) flex
100 105
size range
22,5-27,5
g/MP 25,5
1750
liner type/style
3D Cork Fit W
Primaloft®
technologies
Infrared
Double Axis Pivot
45mm Strap
Hands Free
Step In & Out
Monolock Buckle
Memory wiring closure

HF Pro 95w GW

529,-

CARRY FORWARD
050J13 00 R86 - green / black / white



soles
Gripwalk® soles
last (mm) flex
100 95
size range
22,5-27,5
g/MP 25,5
1750
liner type/style
3D Performance Fit W
Primaloft®
technologies
Infrared
Double Axis Pivot
35mm Strap
Hands Free
Step In & Out
Monolock Buckle
Memory wiring closure



All Mountain / Premium Comfort / HF

102mm

HF 120 GW

579,-

CARRY FORWARD
050K06 01 M99 - anthracite / black / red



soles
Gripwalk® soles
last (mm) flex
102 120
size range
23,0-31,0
g/MP 26,5
1900
liner type/style
HF 3D Cork Fit
Primaloft®
technologies
Infrared
Instep Volume Control
Double Axis Pivot
45mm Power
Driver Strap
Hands Free
Step In & Out
Monolock Buckle

HF 110 GW

499,-

CARRY FORWARD
050K12 01 7T1 - black / anthracite / red



soles
Gripwalk® soles
last (mm) flex
102 110
size range
23,0-31,0
g/MP 26,5
1760
liner type/style
HF 3D Cork Fit
Primaloft®
technologies
Infrared
Instep Volume Control
Double Axis Pivot
Hands Free
Step In & Out
Monolock Buckle

HF 100

449,-

CARRY FORWARD
050K18 01 2T5 - grey / black / white



soles
5355 Alpine High
Traction double
density PU
last (mm) flex
102 100
size range
24,0-31,0
g/MP 26,5
1750
liner type/style
HF 3D Performance Fit
Primaloft®
technologies
Infrared
Instep Volume Control
Double Axis Pivot
Hands Free
Step In & Out
Monolock Buckle

HF 85w GW

499,-

CARRY FORWARD
050K13 01 4F5 - black / green / aquamarine



soles
Gripwalk® soles
last (mm) flex
102 85
size range
23,0-27,5
g/MP 24,5
1750
liner type/style
HF 3D Cork Fit W
Primaloft®
technologies
Infrared
Instep Volume Control
Double Axis Pivot
Hands Free
Step In & Out
Monolock Buckle

HF 75w

449,-

CARRY FORWARD
050K19 01 9G1 - black / bronze / white



soles
5355 Alpine High
Traction double
density PU
last (mm) flex
102 75
size range
23,0-27,5
g/MP 24,5
1580
liner type/style
HF 3D Performance
Fit W Primaloft®
technologies
Infrared
Instep Volume Control
Double Axis Pivot
Hands Free
Step In & Out
Monolock Buckle



All Mountain / Sport Performance / The Cruise

104mm

The Cruise 130 GW 459,-

CARRY FORWARD
050638 02 M99 - anthracite / black / red



soles
Gripwalk® soles

last (mm) flex
104 130

size range
24,0-32,5

g/MP 26,5
1980

liner type/style
3D Cork Fit Primaloft®

technologies
Instep Volume Control
45mm Strap
Full Alu Micro Buckles
Adjustable Cuff Profile
Easy Entry Soft Flap

The Cruise 120 GW 419,-

CARRY FORWARD
050640 02 7T1 - black / anthracite / red



soles
Gripwalk® soles

last (mm) flex
104 120

size range
24,0-32,5

g/MP 26,5
1940

liner type/style
Performance Fit
Primaloft®

technologies
Instep Volume Control
45mm Strap
Full Alu Micro Buckles
Adjustable Cuff Profile
Easy Entry Soft Flap

The Cruise 100 279,-

CARRY FORWARD
050650 02 243 - anthracite / black / white



soles
5355 Alpine High
Traction soles

last (mm) flex
104 100

size range
24,0-32,5

g/MP 26,5
1660

liner type/style
Comfort Fit

technologies
Instep Volume Control
35mm Strap
Full Alu Micro Buckles
Adjustable Cuff Profile
Easy Entry Soft Flap

The Cruise 80 249,-

CARRY FORWARD
050660 02 7T1 - black / anthracite / red



soles
5355 Alpine High
Traction soles

last (mm) flex
104 80

size range
24,0-32,5

g/MP 26,5
1590

liner type/style
Comfort Fit

technologies
Instep Volume Control
35mm Strap
Full Alu Micro Buckles
Easy Entry Soft Flap

Junior

Speedmachine J4

CARRY FORWARD
050734 00 7T1 - black / anthracite / red



soles
5355 High Traction

last (mm) flex
100 55

size range
19,0-27,5

g/MP 23,5
1400

liner type/style
Comfort Fit

technologies
Strap 25 mm
Micro Adj. Buckles

159,-

Speedmachine J3

CARRY FORWARD
050860 00 7T1 - black / anthracite / red



soles
5355 High Traction

flex
45

size range
19,0-26,5

g/MP 21,5
860

liner type/style
Comfort Fit

technologies
Full Alu Buckles
Easy Entry Soft Flap
Weight Adjuster

139,-

Speedmachine J2

CARRY FORWARD
050862 00 7T1 - black / anthracite / red



soles
5355 High Traction

flex
45

size range
16,5-23,5

g/MP 18,5
710

liner type/style
Comfort Fit

technologies
Full Alu Buckles
Easy Entry Soft Flap
Weight Adjuster

119,-

Speedmachine J1

CARRY FORWARD
050864 00 7T1 - black / anthracite / red



soles
5355 High Traction

flex
25

size range
14,5-19,5

g/MP 16,0
680

liner type/style
Comfort Fit

technologies
Ratchet Single
Buckle

99,-

Dobermann 70 249,-

NEW
050730 00 100 - black



soles
5355 High Traction

last (mm) flex
100 70

size range
19,0-28,0

g/MP 23,5
1530

liner type/style
Comfort Fit

technologies
Strap 35 mm
Micro Adj. Buckles

The Cruise 95w GW 419,-

CARRY FORWARD
050644 G2 6R5 - black / green / white



soles
Gripwalk® soles

last (mm) flex
104 95

size range
22,5-27,5

g/MP 24,5
1710

liner type/style
3D Cork Fit W
Primaloft®

technologies
Instep Volume Control
35mm Strap
Full Alu Micro Buckles
Adjustable Cuff Profile
Easy Entry Soft Flap

The Cruise 75w 279,-

CARRY FORWARD
050652 02 4D1 - pearl black / white / gold



soles
5355 Alpine High
Traction soles

last (mm) flex
104 75

size range
22,5-27,5

g/MP 24,5
1550

liner type/style
Comfort Fit W

technologies
Instep Volume Control
35mm Strap
Full Alu Micro Buckles
Adjustable Cuff Profile
Easy Entry Soft Flap

The Cruise 65w 249,-

CARRY FORWARD
050670 02 Q04 - black / white / green



soles
5355 Alpine High
Traction soles

last (mm) flex
104 65

size range
22,5-27,5

g/MP 24,5
1480

liner type/style
Comfort Fit W

technologies
Instep Volume Control
35mm Strap
Full Alu Micro Buckles
Easy Entry Soft Flap

Out of Catalog:

The Cruise
The Cruise S W 219,-

Trend 3
Trend 3 W 199,-

Speedmachine J4 girl

CARRY FORWARD
050736 00 3L4 - light blue / white / rose



soles
5355 High Traction

last (mm) flex
100 55

size range
19,0-27,5

g/MP 23,5
1400

liner type/style
Comfort Fit

technologies
Strap 25 mm
Micro Adj. Buckles

Speedmachine J3 girl

CARRY FORWARD
050870 01 3L4 - light blue / white / rose



soles
5355 High Traction

flex
45

size range
19,0-26,5

g/MP 21,5
860

liner type/style
Comfort Fit

technologies
Full Alu Buckles
Easy Entry Soft Flap
Weight Adjuster

Speedmachine J2 girl

CARRY FORWARD
050872 01 3L4 - light blue / white / rose



soles
5355 High Traction

flex
45

size range
16,5-23,5

g/MP 18,5
710

liner type/style
Comfort Fit

technologies
Full Alu Buckles
Easy Entry Soft Flap
Weight Adjuster

Speedmachine J1 girl

CARRY FORWARD
050874 01 3L4 - light blue / white / rose



soles
5355 High Traction

flex
25

size range
14,5-19,5

g/MP 16,0
680

liner type/style
Comfort Fit

technologies
Ratchet Single
Buckle

Dobermann 60 199,-

NEW
050732 01 100 - black



soles
5355 High Traction

last (mm) flex
100 60

size range
19,0-27,5

g/MP 23,5
1420

liner type/style
Comfort Fit

technologies
Strap 25 mm
Micro Adj. Buckles

Skis



Double Core.

Double the Core. Double the Fun.

Yet when we began developing our **Double Core technology**, we didn't anticipate that it could transform skiing across the globe. Initially, the Nordica ski development team—led by Product Manager Florian Seer—aimed to reimagine how a women's ski could perform. This led Nordica's research and development team to divide the wood core—the soul of the ski—into two layers and embed an elastomer **Pulse Core** between them. This dampened vibrations to create a smooth yet powerful ride that boosted confidence.


Perfect Combination

We've since expanded the use of our **Double Core technology**, reimagining iconic models by enhancing their performance even further. And while the design and construction of each model is tailored to its specific needs, these skis are united by a common vision—a commitment to amplifying fun.

FIND OUT MORE




Energy 2 TI DC Race Performance




- Titanal
- Woodcore
- Pulse Core
- Woodcore
- Titanal

Energy TI DC Versatile Performance



- Woodcore
- Titanal
- Pulse Core
- Woodcore

Energy DC Intuitive Performance



- Woodcore
- Pulse Core
- Woodcore

Performance That Adapts.

THE NEW
Dobermann Multipista

Crafted to be the most versatile carving ski on the mountain. From top to bottom and first chair to last, we designed a ski that could handle it all while delivering the same performance run after run, no matter the on-piste conditions. Our desire led to a focused 3-year R&D process that resulted in an all-new shape for an all-new purpose - to ski all day and every day with the same stable and confident experience. This new design, paired with our Energy 2 TI DC construction, results in a highly stable and adaptable ski that is damp and agile in the ungroomed, precise, and powerful on the hardpack. With its exceptional versatility, the Multipista will respond with the same power & performance whether your arcing turns across fresh corduroy or smashing through crud.




Multi Condition Shape.

By merging the winning technology and shape of our all-terrain tip and on-piste tail, we have created the ultimate combination for a front-side carving ski that can adapt to all conditions all day.

- MULTI CONDITION STABILITY
- POWERFUL AND PRECISE ON HARD SNOW
- SMOOTH AND DAMP ON VARIABLE TERRAIN



RACE ON-PISTE SHAPE



ALL-TERRAIN TIP & TAIL



MULTIGARA MULTI CONDITION SHAPE



On-Piste Rocker

The all-new Multipista is a crafted fusion of two rocker profiles, creating a carving ski that will drive through all on-piste conditions and result in a consistent ride from top to bottom.

- ADAPTIVE SHAPE
- ULTIMATE CONTROL
- CONSISTENT PERFORMANCE

MULTIPISTA TIP

RACE ON-PISTE TIP


MULTIPISTA TAIL

RACE ON-PISTE TAIL

Energy 2 TI Double Core

For unparalleled precision and response, Nordica's Energy 2 TI Double Core sandwiches a Pulse elastomer layer between two wood cores, each of which is then flanked by a layer of titanal. The pairing of this construction and an all-new multi-terrain shape results in a ski with increased stability and control no matter the on-piste conditions.

- DAMPENING MEETS CONTROL
- CONFIDENCE IN VARIABLE CONDITIONS



Stability in all conditions

We designed the Multipista with a wider shovel and increased tip rocker, which amplifies the skis ability to handle varying on-piste conditions with a strong and stable feel. The tail is designed to maintain precision and power through the carve, boosting acceleration turn to turn.

- STABILITY
- STRENGTH
- SPEED



HARDBACK SNOW



UNGROOMED SLOPE

Marker TPX 13 Royal

The latest generation with magnesium body for excellent downhill performance in the style of the Royal Family. The third and latest generation completely renewed: improved power transmission, energy absorption and vertical heel elasticity combined with improved comfort. Triple Pivot X Toe with Grip Walk ready stainless steel gliding plate and intelligent release function in case of a backward fall. Height-adjustable gliding plate to be compatible with all boot soles on the market; Compatible with: Alpine (ISO 5355 A), Touring (ISO 9523) and GripWalk (ISO 23223 A) soles.

made by MARKER



Race-On Piste / Dobermann

Dobermann

Dobermann GSR DC FDT

1.199,-



0A5422 NC 001
black / red
Comp 13 FDT

sizes
170 · 175 · 180 · 185

sidecut (by size)
113,5-69-96,5 (170-175) ·
114-69-97 (180-185)

radius (by size)
17,5 (170) ·
18,5 (175) ·
19,5 (180) ·
20,5 (185)

DIN setting
4-13 TCX

system
FDT Race Plate Pro N

ski construction
Energy 2 TI Double Core

camRock
Full Camber Profile

Dobermann SLR DC FDT

1.199,-



0A5426 NC 001
black / red
Comp 13 FDT

sizes
155 · 160 · 165 · 170

sidecut (by size)
119-69-103 (155-160) ·
120-69-104 (165-170)

radius (by size)
17,5 (170) ·
12,5 (160) ·
13 (165) ·
14 (170)

DIN setting
4-13 TCX

system
FDT Race Plate Pro N

ski construction
Energy 2 TI Double Core

camRock
Full Camber Profile

Race-On Piste / Dobermann

Multigara

Dobermann Multigara DC Race

1.299,-



0A5420 MB 001
black / white
Comp 14 GW

sizes
170 · 175 · 180

sidecut (by size)
121-70-101 (170-175) ·
122-70-102 (180)

radius (by size)
15 (170) ·
16 (175) ·
16,6 (180)

DIN setting
5-14 TCX

system
Race Plate Pro N

ski construction
Energy 2 TI Double Core

camRock
Full Camber Profile

Dobermann Multigara DC FDT

1.199,-



0A5423 NC 001
black / white
Comp 13 FDT

sizes
160 · 165 · 170 · 175 · 180

sidecut (by size)
118,5-70-98,5 (160) ·
119-70-99 (165) ·
121-70-101 (170-175) ·
122-70-102 (180)

radius (by size)
14 (160) ·
14,8 (165) ·
15 (170) ·
16 (175) ·
16,6 (180)

DIN setting
4-13 TCX

system
FDT Race Plate Pro N

ski construction
Energy 2 TI Double Core

camRock
Full Camber Profile

Race-On Piste / Dobermann

Multigara

Dobermann Multigara DC FDT

1.199,-



0A5424 NC 001
grey / black
Comp 13 FDT

sizes
160 · 165 · 170 · 175 · 180

sidecut (by size)
118,5-70-98,5 (160) ·
119-70-99 (165) ·
121-70-101 (170-175) ·
122-70-102 (180)

radius (by size)
14 (160) ·
14,8 (165) ·
15 (170) ·
16 (175) ·
16,6 (180)

DIN setting
4-13 TCX

system
FDT Race Plate Pro N

ski construction
Energy 2 TI Double Core

camRock
Full Camber Profile

Dobermann Multipista DC FDT

1.149,-



NEW
0A5425 NA 001
blue / white
TPX 13 Royal FDT

sizes
160 · 165 · 170 · 175 · 180 · 185

sidecut (by size)
117-74-95 (160) ·
118-74-96 (165) ·
119-74-97 (170-175) ·
120-74-98 (180) ·
121-74-99 (185)

radius (by size)
14 (160) ·
14,8 (165) ·
14,5 (165) ·
15 (170) ·
15,5 (175) ·
16(180) ·
16,5 (185)

DIN setting
4-13 Royal

system
FDT Race Plate Pro N

ski construction
Energy 2 TI Double Core

camRock
Full Camber Profile

Race-On Piste / Spitfire

Spitfire Double Core

Spitfire DC 80 Pro FDT

949,-



RENTAL READY
0A5427 ND 001
greyblue / white
Comp 12 FDT

sizes
162 · 168 · 174 · 180

sidecut (by size)
128-80-108 (162) ·
130-80-110 (168-174-180)

radius (by size)
14,5 (162) ·
15 (168) ·
16 (174) ·
17 (180)

DIN setting
4-12 TC

system
FDT Race Plate N

ski construction
Energy Ti Double Core

camRock
Full Camber Profile

Spitfire DC 74 Pro FDT

949,-



RENTAL READY
0A5428 ND 001
greyblue / white
Comp 12 FDT

sizes
160 · 165 · 170 · 175 · 180

sidecut (by size)
121,5-74-101,5 (160) ·
122-74-102 (165) ·
124-74-104 (170-175) ·
125-74-105 (180)

radius (by size)
14,5 (160) ·
15,3 (165) ·
15,5 (170) ·
16,5 (175) ·
17,1 (180)

DIN setting
4-12 TC

system
FDT Race Plate N

ski construction
Energy Ti Double Core

camRock
Full Camber Profile

Race-On Piste / Spitfire
Spitfire Double Core

Spitfire DC 68 Pro FDT

949,-



RENTAL READY
0A5429 ND 001
greyblue / white
Comp 12 FDT

sizes
160 · 165 · 170 · 175 · 180
sidecut (by size)
116,5-68-96,5 (160) ·
117-68-97 (165) ·
119-68-99 (170-175) ·
120-68-100 (180)
radius (by size)
14 (160) ·
14,8 (165) ·
15 (170) ·
16 (175) ·
16,8 (180)
DIN setting
4-12 TC
system
FDT Race Plate N
ski construction
Energy Ti Double Core
camRock
Full Camber Profile

Spitfire DC 74 FDT

749,-



RENTAL READY
0A5430 NB 001
greygreen / anthracite
TPX 12 FDT

sizes
160 · 165 · 170 · 175
sidecut (by size)
121,5-74-101,5 (160) ·
122-74-102 (165) ·
124-74-104 (170-175)
radius (by size)
14,5 (160) ·
15,3 (165) ·
15,5 (170) ·
16,5 (175)
DIN setting
4-12 TC
system
FDT Race Plate N
ski construction
Energy Double Core
camRock
Full Camber Profile

Spitfire DC 68 FDT

749,-



RENTAL READY
0A5431 NB 001
greygreen / anthracite
TPX 12 FDT

sizes
160 · 165 · 170 · 175
sidecut (by size)
116,5-68-96,5 (160) ·
117-68-97 (165) ·
119-68-99 (170-175)
radius (by size)
14 (160) ·
14,8 (165) ·
15 (170) ·
16 (175)
DIN setting
4-12 TC
system
FDT Race Plate N
ski construction
Energy Double Core
camRock
Full Camber Profile

Race-On Piste / Spitfire
Spitfire

Spitfire TI FDT

699,-



RENTAL READY
0A5432 OD 001
greyblue / red / silver
TP2 Light 11 FDT

sizes
150 · 156 · 162 · 168 · 174
sidecut (by size)
116-70-96 (150) ·
118-70-98 (156) ·
119-71-99 (162-168) ·
121-71-101 (174)
radius (by size)
12,5 (150) ·
13,5 (156) ·
14,5 (162) ·
15 (168) ·
16 (174)
DIN setting
3-11 TC
system
FDT Race Plate N
ski construction
Energy TI
camRock
Full Camber Profile

Spitfire CA FDT

599,-



RENTAL READY
0A5433 SA 001
greygreen / red / silver
TP2 Compact 10 FDT

sizes
150 · 156 · 162 · 168 · 174
sidecut (by size)
116-70-96 (150) ·
118-70-98 (156) ·
119-71-99 (162-168) ·
121-71-101 (174)
radius (by size)
12,5 (150) ·
13,5 (156) ·
14,5 (162) ·
15 (168) ·
16 (174)
DIN setting
3-10 ML
system
FDT Demo Plate
ski construction
Energy CA
camRock
Full Camber Profile

Spitfire 75 FDT

479,-



RENTAL READY
0A5434 SA 001
greyblue / white
TP2 Compact 10 FDT

sizes
144 · 150 · 156 · 162 · 168 · 174
sidecut (by size)
123-75-103 (144-150) ·
124-75-104 (156-162) ·
125-75-105 (168-174)
radius (by size)
11 (144) ·
12 (150) ·
12,5 (156) ·
13,5 (162) ·
14,5 (168) ·
15,5 (174)
DIN setting
3-10 ML
system
FDT Demo Plate
ski construction
Composite Wood Partial SW
camRock
On Piste Profile

Spitfire 73 FDT

389,-



RENTAL READY
0A5435 SA 001
greygreen / white
TP2 Compact 10 FDT

sizes
144 · 150 · 156 · 162 · 168 · 174
sidecut (by size)
119-73-96 (144) ·
121-73-98 (150) ·
122,5-73-100 (156) ·
123,5-73-101 (162) ·
124-73-101 (168) ·
124,5-73-102 (174)
radius (by size)
12 (144) ·
12,5 (150) ·
13 (156) ·
13,7 (162) ·
14,6 (168) ·
15,5 (174)
DIN setting
3-10 ML
system
FDT Demo Plate
ski construction
Composite Wood
camRock
On Piste Profile

Belle SL DC FDT

849,-



NEW
RENTAL READY
0A5437 NE 001
grey / black
TPX 12 FDT

sizes
150 · 155 · 160 · 165
sidecut (by size)
118-69-102 (150) ·
119-69-103 (155-160) ·
120-69-104 (165)
radius (by size)
11 (150) ·
11,5 (155) ·
12,5 (160) ·
13 (165)
DIN setting
4-12 TC
system
FDT Race Plate N
ski construction
Energy Ti Double Core
camRock
Full Camber Profile

Belle SL DC FDT

849,-



RENTAL READY
0A5438 NE 001
black / silver
TPX 12 FDT

sizes
150 · 155 · 160 · 165
sidecut (by size)
118-69-102 (150) ·
119-69-103 (155-160) ·
120-69-104 (165)
radius (by size)
11 (150) ·
11,5 (155) ·
12,5 (160) ·
13 (165)
DIN setting
4-12 TC
system
FDT Race Plate N
ski construction
Energy Ti Double Core
camRock
Full Camber Profile



Wild Belle DC 84

699,-



RENTAL READY
0A5439 NF 001
black / blue
TP2 Light 11 FDT

sizes
144 · 150 · 156 · 162 · 168
sidecut (by size)
130-84-109 (144) ·
131-84-110 (150) ·
132-84-111 (156) ·
133-84-112 (162) ·
134-84-113 (168)
radius (by size)
11,5 (144) ·
12,2 (150) ·
12,8 (156) ·
13,7 (162) ·
14,5 (168)
DIN setting
3-11 TC
system
FDT HP Free
Demo Plate Short
ski construction
Double Core CA
camRock
On Piste Rocker Profile

Belle DC 78

699,-



RENTAL READY
0A5440 NG 001
black / gold
TP2 Light 11 FDT

sizes
138 · 144 · 150 · 156 · 162 · 168
sidecut (by size)
123-78-102 (138) ·
124-78-103 (144) ·
125-78-104 (150) ·
126-78-105 (156) ·
127-78-106 (162) ·
128-78-107 (168)
radius (by size)
10,7 (138) ·
11,5 (144) ·
12,2 (150) ·
12,8 (156) ·
13,7 (162) ·
14,5 (168)
DIN setting
3-11 TC
system
FDT HP Free
Demo Plate Short
ski construction
Double Core CA
camRock
On Piste Rocker Profile

Belle DC 72

699,-



RENTAL READY
0A5441 NG 001
black / gold
TP2 Light 11 FDT

sizes
138 · 144 · 150 · 156 · 162 · 168
sidecut (by size)
117-72-96 (138) ·
118-72-97 (144) ·
119-72-98 (150) ·
120-72-99 (156) ·
121-72-100 (162) ·
122-72-101 (168)
radius (by size)
10,7 (138) ·
11,5 (144) ·
12,2 (150) ·
12,8 (156) ·
13,7 (162) ·
14,5 (168)
DIN setting
3-11 TC
system
FDT HP Free
Demo Plate Short
ski construction
Double Core CA
camRock
On Piste Rocker Profile

Wild Belle 78 CA

599,-



RENTAL READY
0A5442 SA 001
black / aqua
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size)
123-78-102 (138) ·
124-78-103 (144) ·
125-78-104 (150) ·
126-78-105 (156) ·
127-78-106 (162) ·
128-78-107 (168)

radius (by size)
10,7 (138) ·
11,5 (144) ·
12,2 (150) ·
12,8 (156) ·
13,7 (162) ·
14,5 (168)

DIN setting
3-10 ML

system
FDT Free Demo Plate Short

ski construction
Energy CA

camRock
On Piste Rocker Profile

Belle 72 CA

599,-



RENTAL READY
0A5443 SA 001
midnight / rainbow
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size)
117-72-96 (138) ·
118-72-97 (144) ·
119-72-98 (150) ·
120-72-99 (156) ·
121-72-100 (162) ·
122-72-101 (168)

radius (by size)
10,7 (138) ·
11,5 (144) ·
12,2 (150) ·
12,8 (156) ·
13,7 (162) ·
14,5 (168)

DIN setting
3-10 ML

system
FDT Free Demo Plate Short

ski construction
Energy CA

camRock
On Piste Rocker Profile

Belle 75

479,-



RENTAL READY
0A5444 SA 001
teal / rainbow
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size)
123-75-103 (138-144-150) ·
124-75-104 (156-162) ·
125-75-105 (168)

radius (by size)
10 (138) ·
11 (144) ·
12 (150) ·
12,5 (156) ·
13,5 (162) ·
14,5 (168)

DIN setting
3-10 ML

system
FDT Free Demo Plate Short

ski construction
Composite Wood Partial SW

camRock
On Piste Rocker Profile

Wild Belle 74

479,-



RENTAL READY
0A5445 SA 001
black / blue
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size)
123-75-103 (138-144-150) ·
124-75-104 (156-162) ·
125-75-105 (168)

radius (by size)
10 (138) ·
11 (144) ·
12 (150) ·
12,5 (156) ·
13,5 (162) ·
14,5 (168)

DIN setting
3-10 ML

system
FDT Free Demo Plate Short

ski construction
Composite Wood Partial SW

camRock
On Piste Rocker Profile

Belle 73

389,-



RENTAL READY
0A5446 SA 001
white / rainbow
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size)
117-73-94 (138) ·
119-73-96 (144) ·
121-73-98 (150) ·
122,5-73-100 (156) ·
123,5-73-101 (162) ·
124-73-101 (168)

radius (by size)
11,5 (138) ·
12 (144) ·
12,5 (150) ·
13 (156) ·
13,7 (162) ·
14,6 (168)

DIN setting
3-10 ML

system
FDT Free Demo Plate Short

ski construction
Composite Wood

camRock
On Piste Rocker Profile



Steadfast 85 DC FDT

749,-



0A5448 NB 001
greyblue / anthracite
TPX 12 FDT

- sizes
162 · 168 · 174 · 179
- sidecut (by size)
133-84-112 (162) ·
134-84-113 (168) ·
136-85-115 (174) ·
137-85-116 (179)
- radius (by size)
13,7 (162) ·
14,5 (168) ·
15,3 (174) ·
15,8 (179)
- DIN setting
4-12 TC
- system
FDT HP Free Demo Plate
- ski construction
Double Core TI
- camRock
On Piste Rocker Profile

Steadfast 80 DC FDT

699,-



0A5449 OB 001
greycgreen / anthracite
TP2 Light 11 FDT

- sizes
156 · 162 · 168 · 174 · 179
- sidecut (by size)
126-78-105 (156) ·
127-78-106 (162) ·
128-78-107 (168) ·
131-80-110 (174) ·
132-80-111 (179) ·
- radius (by size)
12,8 (156) ·
13,7 (162) ·
14,5 (168) ·
15,3 (174) ·
15,8 (179)
- DIN setting
3-11 TC
- system
FDT Free Demo Plate
- ski construction
Double Core CA
- camRock
On Piste Rocker Profile

Steadfast 80 CA FDT

649,-



0A5450 SA 001
black / white
TP2 Compact 10 FDT

- sizes
156 · 162 · 168 · 174 · 179
- sidecut (by size)
126-78-105 (156) ·
127-78-106 (162) ·
128-78-107 (168) ·
131-80-110 (174) ·
132-80-111 (179) ·
- radius (by size)
12,8 (156) ·
13,7 (162) ·
14,5 (168) ·
15,3 (174) ·
15,8 (179)
- DIN setting
3-10 ML
- system
FDT Free Demo Plate
- ski construction
Energy CA
- camRock
On Piste Rocker Profile

Steadfast 75 CA FDT

479,-



RENTAL READY
0A5451 SA 001
midnight / anthracite
TP2 Compact 10 FDT

- sizes
150 · 156 · 162 · 168 · 174
- sidecut (by size)
123-75-103 (150) ·
124-75-104 (156-162) ·
125-75-105 (168-174)
- radius (by size)
12 (150) ·
12,5 (156) ·
13,5 (162) ·
14,5 (168) ·
15,5 (174)
- DIN setting
3-10 ML
- system
FDT Free Demo Plate
- ski construction
Composite Wood Partial SW
- camRock
On Piste Rocker Profile





Unlimited 104 flat 749,-



CARRY FORWARD
0A3574 00 001
blue / grey

sizes
158 · 165 · 172 · 179 · 186 · 191

sidecut (by size)
132-104-121 (158) ·
133-104-122 (165) ·
134-104-123 (172) ·
134,5-104-123,5 (179) ·
135-104-124 (186-191)

radius (by size)
15,5 (158) ·
16 (165) ·
16,5 (172) ·
17,5 (179) ·
18,5 (186) ·
19,5 (191)

ski construction
Carbon SW

camRock
Powder Rocker Profile

Unlimited 94 flat 699,-



CARRY FORWARD
0A3575 00 001
red / grey

sizes
151 · 158 · 165 · 172 · 179 · 186

sidecut (by size)
124,5-93-111,5 (151) ·
125-93-112 (158) ·
125,5-94-112,5 (165) ·
126,5-94-114,5 (172) ·
127-94-115,5 (179) ·
127,5-94-115,5 (186)

radius (by size)
13,3 (151) ·
14,4 (158) ·
15,5 (165) ·
16,1 (172) ·
17,1 (179) ·
18,2 (186)

ski construction
Carbon SW

camRock
All Mountain Rocker Profile

Unlimited 94 flat 699,-



CARRY FORWARD
0A3578 00 001
violet / grey

sizes
151 · 158 · 165 · 172 · 179 · 186

sidecut (by size)
124,5-93-111,5 (151) ·
125-93-112 (158) ·
125,5-94-112,5 (165) ·
126,5-94-114,5 (172) ·
127-94-115,5 (179) ·
127,5-94-115,5 (186)

radius (by size)
13,3 (151) ·
14,4 (158) ·
15,5 (165) ·
16,1 (172) ·
17,1 (179) ·
18,2 (186)

ski construction
Carbon SW

camRock
All Mountain Rocker Profile

Unlimited 88 flat 649,-



CARRY FORWARD
0A3576 00 001
sand / grey

sizes
151 · 158 · 165 · 172 · 179

sidecut (by size)
118-88-106 (151) ·
118,5-88-106,5 (158) ·
119-88-107 (165) ·
121-88-109 (172) ·
121,5-88-109,5 (179)

radius (by size)
13 (151) ·
14 (158) ·
15 (165) ·
15,5 (172) ·
16,5 (179)

ski construction
Carbon SW

camRock
All Mountain Rocker Profile

Unlimited 88 flat 649,-



CARRY FORWARD
0A3579 00 001
aqua / grey

sizes
151 · 158 · 165 · 172 · 179

sidecut (by size)
118-88-106 (151) ·
118,5-88-106,5 (158) ·
119-88-107 (165) ·
121-88-109 (172) ·
121,5-88-109,5 (179)

radius (by size)
13 (151) ·
14 (158) ·
15 (165) ·
15,5 (172) ·
16,5 (179)

ski construction
Carbon SW

camRock
All Mountain Rocker Profile

Ski Everything, Better.

The redesigned Enforcer and Santa Ana are here.
Smoother. More responsive. More fun for everyone.
Welcome to another all-mountain revolution,
from your friends at Nordica.



All Terrain / Enforcer

Enforcer 104 flat

799,-

0A5481 00 001
lime / blue / black



sizes
167 · 173 · 179 · 185 · 191
sidecut (by size)
132,5-104-122,5 (167) ·
133,5-104-122,5 (173) ·
135-104-125 (179) ·
136-104-126 (185) ·
137,5-104-127,5 (191)
radius (by size)
17,5 (167) ·
18 (173) ·
18,5 (179) ·
19 (185) ·
19,5 (191)
ski construction
Energy 2 TI
camRock
All Mountain Rocker Profile

Enforcer 99 flat

749,-

0A5482 00 001
red / blue / black



sizes
167 · 173 · 179 · 185 · 191
sidecut (by size)
129-99-117 (167) ·
131-99-119 (173) ·
132-99-120 (179) ·
133-99-121 (185) ·
134-99-122 (191)
radius (by size)
17 (167) ·
17,5 (173) ·
18 (179) ·
18,5 (185) ·
19 (191)
ski construction
Energy 2 TI
camRock
All Mountain Rocker Profile

Enforcer 94 flat

699,-

0A5483 00 001
orange / green / black



sizes
167 · 173 · 179 · 185 · 191
sidecut (by size)
125-94-113 (167) ·
126,5-94-114,5 (173) ·
127,5-94-115,5 (179) ·
128,5-94-116,5 (185) ·
130-94-118 (191)
radius (by size)
16,5 (167) ·
17 (173) ·
17,5 (179) ·
18 (185) ·
18,5 (191)
ski construction
Energy 2 TI
camRock
All Mountain Rocker Profile

Enforcer 89 flat

679,-

0A5484 00 001
grey / blue / black



sizes
167 · 173 · 179 · 185
sidecut (by size)
120-89-108 (167) ·
121,5-89-109,5 (173) ·
122,5-89-110,5 (179) ·
124-89-112 (185)
radius (by size)
16,5 (167) ·
17 (173) ·
17,5 (179) ·
18 (185)
ski construction
Energy 2 TI
camRock
All Mountain Rocker Profile

Santa Ana 102 flat

749,-
0A5485 00 001
peach / light blue / black



sizes
155 · 161 · 167 · 173 · 179

sidecut (by size)
128-102-118 (155) ·
129-102-119 (161) ·
130,5-102-120,5 (167) ·
131,5-102-121,5 (173) ·
133-102-123 (179)

radius (by size)
16,5 (155) ·
17 (161) ·
17,5 (167) ·
18 (173) ·
18,5 (179)

ski construction
Energy TI W

camRock
All Mountain Rocker Profile

Santa Ana 97 flat

699,-
0A5486 00 001
salmon / turquoise / navi



sizes
150 · 155 · 161 · 167 · 173 · 179

sidecut (by size)
124-97-112 (150) ·
125-97-113 (155) ·
126-97-114 (161) ·
127-97-115 (167) ·
129-97-117 (173) ·
130-97-118 (179)

radius (by size)
15,5 (150) ·
16 (155) ·
16,5 (161) ·
17 (167) ·
17,5 (173) ·
18 (179)

ski construction
Energy TI W

camRock
All Mountain Rocker Profile

Santa Ana 92 flat

679,-
0A5487 00 001
lavender / blue / black



sizes
150 · 155 · 161 · 167 · 173 · 179

sidecut (by size)
119,5-92-107,5 (150) ·
120,5-92-108,5 (155) ·
122-92-110 (161) ·
123-92-111 (167) ·
124,5-92-112,5 (173) ·
125,5-92-113,5 (179)

radius (by size)
15 (150) ·
15,5 (155) ·
16 (161) ·
16,5 (167) ·
17 (173) ·
17,5 (179)

ski construction
Energy TI W

camRock
All Mountain Rocker Profile

Santa Ana 87 flat

649,-
0A5488 00 001
coral / blue / black



sizes
150 · 155 · 161 · 167 · 173

sidecut (by size)
115-87-103 (150) ·
115,5-87-103,5 (155) ·
117-87-105 (161) ·
118-87-106 (167) ·
119,5-87-107,5 (173)

radius (by size)
15 (150) ·
15,5 (155) ·
16 (161) ·
16,5 (167) ·
17 (173)

ski construction
Energy TI W

camRock
All Mountain Rocker Profile

Santa Ana 82 flat

599,-
NEW
0A5489 00 001
light blue / coral / midnight



sizes
150 · 155 · 161 · 167 · 173

sidecut (by size)
112,5-82-100,5 (150) ·
113-82-101 (155) ·
114,5-82-102,5 (161) ·
116,5-83-104,5 (167) ·
117,5-83-105,5 (173)

radius (by size)
13,7 (150) ·
14,2 (155) ·
14,7 (161) ·
15,2 (167) ·
15,7 (173)

ski construction
Energy TI W

camRock
All Mountain Rocker Profile



Unleashed 120 flat

749,-

NEW

0A5491 00 001

oilslick red

sizes

180 · 190

sidecut (by size)

148,5-120-137,5 (180) · 150-120-139 (190)

radius (by size)

21,3 (180) · 22,3 (190)

ski construction

Energy TSM TI

camRock

Powder Rocker Profile

Unleashed 114 flat

699,-

0A5492 00 001

oilslick orange

sizes

174 · 180 · 186 · 191

sidecut (by size)

144,5-114-133,5 (174) · 145,5-114-134,5 (180) · 146-114-135 (186) · 147-114-136 (191)

radius (by size)

18,8 (174) · 19,4 (180) · 20,4 (186) · 21,1 (191)

ski construction

Energy TSM TI

camRock

Powder Rocker Profile

Unleashed 108 flat

649,-

0A5493 00 001

oilslick purple

sizes

162 · 168 · 174 · 180 · 186 · 191

sidecut (by size)

137,5-108-126,5 (162) · 138,5-108-127,5 (168) · 139,5-108-128,5 (174) · 140,5-108-129,5 (180) · 141-108-130 (186) · 142-108-131 (191)

radius (by size)

16 (162) · 16,7 (168) · 18,3 (174) · 19 (180) · 19,7 (186) · 20,5 (191)

ski construction

Energy TSM TI

camRock

Powder Rocker Profile

Unleashed 98 flat

599,-

0A5494 00 001

oilslick turquoise

sizes

156 · 162 · 168 · 174 · 180 · 186

sidecut (by size)

129-98-118 (156) · 130-98-119 (162) · 131-98-120 (168) · 132-98-121 (174) · 133-98-122 (180) · 134-98-123 (186)

radius (by size)

15,3 (156) · 16 (162) · 16,7 (168) · 17,4 (174) · 18,1 (180) · 18,8 (186)

ski construction

Energy TSM TI

camRock

Powder Rocker Profile

Unleashed 98 CA flat

499,-

NEW

0A5495 00 001

oilslick blue

sizes

156 · 162 · 168 · 174 · 180 · 186

sidecut (by size)

129-98-118 (156) · 130-98-119 (162) · 131-98-120 (168) · 132-98-121 (174) · 133-98-122 (180) · 134-98-123 (186)

radius (by size)

15,3 (156) · 16 (162) · 16,7 (168) · 17,4 (174) · 18,1 (180) · 18,8 (186)

ski construction

Energy TSM TI

camRock

Powder Rocker Profile

Junior
Unleashed 90 flat

329,-

0A5510 00 001

oilslick pink

sizes

144 · 152 · 160 · 168 · 174

sidecut (by size)

120-90-109 (144) · 121-90-110 (152) · 122-90-111 (160) · 123-90-112 (168) · 124-90-113 (174)

radius (by size)

13,2 (144) · 14,3 (152) · 15,4 (160) · 16,6 (168) · 17,4 (174)

ski construction

Energy CA

camRock

Powder Rocker Profile

Unleashed Running Base

0A5510 00 001

oilslick pink

sizes

144 · 152 · 160 · 168 · 174

sidecut (by size)

120-90-109 (144) · 121-90-110 (152) · 122-90-111 (160) · 123-90-112 (168) · 124-90-113 (174)

radius (by size)

13,2 (144) · 14,3 (152) · 15,4 (160) · 16,6 (168) · 17,4 (174)

ski construction

Energy CA

camRock

Powder Rocker Profile



Enforcer 80s flat

319,-

OA5512 00 001
black / lime / blue



sizes
120 · 130 · 140 · 150 · 160

sidecut (by size)
105,5-78-90,5 (120) ·
108-78-93 (130) ·
111,5-78-96,5 (140) ·
114-80-99 (150) ·
116,5-80-101,5 (160)

radius (by size)
11,5 (120) ·
12,5 (130) ·
13 (140) ·
14 (150) ·
15 (160)

ski construction
Energy CA

camRock
All Mountain Rocker Profile

Santa Ana 80s flat

319,-

OA5513 00 001
midnight blue / purple



sizes
120 · 130 · 140 · 150 · 160

sidecut (by size)
105,5-78-90,5 (120) ·
108-78-93 (130) ·
111,5-78-96,5 (140) ·
114-80-99 (150) ·
116,5-80-101,5 (160)

radius (by size)
11,5 (120) ·
12,5 (130) ·
13 (140) ·
14 (150) ·
15 (160)

ski construction
Energy CA

camRock
All Mountain Rocker Profile

Unleashed J FDT

oilslick pink
OA5530 MG 001
JR 7.0 FDT WB 279,-
OA5531 MH 001
JR 4.5 FDT WB 259,-



sizes
108 · 118 · 128 · 138 · 148

sidecut (by size)
99-72-90 (108) ·
105-74-96 (118-128) ·
109-76-99 (138-148)

radius (by size)
8 (108) ·
9 (118) ·
11 (128) ·
12 (138) ·
14 (108)

DIN setting
2-7 EPS (JR 7.0 FDT WB)
0,75-4,5 EPS (JR 4.5 FDT WB)

system
FDT JR RTL S + RS (108) ·
FDT JR RTL L + RS (118-148)

ski construction
Composite Partial SW

camRock
Twin Rocker Profile



Dobermann Combi Pro S FDT

anthracite / red
OA5497 ME 001
JR 7.0 FDT 339,-
OA5498 MF 001
JR 4.5 FDT 319,-



sizes
100 · 110 · 120 · 130 · 140 · 150 ·
162 (7.0 FDT)
100 · 110 · 120 · 130 (4.5 FDT)

sidecut (by size)
104-69-91 (100) ·
106-69-91 (110) ·
111-69-91 (120) ·
113-69-93 (130) ·
116-70-96 (140) ·
118-70-98 (150) ·
119-71-99 (162)

radius (by size)
7 (100) ·
8 (110) ·
9 (120) ·
10 (130) ·
11 (140) ·
12 (150) ·
14,5 (162)

DIN setting
2-7 EPS (7.0 FDT) ·
0,75-4,5 EPS (4.5 FDT)

system
FDT JR RTL S + RS (100-110) ·
FDT JR RTL L + RS (120-162)

ski construction
Energy CA

camRock
Full Camber Profile

215,- (Bindung 7.0) in 110cm bis 150cm (Girl bis 140cm)

195,- (Bindung 4.5) in 100cm bis 140cm

179,- (Bindung 4.5) in 70cm bis 90cm

Team AM FDT

215,- / 195,- / 179,-

CARRY FORWARD
black / red / blue
OA4537 ME 001
JR 7.0 FDT (sizes 110-150)
OA4538 MF 001
JR 4.5 FDT (sizes 100-140)
OA4539 MF 001
JR 4.5 FDT (sizes 70-90)



sizes
110 · 120 · 130 · 140 · 150
(OA4537 ME)
100 · 110 · 120 · 130 · 140
(OA4538 MF)
70 · 80 · 90
(OA4539 MF)

sidecut (by size)
102-67-89 (70-90) ·
104-67-93 (100-110) ·
106-67-95 (120-140) ·
113-70-99 (150)

radius (by size)
3 (70) · 4 (80) ·
5 (90) · 6 (100) ·
7 (110) · 8 (120) ·
10 (130) · 12 (140) ·
13 (150)

DIN setting
2-7 EPS (7.0 FDT) ·
0,75-4,5 EPS (4.5 FDT)

system
FDT JR RTL S + RS (70-110) ·
FDT JR RTL L + RS (120-150)

ski construction
Composite

camRock
On Piste Rocker Profile

Team G FDT

215,- / 195,- / 179,-

CARRY FORWARD
blue / grey / pink
OA4541 ME 001
JR 7.0 FDT (sizes 110-140)
OA4542 MF 001
JR 4.5 FDT (sizes 100-140)
OA4543 MF 001
JR 4.5 FDT (sizes 70-90)



sizes
110 · 120 · 130 · 140
(OA4541 ME)
100 · 110 · 120 · 130 · 140
(OA4542 MF)
70 · 80 · 90
(OA4543 MF)

sidecut (by size)
102-67-89 (70-90) ·
104-67-93 (100-110) ·
106-67-95 (120-140) ·
113-70-99 (150)

radius (by size)
3 (70) · 4 (80) ·
5 (90) · 6 (100) ·
7 (110) · 8 (120) ·
10 (130) · 12 (140) ·
13 (150)

DIN setting
2-7 EPS (7.0 FDT) ·
0,75-4,5 EPS (4.5 FDT)

system
FDT JR RTL S + RS (70-110) ·
FDT JR RTL L + RS (120-140)

ski construction
Composite

camRock
On Piste Rocker Profile

Team JR FDT

215,- / 195,- / 179,-

black / red
OA5544 ME 001
JR 7.0 FDT (sizes 110-150)
OA5545 MF 001
JR 4.5 FDT (sizes 100-140)
OA5546 MF 001
JR 4.5 FDT (sizes 70-90)



sizes
110 · 120 · 130 · 140 · 150
(OA4544 ME)
100 · 110 · 120 · 130 · 140
(OA4545 MF)
70 · 80 · 90
(OA4546 MF)

sidecut (by size)
102-67-89 (70-90) ·
104-67-93 (100-110) ·
106-67-95 (120-140) ·
113-70-99 (150)

radius (by size)
3 (70) · 4 (80) ·
5 (90) · 6 (100) ·
7 (110) · 8 (120) ·
10 (130) · 12 (140) ·
13 (150)

DIN setting
2-7 EPS (7.0 FDT) ·
0,75-4,5 EPS (4.5 FDT)

system
FDT JR RTL S + RS (70-110) ·
FDT JR RTL L + RS (120-150)

ski construction
Composite

camRock
On Piste Rocker Profile

Racing



World Cup

Dobermann DH WC Dept EDT Plate



CARRY FORWARD
0A4402 00 001
black / red

sizes
212 · 218

sidecut (by size)
R&D

radius (by size)
≥50

system
Speed Plate EDT

ski construction
Energy 2 Ti Worldcup

camRock
Full Camber Profile

suggested bindings
Comp 30 - 0C511100001
Comp 20 - 0C511200001

Dobermann SG WC Dept EDT Plate



1.199,-
(ohne Bindung)

CARRY FORWARD
0A4404 00 001
black / red

sizes
185 · 195 · 202 · 205 · 212

sidecut (by size)
R&D

radius (by size)
≥30 (185) · ≥33 (195) · ≥35 (202) ·
≥40 (205) · ≥45 (212)

system
Speed Plate EDT

ski construction
Energy 2 Ti Worldcup

camRock
Full Camber Profile

suggested bindings
Comp 30 - 0C511100001
Comp 20 - 0C511200001

Dobermann GS WC Dept Plate



1.199,-
(ohne Bindung)

CARRY FORWARD
0A4406 00 001
black / red

sizes
188 · 193

sidecut (by size)
R&D

radius (by size)
≥30

system
Piston Plate

ski construction
Energy 2 Ti Worldcup

camRock
Full Camber Profile

suggested bindings
Comp 20 - 0C511200001
Comp 16 - 0C4144 00 001

Dobermann SL WC Dept Plate



1.199,-
(ohne Bindung)

CARRY FORWARD
0A4407 00 001
black / red

sizes
156 · 165

sidecut (by size)
R&D

radius (by size)
R&D

system
Piston Plate 14mm

ski construction
Energy 2 Ti Worldcup

camRock
Full Camber Profile

suggested bindings
Comp 20 - 0C511200001
Comp 16 - 0C4144 00 001

Dobermann SL WC Plate

999,-
(ohne Bindung)

CARRY FORWARD
0A4411 00 001
black / red

sizes
156 · 165

sidecut (by size)
R&D

radius (by size)
R&D

system
Piston Plate

ski construction
Energy 2 TI

camRock
Full Camber Profile

suggested bindings
Comp 16 - 0C4144 00 001
Comp 12 - 0C4146 00 001



Dobermann GS Race Plate

799,-
(ohne Bindung)

CARRY FORWARD
0A4412 00 001
black / red

sizes
173 · 178 · 183 · 188

sidecut (by size)
R&D

radius (by size)
≥21 (173) ·
≥23 (178) ·
≥23 (183) ·
≥25 (188)

system
Piston Plate

ski construction
Energy 2 TI

camRock
Full Camber Profile

suggested bindings
Comp 16 - 0C4144 00 001
Comp 12 - 0C4146 00 001



Dobermann SL Race Plate

799,-
(ohne Bindung)

CARRY FORWARD
0A4414 00 001
black / red

sizes
151

sidecut (by size)
112,5-65-97,5

radius (by size)
≥12

system
Piston Plate

ski construction
Energy 2 TI

camRock
Full Camber Profile

suggested bindings
Comp 16 - 0C4144 00 001
Comp 12 - 0C4146 00 001



Dobermann GSJ Plate

449,-
(ohne Bindung)

CARRY FORWARD
0A4416 00 001
black / red

sizes
129 · 136 · 143 · 150 ·
157 · 164 · 171

sidecut (by size)
102,5-65-84 (129) ·
103-65-84,5 (136) ·
103,5-65-85 (143) ·
104,5-65-86 (150) ·
104-65-87 (157) ·
105-65-88 (164-171)

radius (by size)
≥12 (129) ·
≥14 (136) ·
≥14 (143) ·
≥14 (150) ·
≥17 (157) ·
≥17 (164) ·
≥17 (171)

system
Junior Racing Plate New
S (136-150) · L (157-171)

ski construction
Energy 2 TI

camRock
Full Camber Profile

suggested bindings
Comp 10 TCX - 0C4148 00 001
Comp 10 - 0C4150 00 001
Comp J 8 - 0C4152 00 001



Dobermann SLJ Plate

449,-
(ohne Bindung)

CARRY FORWARD
0A4418 00 001
black / red

sizes
121 · 128 · 135 · 142 · 149

sidecut (by size)
104-63-89 (121) ·
106-63-89 (128) ·
109-64-89 (135) ·
111-64-89 (142) ·
112,5-65-89 (149)

radius (by size)
≥9 (121) ·
≥9 (128) ·
≥10 (135) ·
≥10 (142) ·
≥11 (149)

system
Junior Racing Plate New
S (121-135) · L (142-149)

ski construction
Energy 2 TI

camRock
Full Camber Profile

suggested bindings
Comp 10 TCX - 0C4148 00 001
Comp 10 - 0C4150 00 001
Comp J 8 - 0C4152 00 001





Rental / Ski Boots
Machine family with **BOA® Fit System**

Speedmachine 3 110 R BOA® GW

NEW **RTL 499,-**
050Q30 00 M99 - anthracite / black / red



soles
Gripwalk® soles
last (mm) flex
100 110
size range
24,5-30,5
g / MP 26,5
1900
liner type/style
3D Hygienical Fit
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Easy Entry Soft Flap

Speedmachine 3 100 R BOA® GW

NEW **RTL 459,-**
050Q34 00 7T1 - black / anthracite / red



soles
Gripwalk® soles
last (mm) flex
100 100
size range
24,5-30,5
g / MP 26,5
1900
liner type/style
3D Hygienical Fit
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Easy Entry Soft Flap

Speedmachine 3 95w R BOA® GW

NEW **RTL 499,-**
050Q32 00 047 - anthracite / black / green



soles
Gripwalk® soles
last (mm) flex
100 95
size range
22,5-27,5
g / MP 24,5
1700
liner type/style
3D Hygienical Fit W
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Speedmachine 3 85w R BOA® GW

NEW **RTL 459,-**
050Q36 00 Q04 - black / white / green



soles
Gripwalk® soles
last (mm) flex
100 85
size range
22,5-27,5
g / MP 24,5
1700
liner type/style
Hygienical Fit W
technologies
BOA® Fit System
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 90 R BOA® GW

NEW **RTL 429,-**
050S30 00 7T1 - black / anthracite / grey



soles
Gripwalk® soles
last (mm) flex
102 90
size range
24,5-32,5
g / MP 26,5
1700
liner type/style
Comfort Fit Primaloft®
technologies
BOA® Fit System
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Sportmachine 3 75w R BOA® GW

NEW **RTL 429,-**
050S32 00 3A9 - black / anthracite / rose



soles
Gripwalk® soles
last (mm) flex
102 75
size range
22,5-27,5
g / MP 24,5
1580
liner type/style
Comfort Fit W
Primaloft®
technologies
BOA® Fit System
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap

Rental / Ski Boots

HF Pro & HF

HF Pro 110 R GW

CARRY FORWARD RTL 529,-
050J20 00 7T1 - black / grey / red



soles
Gripwalk® soles

last (mm)	flex
100	110

size range
22,5-30,5

g/MP 26,5
1780

liner type/style
HF 3D Hygienical
Comfort Fit

technologies
Infrared
Double Axis Pivot
35mm Strap
Hands Free
Step In & Out
Monolock Buckle

HF Pro 85w R GW

CARRY FORWARD RTL 529,-
050J21 00 731 - black / anthracite / green



soles
Gripwalk® soles

last (mm)	flex
100	85

size range
22,5-27,5

g/MP 24,5
1750

liner type/style
HF 3D Hygienical
Comfort Fit W

technologies
Infrared
Double Axis Pivot
35mm Strap
Hands Free
Step In & Out
Monolock Buckle

HF 90 R GW

CARRY FORWARD RTL 449,-
050K30 G1 4F1 - anthracite / grey / red



soles
Gripwalk® soles

last (mm)	flex
102	90

size range
24,0-31,0

g/MP 26,5
1750

liner type/style
HF 3D Hygienical
Comfort Fit

technologies
Infrared
Instep Volume Control
Double Axis Pivot
Hands Free
Step In & Out
Monolock Buckle

HF 75w R GW

CARRY FORWARD RTL 449,-
050K31 G1 4F6 - anthracite / grey / green



soles
Gripwalk® soles

last (mm)	flex
102	75

size range
23,0-32,5

g/MP 24,5
1740

liner type/style
HF 3D Hygienical
Comfort Fit W

technologies
Infrared
Instep Volume Control
Double Axis Pivot
Hands Free
Step In & Out
Monolock Buckle

The Cruise

The Cruise 90 R GW

CARRY FORWARD RTL 279,-
050678 G2 M99 - anthracite / black / red



soles
Gripwalk® soles

last (mm)	flex
104	90

size range
24,0-32,5

g/MP 26,5
2050

liner type/style
Comfort RTL
Antibacterial

technologies
Tri-Fit Technology
Strap 35mm
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap
4 Buckles Micro Alu

The Cruise 75w R GW

CARRY FORWARD RTL 279,-
050682 G2 S41 - anthracite / white / green



soles
Gripwalk® soles

last (mm)	flex
104	75

size range
22,5-27,5

g/MP 24,5
1890

liner type/style
Comfort RTL
Antibacterial

technologies
Tri-Fit Technology
Strap 35mm
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap
4 Buckles Micro Alu

Zusatzmodelle (SMU) „Out of Catalog):

The Cruise R = RTL 229,-
(Unisex MP 22,5 - 32,5)

X-Ruiser = 229,-
(Unisex MP 22,5 - 31,5)

Machine family

Speedmachine 3 100 R GW

CARRY FORWARD RTL 369,-
050G42 G0 7T1 - black / anthracite / red



soles
Gripwalk® soles

last (mm)	flex
100	100

size range
24,0-31,0

g/MP 26,5
1900

liner type/style
3D Hygienical Fit

technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Easy Entry Soft Flap
4 Buckles Micro Alu

Speedmachine 85w R GW

CARRY FORWARD RTL 369,-
050G43 G0 Q04 - black / white / green



soles
Gripwalk® soles

last (mm)	flex
100	85

size range
22,0-27,5

g/MP 24,5
1700

liner type/style
3D Hygienical Fit W

technologies
Infrared
Tri-Fit Technology
35mm Strap
Tri Force Construction
Adjustable Cuff Profile
Easy Entry Soft Flap
4 Buckles Micro Alu

Sportmachine 3 90 R

050T26 G1 7T1 GW RTL 309,-
050T26 01 7T1 - black / anthracite / red



soles
Gripwalk® or 5355
Alpine High Traction

last (mm)	flex
102	90

size range
22,5-32,5

g/MP 26,5
1980 (GW) - 1860

liner type/style
Hygienical Comfort Fit

technologies
Infrared
Tri-Force Construction
35mm Strap
Adjustable Cuff Profile
4 Buckles Micro Alu

Sportmachine 75w R

050T27 G1 3A9 GW RTL 309,-
050T27 01 3A9 - black / anthracite / rose



soles
Gripwalk® or 5355
Alpine High Traction

last (mm)	flex
102	75

size range
22,5-27,5

g/MP 24,5
1820 (GW) - 1800

liner type/style
Hygienical Comfort
Fit W

technologies
Infrared
Tri-Force Construction
35mm Strap
Adjustable Cuff Profile
4 Buckles Micro Alu

Junior

Speedmachine J4 R

CARRY FORWARD RTL 179,-
050738 00 M99 - anthracite / black / red



soles
5355 Alpine
High Traction

last (mm)	flex
100	60

size range
19,0-27,5

g/MP 21,5
1650

liner type/style
Comfort RTL
Antibacterial

technologies
Micro Adj Buckles
Power strap
Easy Entry Soft Flap
Hot Stamped Size
& Lenght

Speedmachine J3 R

CARRY FORWARD RTL 159,-
050880 00 M99 - anthracite / black / red



soles
5355 Alpine
High Traction

last (mm)	flex
100	45

size range
19,0-23,5

g/MP 21,5
1060

liner type/style
Comfort RTL
Antibacterial

technologies
3 Buckles Alu
Easy Entry Soft Flap
Weight Adjuster
Hot Stamped Size
& Lenght

Speedmachine J2 R

CARRY FORWARD RTL 139,-
050882 00 M99 - anthracite / black / red



soles
5355 Alpine
High Traction

last (mm)	flex
100	45

size range
16,5-23,5

g/MP 18,5
810

liner type/style
Comfort RTL
Antibacterial

technologies
2 Buckles Alu
Easy Entry Soft Flap
Weight Adjuster
Hot Stamped Size
& Lenght

Speedmachine J1 R

CARRY FORWARD RTL 119,-
050884 00 M99 - anthracite / black / red



soles
5355 Alpine
High Traction

last (mm)	flex
100	25

size range
14,5-19,5

g/MP 16,5
710

liner type/style
Comfort fit

technologies
Ratchet Single Buckle
Sticker Size & Lenght

Alldrive X FDT



NEW
0A5516 SA 001
greengreen
TP2 Compact 10 FDT

sizes
150 · 155 · 161 · 167 ·
173 · 179 · 186

sidecut (by size)
112-84-100 (150) ·
112,5-84-100,5 (155) ·
114-84-102 (161) ·
116-85-104 (167) ·
117,5-85-105,5 (173) ·
119,5-86-107,5 (179) ·
121-86-109 (186)

radius (by size)
15 (150) ·
15,5 (155) ·
16 (161) ·
16,5 (167) ·
17 (173) ·
17,5 (179) ·
18 (186)

DIN setting
3-10 ML

system
FDT Free Demo Plate + RS

ski construction
Energy CA

camRock
All Mountain Rocker Profile

Alldrive 84 FDT

RTL 599,-



CARRY FORWARD
0A4563 SA 001
blue / silver
TP2 Compact 10 FDT

sizes
136 · 142 · 150 · 158 ·
166 · 174 · 180

sidecut (by size)
127-82-105 (136) ·
128-82-106 (142) ·
129-82-107 (150) ·
133-84-111 (158) ·
134-84-112 (166) ·
135-84-113 (174) ·
136-84-114 (180)

radius (by size)
11 (136) ·
12 (142) ·
13 (150) ·
13,5 (158) ·
14,5 (166) ·
15,5 (174) ·
16,5 (180)

DIN setting
3-10 ML

system
FDT Free Demo Plate + RS

ski construction
Energy CA

camRock
All Mountain Rocker Profile

Alldrive w 82 FDT

RTL 599,-



CARRY FORWARD
0A4565 SA 001
teal / salmon
TP2 Compact 10 FDT

sizes
136 · 142 · 150 · 158 · 166

sidecut (by size)
127-82-105 (136) ·
128-82-106 (142) ·
129-82-107 (150) ·
133-84-111 (158) ·
134-84-112 (166)

radius (by size)
11 (136) ·
12 (142) ·
13 (150) ·
13,5 (158) ·
14,5 (166)

DIN setting
3-10 ML

system
FDT Freeride Plate + RS

ski construction
Energy CA

camRock
All Mountain Rocker Profile

Alldrive 76 FDT

RTL 549,-



CARRY FORWARD
0A4569 SA 001
light grey / silver
TP2 Compact 10 FDT

sizes
136 · 142 · 150 · 158 · 166 · 174

sidecut (by size)
120-76-97 (136) ·
121-76-98 (142) ·
122-76-99 (150) ·
124-76-101 (158) ·
125-76-102 (166) ·
126-76-103 (174)

radius (by size)
11 (136) ·
12 (142) ·
13 (150) ·
13,5 (158) ·
14,5 (166) ·
15,5 (174)

DIN setting
3-10 ML

system
FDT RTL Plate + RS

ski construction
Energy CA

camRock
On Piste Rocker Profile

Alldrive 74 FDT

RTL 389,-



0A4570 SA 001
grey / red
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 ·
162 · 168 · 174

sidecut (by size)
117-73-94 (138) ·
119-73-96 (144) ·
121-73-98 (150) ·
122,5-73-100 (156) ·
123,5-73-101 (162) ·
124-73-101 (168) ·
124,5-73-102 (174)

radius (by size)
11,5 (138) ·
12 (144) ·
12,5 (150) ·
13 (156) ·
13,7 (162) ·
14,6 (168) ·
15,5 (174)

DIN setting
3-10 ML

system
FDT RTL Plate + RS

ski construction
Composite Wood

camRock
On Piste Rocker Profile

Alldrive w 74 FDT

RTL 389,-



0A45710 SA 001
olive / salmon
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 · 162 · 168

sidecut (by size)
117-73-94 (138) ·
119-73-96 (144) ·
121-73-98 (150) ·
122,5-73-100 (156) ·
123,5-73-101 (162) ·
124-73-101 (168)

radius (by size)
11,5 (138) ·
12 (144) ·
12,5 (150) ·
13 (156) ·
13,7 (162) ·
14,6 (168)

DIN setting
3-10 ML

system
FDT RTL Plate + RS

ski construction
Composite Wood

camRock
On Piste Rocker Profile



Spitfire TI R FDT

RTL 699,-



NEW
0A5551 SA 001
grey / red / black
TP2 Light 11 FDT

sizes
150 · 156 · 162 · 168 · 174
sidecut (by size)
118-70-98 (150) ·
119-71-99 (156-162) ·
121-71-101 (168-174)
radius (by size)
12,5 (150) ·
13,5 (156) ·
14,5 (162) ·
15 (168) ·
16 (174)
DIN setting
3-11 TC
system
FDT Race Plate N
ski construction
Energy TI
camRock
Full Camber Profile

Spitfire CA R FDT

RTL 599,-



NEW
0A5560 SA 001
white / anthracite
TP2 Compact 10 FDT

sizes
140 · 150 · 156 · 162 · 168 · 174
sidecut (by size)
118-70-98 (140) ·
118-70-98 (150) ·
119-71-99 (156-162) ·
121-71-101 (168-174)
radius (by size)
11,3 (140) ·
12,5 (150) ·
13,5 (156) ·
14,5 (162) ·
15 (168) ·
16 (174)
DIN setting
3-10 ML
system
FDT Demo Plate + RS
ski construction
Energy CA
camRock
Full Camber Profile

Spitfire 75 R FDT

RTL 479,-



NEW
0A5560 SA 001
red / black
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 ·
162 · 168 · 174
sidecut (by size)
123-75-103 (138-144-150) ·
124-75-104 (156-162) ·
125-75-105 (168-174)
radius (by size)
10 (138) ·
11 (144) ·
12 (150) ·
12,5 (156) ·
13,5 (162) ·
14,5 (168) ·
15,5 (174)
DIN setting
3-10 ML
system
FDT RTL Plate + RS
ski construction
Composite Wood Partial SW
camRock
On Piste Rocker Profile

Spitfire 73 R FDT

RTL 389,-



NEW
0A5561 SA 001
white / black
TP2 Compact 10 FDT

sizes
138 · 144 · 150 · 156 ·
162 · 168 · 174
sidecut (by size)
117-73-94 (138) ·
119-73-96 (144) ·
121-73-98 (150) ·
122,5-73-100 (156) ·
123,5-73-101 (162) ·
124-73-101 (168) ·
124,5-73-102 (174)
radius (by size)
11,5 (138) ·
12 (144) ·
12,5 (150) ·
13 (156) ·
13,7 (162) ·
14,6 (168) ·
15,5 (174)
DIN setting
3-10 ML
system
FDT RTL Plate + RS
ski construction
Composite Wood
camRock
On Piste Rocker Profile

Enforcer R FDT

RTL 699,-



NEW
0A5515 SA 001
bluegrey / green
TP2 Compact 10 FDT

sizes
150 · 155 · 161 · 167 ·
173 · 179 · 186
sidecut (by size)
112-84-100 (150) ·
112,5-84-100,5 (155) ·
114-84-102 (161) ·
116-85-104 (167) ·
117,5-85-105,5 (173) ·
119,5-86-107,5 (179) ·
121-86-109 (186)
radius (by size)
15 (150) ·
15,5 (155) ·
16 (161) ·
16,5 (167) ·
17 (173) ·
17,5 (179) ·
18 (186)
DIN setting
3-10 ML
system
FDT Free Demo Plate + RS
ski construction
Energy CA
camRock
All Mountain Rocker Profile

Santa Ana R FDT


RTL 699,-



NEW
0A5514 SA 001
blue / turquoise
TP2 Compact 10 FDT

sizes
150 · 155 · 161 · 167 · 173
sidecut (by size)
112-84-100 (150) ·
112,5-84-100,5 (155) ·
114-84-102 (161) ·
116-85-104 (167) ·
117,5-85-105,5 (173)
radius (by size)
15 (150) ·
15,5 (155) ·
16 (161) ·
16,5 (167) ·
17 (173)
DIN setting
3-10 ML
system
FDT Free Demo Plate + RS
ski construction
Energy CA
camRock
All Mountain Rocker Profile





Accessories

Socks made by INTERSOCKS



Dobermann Race

CARRY FORWARD
OW3007 01 001 - black



High Performance Man

NEW
OW3010 01 P46 - anthracite / red
OW3010 01 741 - black / red



High Performance Woman

NEW
OW3003 01 39D - black / lichen blue
OW3003 01 9E3 - black / fuxia



Speedmachine 3

CARRY FORWARD
OW3009 00 001 - black / red



Lite

CARRY FORWARD
OW3013 01 001 - black / grey
OW3013 01 002 - grey / black



Unlimited

OW3014 01 39D - black / lichen blue
OW3014 01 7U3 - black / sand



Tech Junior

OW3012 00 39D - black / lichen blue
OW3012 00 N16 - black / red / white
OW3012 00 774 - black / anthracite / white



HF

CARRY FORWARD
OW3008 01 001 - black / red
OW3008 01 002 - grey / anthracite



Uni 2-Pack

CARRY FORWARD
OW3011 02 001 - grey / red + black / red
OW3011 02 002 - grey / anthracite + black / anthracite

Gloves made by LEVEL



119,- Nordica Freeride

NEW
OW2612 01 001 - black



99,- Nordica Coach

CARRY FORWARD
OW2608 00 741 - black / red



69,- Nordica Pro Rider

CARRY FORWARD
OW2609 00 744 - grey / red



129,- Nordica Ranger

CARRY FORWARD
OW2610 00 001 - black / sand



99,- Nordica Alper Light

CARRY FORWARD
OW2611 00 001 - black / grey

Clothing

Essential 1939



Essential Sweatshirt
NEW
0W0150 01 001 - grey 75,-



Essential Hoodie
CARRY FORWARD
0W0400 00 001 - black 89,-



Essential Fleece
NEW
0W0401 01 001 - grey / black 99,-



Essential Tshirt
NEW
0W0300 01 002 - grey / black 25,-



Caps



Essential Cap
CARRY FORWARD
0W0500 00 001 - black 20,-



Essential Beanie
CARRY FORWARD
0W0550 00 001 - black 25,-



Essential Flatbrim
NEW
0W0503 00 002 - black / white 30,-



Essential Unleashed Beanie
CARRY FORWARD
0W0551 00 001 - bordeaux 20,-

Dobermann



Dobermann Scuba
NEW
0W0403 01 002 - grey / white 99,-



Dobermann Long Sleeves
NEW
0W0304 01 002 - black / white 35,-



Dobermann T-Shirt
NEW
0W0303 01 002 - black / white 29,-



Dobermann Cap
NEW
0W0501 01 003 - black / white 20,-



Dobermann Beanie
NEW
0W0553 01 003 - black / white 20,-



Dobermann Rain Coat
NEW
0W0118 01 003 - grey / black 159,-



Dobermann Joggers
NEW
0W0200 01 002 - black / white 79,-



Business Trolley 149,-

NEW
0N3046 03 002 - black / white
40 lt - 40x55x22 cm



Boot Backpack 99,-

CARRY FORWARD
0N3015 03 001 - black / red
61 lt - 39x40x38 cm



Boot Bag 59,-

CARRY FORWARD
0N3014 03 001 - black / red
55 lt - 33x40x38 cm



Boot Bag Lite 39,-

CARRY FORWARD
0N3037 03 001 - black / red
30 lt - 34x40x24 cm



Pro Backpack 79,-

NEW
0N3052 01 001 - black / white -
29 lt - 55x31x14 cm



Race XL gear pack Domme 149,-

CARRY FORWARD * not made by Invicta
0N3055 00 001 - black
85 lt - 70x49x29 cm



Ski Bag Lite 39,-

NEW
0N3038 03 003 - black / white / red - 1 pair ski - 185x23x19 cm



Single Ski Bag 79,-

NEW
0N3017 03 003 - black / white / red - 1 pair ski - 175(210)x23x15 cm



Cargo Roller Ski Bag 269,-

NEW
0N3033 01 003 - black / white / red - 4/6 pair ski - 190x54x30 cm



Race XL Duffle Roller Dobermann 239,-

CARRY FORWARD
0N3043 01 741 - black / red - 122 lt - 81x43x40 cm



12mtravel Bag 119,-

CARRY FORWARD
0N3048 00 001 - black - 70 lt - 64x35x35 cm



Double Roller Ski Bag 209,-

NEW
0N3018 03 003 - black / white / red - 2/3 pair ski - 200x36x18 cm



3 Pair Ski Bag

CARRY FORWARD
GS RACE 0N3034 00 741 - black / red - 3 pair ski - 38x210 cm
DI RACE - 0N3035 00 741 - black / red - 3 pair ski - 38x240 cm

Nordica Catalogue 2025 | 2026



Dobermann Race 65,-

CARRY FORWARD
0B0828 01 001 - black / red



Dobermann Multigara 125,-

CARRY FORWARD
0B0871 00 001 - black / red



Freeride Pro Woman 65,-

CARRY FORWARD
0B0805 02 001 - black / teal



Alpine TI Dark 50,-

NEW
0B0808 01 002 - grey / grey



Dobermann JR Race 40,-

CARRY FORWARD
0B0830 01 001 - black / red



Freeride Unlimited 120,-

CARRY FORWARD
0B0840 00 001 - black / red



Freeride Pro Man 65,-

CARRY FORWARD
0B0805 01 001 - black / red



Alpine TI Bright 50,-

NEW
0B0810 01 002 - black / white



Primo Uni 25,-

CARRY FORWARD
0B0814 01 001 - white
0B0814 01 002 - grey



Alpine Performance Box a' 25,-

NEW
0B0824 51 002 - black / white
(prepack 25 + box)



Junior 20,-

NEW
0B0818 01 002 - red / black



Junior Girl 20,-

CARRY FORWARD
0B0820 00 002 - green / white



Rental RTL 25,-

NEW
0B0622 01 003 - brushed



Rental JR RTL 20,-

NEW
0B0617 00 003 - brushed



Boot Backpack Lite 49,-

CARRY FORWARD * not made by Invicta
0N3054 00 001 - black / red
50 lt - 46x31x34 cm



Trend Backpack 69,-

NEW * not made by Invicta
0N3053 01 001 - black / white
25 lt - 42x31x14 cm



Comp 30 / 20
 OC5111 00 001 - OC5112 00 001
 DIN configuration:
 15.0 - 30.0 (30) · 11.0 - 20.0 (20)



Comp 16 / 12
 OC4144 00 001 - OC4146 00 001
 DIN configuration:
 6.0 - 16.0 (16) · 4.0 - 12.0 (12)



Comp 10 TCX / 10
 OC4148 00 001 - OC4150 00 001
 DIN configuration:
 3.0 - 10.0



Comp Junior 8
 OC4152 00 001
 DIN configuration:
 2.0 - 8.0



Duke PT 16
 OC4155 00 001 (100mm)
 OC4154 00 001 (125mm)
 DIN configuration:
 6.0 - 16.0



Duke PT 13
 OC4156 00 001 (100mm)
 OC4157 00 001 (125mm)
 DIN configuration:
 4.0 - 13.0



Griffon 13 D
 DEMO 279,-
 OC0192 00 001 (90mm) - OC0194 00 001 (100mm) - OC1197 00 001 (110mm)
 DIN configuration:
 4.0-13.0



Griffon 13 TCX D
 DEMO 279,-
 OC4174 00 001 (90mm) · OC4175 00 001 (110mm)
 DIN configuration:
 4.0-13.0



Duke PT 11
 OC3215 00 001 (100mm)
 OC3213 00 001 (125mm)
 DIN configuration:
 3.0-11.0



Jester 18 Pro ID
 OC4158 00 001 (110mm)
 OC4159 00 001 (120mm)
 DIN configuration:
 8.0 - 18.0



Jester 16 ID
 OC3216 00 001 / 002 (100mm)
 OC3218 00 001 / 002 (110mm)
 DIN configuration:
 6.0-16.0



Kingpin 10
 OC2100 00 001 (75-100mm)
 OC2101 00 001 (100-125mm)
 DIN configuration:
 5.0-10.0



Kingpin 13
 OC2102 00 001 (75-100mm)
 OC2103 00 001 (100-125mm)
 DIN configuration:
 6.0-13.0



Cruise 12
 OC3225 00 001 (90mm)
 OC3224 00 001 (105mm)
 DIN configuration:
 6.0-12.0



Griffon 13 ID
 je 239,-
 OC0186 00 001 / 002 / 003 (100mm) - OC0188 00 001 / 002 / 003 (110mm)
 OC0190 00 001 / 002 / 003 (120mm)
 DIN configuration:
 4.0-13.0



Cruise 10
 OC3226 00 001 (90mm)
 DIN configuration:
 4.0-10.0



Alpinist 12
 439,-
 409,- ohne Bremse
 OC2104 00 001 (w/o brake)
 OC2105 00 001 (90mm)
 DIN configuration:
 6.0-12.0



Alpinist 10
 369,-
 OC2106 00 001 (w/o brake)
 OC2107 00 001 (90mm)
 DIN configuration:
 4.0-10.0



Alpinist 8
 399,-
 349 ohne Bremse
 OC2108 00 001 (w/o brake)
 OC2109 00 001 (90mm)
 DIN configuration:
 3.0-8.0



Alpinist long travel
 409,-
 389,-
 OC2110 00 001 (12 w/o brake)
 OC2111 00 001 (10 w/o brake)
 DIN configuration:
 6.0-8.0



Alpinist long travel 6
 349,-
 OC3227 00 001 (90mm)
 DIN configuration:
 2.0-6.0



Squire 11
 je 179,-
 OC1201 00 001 / 002 / 003 (90mm) - OC1202 00 001 / 002 / 003 (100mm)
 OC1203 00 001 / 002 / 003 (110mm)
 DIN configuration:
 3.0-11.0



Squire 10-100
 149,-
 + screw kit - OC3220 00 001
 DIN configuration:
 3.0-10.0



Squire 11 TCX D
 DEMO 219,-
 OC1206 00 001 (90mm) - OC1204 00 001 (100mm) - OC1205 00 001 (110mm)
 DIN configuration:
 3.0-11.0



Unlimited Skin
 OB2050 00 001 Unlimited 104 skin - OB2051 00 001 Unlimited 94 skin - OB2052 00 001 Unlimited 88 skin

Recycle Your Boots.

Give Your Old Ski Boots a Second Life.


WE ARE AT THE BEGINNING OF A NEW WAY OF CONCEIVING THE SKI BOOT LIFE CYCLE. RECYCLE YOUR BOOTS IS NOT THE FINAL ANSWER, NOT YET, BUT IT IS A SITE OF CONSTANT INNOVATION.

Plastic waste is a problem

Recycle Your Boots was born from the consciousness that our society globally is producing an enormous quantity of waste. And that plastic has become a big problem for our planet, literally as big as a continent. When old ski boots reach the end of their usable life, they often end up in a dump or are burned in waste-to-energy plants. We want to make it possible for anyone to return their old boots, from any brand. **Nordica will recycle up to 85% of the old pair**, in a transparent and sustainable process. Nordica is launching the Recycle Your Boots campaign to make a circular economy the new business model for the ski industry. Since 2021, **we have already collected over 29000 pairs** of ski boots across twelve countries.



FIND OUT
MORE





Action Pictures

Pentapshot, J. Dash, M. Davare, R. De Conti,
G. Podetti, S. Rainer, A. Salini, J. Sedivy.

Product Pictures

Sartori Group.

Design

Design Attitude for AP/CV srl.

Printing

Tipografia Faggionato.



NORDICA.COM

Printed in Italy.
December 2024.