

VÄLKI




COLLECTION

2025 / 2026

SINCE 1923

**THE TECH IS  
GERMAN.  
THE STOKE IS  
WORLDWIDE.**

02



03

# THE VÖLKL WAY

## VÖLKL ENGINEERING

We are committed to continuous development and enhancement, merging German engineering with state-of-the-art manufacturing and meticulous craftsmanship at our Straubing production facility to create top-tier sporting goods.

## HIGHTECH IN MATERIALS & PROCESSING

A core benefit of developing and producing in Germany is the access to the most cutting-edge materials, combined with our constant investment in high-tech processing.

## TEAM

At Völkl, we're a global team united by our love for the perfect turn on snow. Together, we harness our collective power to create the magic that happens out on the mountain.

## BUILT TO WIN

### DATA

To learn and progress, we don't rely solely on our experience, but also analyze data from our global ski community.

### CONSUMER INSIGHTS

#### We focus on our consumers!

The invaluable insights into understanding their needs, preferences, and behaviors are of utmost importance for the development of our skis.

### VÖLKL OBSESSION

With our unparalleled obsession for precision, attention to detail and quality enable us to improve our products constantly while shifting boards. Built to win.

### ATHLETE INSIGHTS

Our athlete involvement and the invaluable insights from our fantastic team are propelling our product development to new heights.

### COMMITMENT TO SUSTAINABILITY

By staying at the forefront of ski technology, we provide superior skiing performance while our commitment to sustainability preserves the natural beauty of the mountains for generations to come.

### VÖLKL TESTING

We test every single ski in each specific length. Without exception. No ski goes into production without the approval of our experienced test team.

# SUSTAINABILITY FACTS

## DONE IN 2024

- Reduction of the total energy consumption including electricity and heat of our plant by -15% per pair of skis produced in 2023 compared to 2019.
- Reduction of the feed temperature of the press heating system during the weekend
- Improved insulation of hot water pipes
- More efficient operation of the factory ventilation system
- Recycling of paper towels
- GOAL FOR 2025: Avoidance of 100 tons of waste through recycling

## 100% RENEWABLE ELECTRIC ENERGY

Production using electricity from Danube hydroelectric power station „Kagers“, not even 8 km from the factory



## SHORT DISTANCES SUPPLY CHAIN FOR SKI MATERIALS

28% Bavarian suppliers  
63% German suppliers  
100 % European suppliers



## 2024: 100% CO<sub>2</sub> NEUTRAL ENERGY

- 100% renewable electric power
- 100% CO<sub>2</sub> compensated gas, certified by TÜV Rheinland, following the GOLD STANDARD [goldstandard.org](http://goldstandard.org)

→ 4700 t CO<sub>2</sub> savings per year

## CO<sub>2</sub> REDUCTION IN PRODUCTION SUCH AS:

Reduction of the total energy consumption of our plant by -15% per pair of skis produced in 2023 compared to 2019










Numerous energy-saving projects such as:

- Milestone: since 2014 energy management system certified according to DIN ISO 50001
- Heat exchanger for preheating the air in the factory
- Using waste heat from compressors to heat screen printing and pre-production
- Cooling of the presses in winter with outside air instead of chillers
- Automatic shutdown of the compressed air network in non-working time

## LESS USE OF PACKAGING MATERIALS

Circle system of collapsible boxes between GER, USA, CAN. Circle systems of rolling carts with selected EU customers



RACE	ALL MNT PISTE	ALL MNT FREERIDE	TOURING	FREESKI		
COMMERCIAL	HARD SNOW	MIXED SNOW	SPEED	LIGHT	ALPINISM	BUILT TOGETHER
 RACETIGER GS MASTER	 PEREGRINE 76 MASTER	 PEREGRINE V.WERKS	 KATANA V.WERKS	 V.WERKS 100	 RISE 99 V.WERKS	 REVOLT 121
 RACETIGER GS	 PEREGRINE 72 MASTER	 PEREGRINE 82	 MANTRA 108	 BLAZE 114	 RISE HIGH 88	 REVOLT 114
 RACETIGER SL MASTER	 PEREGRINE 76	 PEREGRINE 80	 MANTRA 102	 BLAZE 104 TEAL	 RISE BEYOND 96	 REVOLT 104
 RACETIGER SL	 PEREGRINE 72 BLACK	 PEREGRINE 78	 M7 MANTRA	 BLAZE 94 BLACK	 RISE ABOVE 88	 REVOLT 101
 RACETIGER RC BLACK	 PEREGRINE 72 GREEN	 PEREGRINE 78	 MANTRA 88	 BLAZE 86 GREY	 RISE UP 82	 REVOLT 96
 RACETIGER RC RED			 MANTRA 84	 BLAZE 82 GREY	 RISE UP 80	 REVOLT 90
 RACETIGER SC BLACK		 PEREGRINE MT				 REVOLT 84
 RACETIGER SC YELLOW		 PEREGRINE XT				 REVOLT 86
 RACETIGER SC WHITE		 PEREGRINE X				 REVOLT 81
 RACETIGER SRC						
 SHINE SC CARBON	 SHINE MT	 SHINE 76	 MANTRA 102 W	 BLAZE 104 PURPLE	 RISE BEYOND 96 W	
 SHINE SC	 SHINE 78	 SHINE 72	 M7 MANTRA W	 BLAZE 94 ROSE	 RISE ABOVE 88 W	
			 MANTRA 88 W	 BLAZE 86 PETROL	 RISE UP 82 W	
			 MANTRA 84 W	 BLAZE 82 PURPLE		
			 MANTRA 80 W			
 RACETIGER JR PRO	 PEREGRINE JR PRO	 PEREGRINE JR	 MANTRA JR	 BLAZE JR ORANGE	 RISE JR	 REVOLT 100 JR
 RACETIGER JR RED		 SHINE JR		 BLAZE JR BLUE PINK		 REVOLT JR PARK
 RACETIGER JR YELLOW						 REVOLT JR URBAN
						 MINI REVOLT JR

TAILORED


# TECHNOLOGIES



## TAILORED FIBER PLACEMENT

One of our latest technologies is Tailored Fibre Placement. In this innovative manufacturing process the Tailored Carbon Tips are produced by embroidering the individual carbon fibers onto a carrier material.

This allows them to be positioned exactly along the stress lines, opening up plenty of possibilities, for performance at the front of the ski, which has a decisive influence on the handling of the ski. The stiffness, torsion and thus the skiing characteristics can be specifically adjusted via the fiber thickness and millimeter-precise alignment. In this way, the fibers guide the dynamics to the areas of the ski where they are needed. The visibly integrated Tailored Carbon Tips are light, allow an agile shovel reaction with less effort and quickly build up energy. The Tailored Carbon Tips thus reach a next level of precision, direct tip response and active skiing pleasure.



## TAILORED TITANAL FRAME

In this technology the width of the titanal frame is adapted exactly to each individual ski length.

This results in Tailored Titanal Frames, which are positioned above the sidewall along the tip and tail area of the ski to provide the desired damping and torsional stiffness. The size of the frames is tailored to the skier's height, skiing ability and power. This means that longer ski models have a higher titanal content for more stiffness, more direct power transmission and stronger dampening. The shorter the length, the lower the titanal content, which makes the ski more agile, so that smaller, lighter and less powerful skiers can use the full potential performance of the ski. In addition to the Tailored Titanal Frames, a second, thinner titanal layer is located in the binding area, which gives the ski the necessary strength, but also agility. The result: the Tailored Titanal Frame technology provides an incomparable combination of agility and high speed control.

Multiradius concepts for maximum versatility for various snow conditions, both on-piste and off-piste, with increased stability on hard surfaces and improved performance in soft snow.

## 3D RADIUS



### R1

Usage of long radii at tip and tail for big turns and high speed  
 // easy steering and maneuverability  
 // disruption resistant at the tip  
 // no radius limitation and ease of turn exit


### R2

Usage of shorter radius in the center for short turns and lower speed  
 // extremely easy to initiate short turns  
 // strikingly agile  
 // effortless and smooth in short turns

### R3

Usage of long radii at tip and tail for big turns and high speed  
 // easy steering and maneuverability  
 // disruption resistant at the tip  
 // no radius limitation and ease of turn exit

## 4 RADIUS DRIVE



### R1 SUPPORT

For improved float in deep snow and precise initiation into the turn on groomers

### R2 RESILIENCE

Open radius for catch-free and variability while building up the turn



### R3 FUN

Tight under-foot radius for agility in short turns


### R4 POP

Open tail radius for smooth and harmonic release of the dynamics

# WOODCORES

CHARACTERISTICS	MATERIAL BENEFIT	MULTILAYER WOODCORE	MULTILAYER WOODCORE LIGHT	HYBRID MULTILAYER WOODCORE	WORLD CUP ASH WOODCORE	WORLD CUP WOODCORE
	<b>MULTILAYER WOODS</b> A combination of lighter, softer poplar wood and heavier, stronger beech wood provides a target group specific combination between light weight, strength, durability and damping: The beech typically concentrates where the most power is needed in the ski - like under the binding or alongside the edges and sidewalls.	X	X	X		X
	<b>ISOCORE</b> The addition of ISOCORE to the wood core helps to save weight and support dynamics, pop and agility.			X		
	<b>SLOTTED</b> Slots that get milled into the wood cores - with the number of slots varying according to the target group of the ski - helps to save weight and optimize the flex pattern towards a softer characteristic.	X	X			
	<b>ASH (%)</b> Ash - the wood of the gods in ancient times - provides the best dynamic properties of any woods in skiing. At the price of heavier weight, a maximum of power transmission and dynamics can be found in skis with ash cores.				100%	50%

# GREEN CORE



// All GreenCore woods are FSC certified  
 // Environmentally friendly glue  
 // Foam: recycled PET

# ROCKER

Our rocker construction is directly integrated into the production cycle, so the rocker shape doesn't need to be bent afterwards, which makes the matching between the rocker and the other components much more harmonized and precise:

- // easier turn initiation
- // effective edge length extends when putting the ski onto the edge
- // additional uplift for off-piste skiing



### Full Rocker

Character: The ski is bent at a constant curvature along its entire length



### Tip & Tail Rocker

Character: Bends up only in the shovel and tail zones, with a camber shape in the middle



### Tip Rocker

Character: Only bends upwards in the shovel area, while the middle and tail of the ski feature a camber shape



# ASH WOOD CORE

The high-quality core made of solid ash, which extends over the entire length of the ski, is a technical highlight that has great impact on the skiing characteristics.

The particularly elastic hardwood has only been used in racing skis for World Cup athletes and acts as an energy accumulator: while the ski flexes when initiating the turn, the fibers stretch and absorb the tension energy. At the exit of the turn, this accumulated energy is released, giving the ski enormous dynamics. Due to the specific stretching behavior of ash, the ski also adapts optimally to the surface. This results in the greatest possible stability and reliability, which makes the ski particularly smooth.

# RMOTION 12

Exclusive Marker Völkl toolless plate-binding system for our on-piste skis

### BENEFITS

- // Increased strength and stiffness plus more direct power transmission and a improved feedback
- // New absorber for improved dynamics and next level release



# DEDICATED BASE STRUCTURES

## POLISHED SKI BASES ENHANCE ...

- ... greatest gliding characteristics
- ... optimal base treatment options
- ... long lasting effects


## DEDICATED SKI BASE STRUCTURES HAVE A STRONG EFFECT ON ...

- ... agile, precise & reliable turn initiation
- ... tighter turns with less efforts
- ... smooth drifting

After one year of intense testing we defined the following dedicated base structure for the relevant target groups / areas of use:

### ZEBRA STRUCTURE

on system / premounted skis with **narrower widths**




### STRUCTURE DEPTH

superficial —●— pronounced

Very pronounced & deep structure to offer the best possible precision & steering characteristics for an on-piste ski.

### BRUSHED STRUCTURE

on flat skis with **wider widths**




superficial ●— pronounced

Superficial & shallow structure matches with wide skis and their bigger bearing face  
→ optimum agility & turning characteristics.




SCAN ME



RACETIGER

# RACE





NEW GRAPHIC



NEW GRAPHIC

NEW PLATE



NEW GRAPHIC



NEW GRAPHIC

NEW PLATE



NEW GRAPHIC



NEW GRAPHIC



NEW GRAPHIC



NEW GRAPHIC

**RACETIGER GS MASTER**ART. NO.  
V2510001.000**TECHNOLOGY**  
• Tailored Carbon Tip  
• WC Ash Woodcore  
• 3D.Glass  
• Full Titanal  
• Full Sidewall Phenol  
• Base: P-Tex 4504  
• Base structure: Zebra structure  
• Plate System: WC Plate 10 mm**SIDE CUT**  
115\_67\_98**LENGTH (RADIUS)**  
168 cm (15.4 m)  
173 cm (16.4 m)  
178 cm (17.5 m)  
183 cm (18.6 m)**WEIGHT**  
2320 g\* @178cm (w/plate)**MADE IN GERMANY****CORE**  
Worldcup Ash Woodcore  
Ash 100%**REC. BINDING**  
Marker Comp 16 GW  
MASTER red**RACETIGER GS**ART. NO.  
V2510002.000**TECHNOLOGY**  
• Tailored Carbon Tips  
• Multilayer Woodcore  
• 3D.Glass  
• Full Titanal  
• Full Sidewall ABS  
• Base: P-Tex 4504  
• Base structure: Zebra structure  
• Plate System: rMotion Toolless**SIDE CUT**  
115\_67\_98**LENGTH (RADIUS)**  
168 cm (15.4 m)  
173 cm (16.4 m)  
178 cm (17.5 m)  
183 cm (18.6 m)**WEIGHT**  
3100 g\* @ 178cm (w/Binding)**MADE IN GERMANY****CORE**  
Multilayer Woodcore  
33% Poplar / 67% Beech**REC. BINDING**  
RMotionT 12  
black-red**RACETIGER SL MASTER**ART. NO.  
V2510003.000**TECHNOLOGY**  
• Tailored Carbon Tip  
• Multilayer Woodcore  
• 3D.Glass  
• Full Titanal  
• Full Sidewall ABS  
• Base: P-Tex 4504  
• Base structure: Zebra structure  
• Plate System: WC Plate 10 mm**SIDE CUT**  
125\_67\_102**LENGTH (RADIUS)**  
155 cm (11.2 m)  
165 cm (12.8 m)**WEIGHT**  
2110 g\* @165cm (w/o Binding)**MADE IN GERMANY****CORE**  
Worldcup Ash Woodcore  
Ash 100%**REC. BINDING**  
RMotionT 12  
black-red**RACETIGER SL**ART. NO.  
V2510004.000**TECHNOLOGY**  
• Tailored Carbon Tips  
• Multilayer Woodcore  
• 3D.Glass  
• Full Titanal  
• Full Sidewall ABS  
• Base: P-Tex 4504  
• Base structure: Zebra structure  
• Plate System: vMotion 3**SIDE CUT**  
126\_67\_102**LENGTH (RADIUS)**  
150 cm (10.2 m)  
155 cm (11.0 m)  
160 cm (11.8 m)  
165 cm (12.6 m)  
170 cm (13.4 m)**WEIGHT**  
3020 g\* @165cm (w/Binding)**MADE IN GERMANY****CORE**  
Multilayer Woodcore  
33% Poplar / 67% Beech**REC. BINDING**  
RMotionT 12  
black-red**RACETIGER RC BLACK**ART. NO.  
V2510005.000**TECHNOLOGY**  
• Tailored Carbon Tip  
• 3D.Glass  
• Full Sidewall / Mini Cap  
• Titanal Band  
• Base: P-Tex 2100  
• Base structure: Zebra structure  
• Plate System: vMotion 3**SIDE CUT**  
123\_68\_102**LENGTH (RADIUS)**  
158 cm (11.8 m)**WEIGHT**  
2960 g\* @172cm (w/binding)**MADE IN GERMANY****CORE**  
Multilayer Woodcore  
Poplar / Beech**REC. BINDING**  
vMotion 12 GW  
black**RACETIGER RC RED**ART. NO.  
V2510006.000**TECHNOLOGY**  
• Tailored Carbon Tip  
• 3D.Glass  
• Full Sidewall / Mini Cap  
• Titanal Band  
• Base: P-Tex 2100  
• Base structure: Zebra structure  
• Plate System: vMotion 3**SIDE CUT**  
123\_68\_102**LENGTH (RADIUS)**  
158 cm (11.0 m)**WEIGHT**  
2960 g\* @172cm (w/binding)**MADE IN GERMANY****CORE**  
Multilayer Woodcore  
Poplar / Beech**REC. BINDING**  
vMotion 12 GW  
red**RACETIGER SC BLACK**ART. NO.  
V2510007.000**TECHNOLOGY**  
• Tailored Carbon Tip  
• 3D.Glass  
• Full Sidewall / Mini Cap  
• Titanal Band  
• Base: P-Tex 2100  
• Base structure: Zebra structure  
• Plate System: vMotion 3**SIDE CUT**  
122\_69\_100**LENGTH (RADIUS)**  
165 cm (13.9 m)  
172 cm (15.3 m)  
179 cm (16.8 m)**WEIGHT**  
2850 g\* @165cm (w/binding)**MADE IN GERMANY****CORE**  
Multilayer Woodcore  
Poplar / Beech**REC. BINDING**  
vMotion 12 GW  
black**RACETIGER SC YELLOW**ART. NO.  
V2510008.000**TECHNOLOGY**  
• Tailored Carbon Tip  
• 3D.Glass  
• Full Sidewall / Mini Cap  
• Titanal Band  
• Base: P-Tex 2100  
• Base structure: Zebra structure  
• Plate System: vMotion 3**SIDE CUT**  
123\_68\_102**LENGTH (RADIUS)**  
148 cm (10.2 m)  
153 cm (11.0 m)  
158 cm (11.8 m)  
165 cm (13.1 m)**WEIGHT**  
2850 g\* @165cm (w/binding)**MADE IN GERMANY****CORE**  
Multilayer Woodcore  
Poplar / Beech**REC. BINDING**  
vMotion 12 GW  
red

**RACETIGER SC WHITE**ART. NO.  
V2510009.000**TECHNOLOGY**

- Tailored Carbon Tip
- 3D Glass
- Full Sidewall / Mini Cap
- Titanal Band
- Base: P-Tex 2100
- Base structure: Zebra structure
- Plate System: vMotion 3

**SIDE CUT**  
123\_68\_102      LENGTH (RADIUS)  
148 cm (10.2 m)  
153 cm (11.0 m)  
158 cm (11.8 m)  
165 cm (13.1 m)

**SIDE CUT**  
122\_69\_100      LENGTH (RADIUS)  
172 cm (15.3 m)  
163 cm (13.9 m)  
168 cm (14.8 m)  
173 cm (15.8 m)

**WEIGHT**  
2850 g\* @165cm (w/binding)

**MADE IN GERMANY**

**CORE**  
Multilayer Woodcore  
Poplar / Beech



**REC. BINDING**  
vMotion 12 GW  
black

**RACETIGER SRC**ART. NO.  
V2510010.000**TECHNOLOGY**

- Tailored Carbon Tip
- 3D Glass
- Full Sidewall / Mini Cap
- Titanal Band
- Base: P-Tex 2100
- Base structure: Zebra structure
- Plate System: vMotion 3

**SIDE CUT**

124\_73\_103

**LENGTH (RADIUS)**  
153 cm (12.0 m)  
158 cm (12.9 m)  
163 cm (13.9 m)  
168 cm (14.8 m)  
173 cm (15.8 m)

**WEIGHT**  
2850 g\* @165cm (w/binding)

**MADE IN GERMANY**

**CORE**  
Multilayer Woodcore  
Poplar / Beech



**REC. BINDING**  
vMotion 12 GW  
black





**INFO**  
OPTIONAL:  
BINDING  
AVAILABLE IN  
2 VERSIONS

RACETIGER  
SL R WC FIS



ART. NO.  
V2510850.000 (FLAT)  
V2510851.000 (w/plate)

**TECHNOLOGY**  

- Tailored Carbon Tip
- Full Sidewall ABS (155, 157)
- Full Sidewall Phenol (165)
- Full Titanal
- 3D.Glass
- Race Finish SL 0,7° / 87,6° (V2510851)
- Base: P-Tex 2510
- Zebra structure (V2410851)

**SIDE CUT**  
117.5\_64.5\_97  
155 cm (12 m)  
10 mm WC Plate

**SIDE CUT**  
114.5\_64.5\_98  
157 cm (12 m)  
10 mm WC Plate

**SIDE CUT**  
118.5\_64.5\_101  
165 cm (12 m)  
14 mm WC Plate

**WEIGHT**  
2330 g\* @ 165 cm (w/plate)

**MADE IN GERMANY**

**CORE**  
Worldcup Woodcore  
Ash/Poplar 50/50

**REC. BINDING**  
RT SL Protector  
Marker Comp 16  
Marker Comp 20, 30  
World Cup PC Interface



**INFO**  
OPTIONAL:  
BINDING  
AVAILABLE IN  
2 VERSIONS

RACETIGER  
SL R FIS



ART. NO.  
V2510840.000 (FLAT)  
V2510841.000 (w/plate)

**TECHNOLOGY**  

- Tailored Carbon Tip
- Full Sidewall ABS
- Full Sidewall ABS
- Full Titanal
- 3D.Glass
- Race Finish SL 0,7° / 87,6° (V2510841.000)
- Base: P-Tex 4504 / Zebra structure

**SIDE CUT**  
117.5\_64.5\_97  
155 cm (12 m)  
10 mm WC Plate

**SIDE CUT**  
114.5\_64.5\_98  
157 cm (12 m)  
10 mm WC Plate

**SIDE CUT**  
118.5\_64.5\_101  
165 cm (12 m)  
14 mm WC Plate

**WEIGHT**  
2230 g\* @ 165 cm (w/plate)

**MADE IN GERMANY**

**CORE**  
Multilayer Woodcore  
Beech / Poplar 66/33

**REC. BINDING**  
RT SL Protector  
Marker Comp 12 / 16  
Marker Comp 20, 30  
World Cup PC Interface



**INFO**  
OPTIONAL:  
BINDING  
AVAILABLE IN  
2 VERSIONS

RACETIGER  
SL R JR



ART. NO.  
V2510800.000 (w/plate)  
V2510801.000 (w/WC plate)

**TECHNOLOGY**  

- Full Sidewall ABS
- Torsional Soft Tip
- Full Titanal
- 3D.Glass
- Grown Layup
- Additional glass layer (V2510801.000)
- Base: P-Tex 4504 / Zebra structure

**SIDE CUT**  
113\_64.5\_93  
122 cm (7 m) - JR Plate S

129 cm (9 m) - JR Plate S



**INFO**  
OPTIONAL:  
BINDING  
AVAILABLE IN  
2 VERSIONS

RACETIGER  
GSL R JR



ART. NO.  
V2510802.000 (w/plate)

**TECHNOLOGY**  

- Full Sidewall ABS
- Base: P-Tex 4504 / Zebra structure

**SIDE CUT**  
111\_64.5\_91  
118 cm (7.5 m) - JR Plate S



**INFO**  
OPTIONAL:  
BINDING  
AVAILABLE IN  
2 VERSIONS

RACETIGER  
GS R WC FIS



ART. NO.  
V2510860.000 (FLAT)  
V2510861.000 (w/plate)

**TECHNOLOGY**  

- Tailored Carbon Tip
- Full Sidewall Phenol
- Full Titanal
- Race Finish GS 1,1° / 87,6° (V2510861)
- Base: P-Tex 2510
- Zebra structure (V2510861)

**SIDE CUT**  
99\_65\_83  
188 cm (30 m)

99\_65\_84.3  
193 cm (30 m)



**INFO**  
OPTIONAL:  
BINDING  
AVAILABLE IN  
2 VERSIONS

RACETIGER  
GS R



ART. NO.  
V2510820.000 (FLAT)  
V2510821.000 (w/plate)

**TECHNOLOGY**  

- Tailored Carbon Tip
- Full Sidewall ABS
- Full Titanal
- Race Finish GS 1,1° / 87,6°
- Base: P-Tex 4504
- Zebra structure (V2510861)

**SIDE CUT**  
104\_64.5\_87  
174 cm (21 m)

104\_64.5\_86  
178 cm (23 m)



**INFO**  
OPTIONAL:  
BINDING  
AVAILABLE IN  
2 VERSIONS

RACETIGER  
GS R JR



ART. NO.  
V2510810.000

**TECHNOLOGY**  

- Full Sidewall ABS
- Full Titanal
- Grown Layup
- Base: P-Tex 4504
- Zebra structure

**SIDE CUT**  
102\_65\_84  
137 cm (14 m) - JR Plate L

102\_65\_84  
144 cm (15 m) - JR Plate L



**INFO**  
OPTIONAL:  
BINDING  
AVAILABLE IN  
2 VERSIONS

RACETIGER  
GS R JR



ART. NO.  
V2510810.000

**TECHNOLOGY**  

- Full Sidewall ABS
- Full Titanal
- Grown Layup
- Base: P-Tex 4504
- Zebra structure

**SIDE CUT**  
102\_65\_84  
151 cm (17 m) - JR Plate L

102\_65\_84  
158 cm (17 m) - JR Plate L

106\_64\_87  
165 cm (18 m) - JR Plate L

106\_64\_87  
170 cm (19 m) - JR Plate L

ALL MOUNTAIN  
**PISTE**





NEW GRAPHIC

NEW GRAPHIC  
NEW PLATE

NEW



NEW



NEW

**PEREGRINE 76 MASTER****PEREGRINE 76****PEREGRINE 72 MASTER****PEREGRINE 72 BLACK****PEREGRINE 72 GREEN****ART. NO.**

V2510020.000

**TECHNOLOGY**

- Tailored Carbon Tips
- 3D.Glass
- Full Titanal
- Full Sidewall ABS
- Base: P-Tex 4504
- Base structure: Zebra structure
- Plate System: WC Plate 10 mm

**SIDE CUT**

124\_76\_104

**LENGTH (RADIUS)**

176 cm (17.6 m)

181 cm (18.7 m)

**SIDE CUT**

124\_76\_104

**LENGTH (RADIUS)**

171cm (16.5 m)

176cm (17.6 m)

181cm (18.7 m)

**SIDE CUT**

122\_72\_103

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
R2	168 cm	(19.4 m	13.6 m	16.2 m)
R3	173 cm	(20.7 m	14.5 m	17.3 m)
	178 cm	(22.2 m	15.5 m	18.4 m)

**SIDE CUT**

122\_72\_103

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
R2	158 cm	(16.8 m	11.8 m	14.2 m)
R3	163 cm	(18.1 m	12.7 m	15.2 m)
	168 cm	(19.4 m	13.6 m	16.2 m)
	173 cm	(20.7 m	14.5 m	17.3 m)
	178 cm	(22.2 m	15.5 m	18.4 m)

**WEIGHT**

2420 g\* @176cm (w/plate)

**WEIGHT**

3270 g\* @ 176cm (w/Binding)

**WEIGHT**

2440 g\* @173cm (w/plate)

**WEIGHT**

3205 g\* @ 173cm (w/Binding)

**WEIGHT**

3205 g\* @ 173cm (w/Binding)

**MADE IN GERMANY****CORE**Worldcup Ash Woodcore  
Ash 100%**REC. BINDING**Marker Comp 16 GW  
black**HARD SNOW RELIABILITY**

ALL COND VERSATILITY

PURE POWDER FLOATATION

LONG TURN DYNAMICS

SHORT TURN DYNAMICS

SKIER LEVEL

**CORE**Multilayer Woodcore  
Beech 67% / Poplar 33%**REC. BINDING**rMotion-T 12  
black**HARD SNOW RELIABILITY**

ALL COND VERSATILITY

PURE POWDER FLOATATION

LONG TURN DYNAMICS

SHORT TURN DYNAMICS

SKIER LEVEL

**CORE**

Tailored Torsion Woodcore

**REC. BINDING**Marker Comp 16 GW  
master purple**HARD SNOW RELIABILITY**

ALL COND VERSATILITY

PURE POWDER FLOATATION

LONG TURN DYNAMICS

SHORT TURN DYNAMICS

SKIER LEVEL

**CORE**Multilayer Woodcore  
Beech 67% / Poplar 33%**REC. BINDING**rMotion-T 12  
black**HARD SNOW RELIABILITY**

ALL COND VERSATILITY

PURE POWDER FLOATATION

LONG TURN DYNAMICS

SHORT TURN DYNAMICS

SKIER LEVEL

**CORE**Multilayer Woodcore  
Beech 67% / Poplar 33%**REC. BINDING**rMotion-T 12  
black**HARD SNOW RELIABILITY**

ALL COND VERSATILITY

PURE POWDER FLOATATION

LONG TURN DYNAMICS

SHORT TURN DYNAMICS

SKIER LEVEL

**MADE IN GERMANY****CORE**Multilayer Woodcore  
Beech 67% / Poplar 33%**REC. BINDING**rMotion-T 12  
black**HARD SNOW RELIABILITY**

ALL COND VERSATILITY


PURE POWDER FLOATATION

LONG TURN DYNAMICS

SHORT TURN DYNAMICS

SKIER LEVEL

\* Weight can vary slightly due to the production cycles.




**PEREGRINE  
V.WERKS**ART. NO.  
V2410040.000**TECHNOLOGY**

- Tailored Carbon Tips & Tails
- 3D Ridge
- 3D Glass
- Full Sidewall
- 3D Radius Sidecut
- 3D Radius Sidecut
- Titanal Frame
- Binding System: Lowride XL
- Binding System: Lowride XL
- Base: P-Tex 4504
- Base structure: Zebra structure

**SIDE CUT**  
132\_84\_115**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
167 cm	(21.1 m	13.2 m	18 m)	
172 cm	(22.5 m	14.1 m	19.2 m)	
177 cm	(24 m	15 m	20.5 m)	
182 cm	(25.5 m	15.9 m	21.8 m)	

**WEIGHT**  
2880 g\* @ 177 cm (w/binding)**MADE IN GERMANY****CORE**  
3D Full Sensor Woodcore**REC. BINDING**  
Lowride XL 13  
VWerks Demo GW Black



P I S T E

# WOMAN

**SHINE SC CARBON**ART. NO.  
V2510050.000


**TECHNOLOGY**  
 • Tailored Carbon Tips  
 • Titanal Band  
 • Plate system: vMotion GW  
 • Full Sidewall / Mini Cap  
 • Base: P-Tex 2100  
 • Base structure: Zebra structure

SIDECUT  
123\_68\_102

LENGTH (RADIUS)  
 148 cm (10.2 m)  
 153 cm (11.0 m)  
 158 cm (11.8 m)  
 165 cm (13.1 m)

WEIGHT  
2765 g\* @ 158 cm (w/binding)

MADE IN GERMANY

CORE  
Multilayer WoodcoreREC. BINDING  
vMotion 11 TCX  
Lady Coral**SHINE SC**ART. NO.  
V2510051.000

**TECHNOLOGY**  
 • Titanal Band  
 • Plate System: vMotion GW  
 • Full Sidewall / Mini Cap  
 • Base: P-Tex 2100  
 • Base structure: Zebra structure

SIDECUT  
124\_73\_103

LENGTH (RADIUS)  
 153 cm (12.0 m)  
 158 cm (12.9 m)  
 163 cm (13.9 m)

WEIGHT  
2642 g\* @ 158 cm (w/binding)

MADE IN GERMANY

CORE  
WoodcoreREC. BINDING  
vMotion 11 TCX  
Lady Silver**SHINE MT**ART. NO.  
V2510052.000


**TECHNOLOGY**  
 • Full Sidewall / Mini Cap  
 • Steel Band  
 • Plate System: vMotion GW  
 • Base: P-Tex 2100  
 • Base structure: Zebra structure

SIDECUT  
126\_75\_105

LENGTH (RADIUS)  
 147 cm (11.3 m)  
 154 cm (12.2 m)  
 161 cm (13.5 m)

WEIGHT  
2460 g\* @ 147 cm (w/binding)

MADE IN GERMANY

CORE  
WoodcoreREC. BINDING  
vMotion 11 TCX  
Lady Mint**SHINE 78**ART. NO.  
V2510053.000

**TECHNOLOGY**  
 • Steel Band  
 • 3D.Glass  
 • Full Sidewall  
 • Base: P-Tex 2100  
 • Base structure: Lowride  
 • Base structure: Zebra structure

SIDECUT  
127\_78\_106

LENGTH (3D RADIUS)  
 R1      Length      R1      R2      R3  
 149 cm (13.5 m)      9.8 m      20.5 m  
 156 cm (15.1 m)      11 m      22.5 m  
 163 cm (16.9 m)      12.2 m      24.8 m

WEIGHT  
2920 g\* @ 163 cm (w/binding)

MADE IN GERMANY

CORE  
Multilayer WoodcoreREC. BINDING  
Lowride 11 TCX**SHINE 76**ART. NO.  
V2510055.000

**TECHNOLOGY**  
 • Center Sidewall  
 • Plate System: vMotion GW  
 • Base: P-Tex 2100  
 • Base structure: Zebra structure

SIDECUT  
124\_76\_105

LENGTH (RADIUS)  
 147 cm (11.8 m)  
 154 cm (12.7 m)  
 161 cm (14.2 m)

WEIGHT  
2320 g\* @ 147 cm (w/binding)

MADE IN GERMANY

CORE  
WoodcoreREC. BINDING  
vMotion 10 Lady Blue**SHINE 72**ART. NO.  
V2510056.000

**TECHNOLOGY**  
 • Center Sidewall  
 • Plate System: vMotion GW  
 • Base: P-Tex 2100  
 • Base structure: Zebra structure

SIDECUT  
123\_72\_104

LENGTH (RADIUS)  
 137 cm (9.4 m)  
 144 cm (10.1 m)  
 151 cm (11.4 m)  
 158 cm (12.7 m)  
 165 cm (14.0 m)

WEIGHT  
2120 g\* @ 137 cm (w/binding)

MADE IN GERMANY

CORE  
Composite CoreREC. BINDING  
vMotion 10; 9  
Lady Black



ALL MOUNTAIN SPEED

# FREERIDE



**KATANA V.WERKS**ART. NO.  
V2410100.000**TECHNOLOGY**

- 3D.Ridge Carbon
- Moderate Taper
- ICE.OFF Topsheet
- Full Carbon Jacket
- SMART SKIN CLIP
- Base: P-Tex 4504
- Base structure: Brushed structure
- Center Sidewall

**SIDE CUT**  
143\_112\_132**LENGTH (RADIUS)**  
177 cm (23.4 m)  
184 cm (23.5 m)  
191 cm (25.9 m)**OPTIONAL**  
Pre-cut skin available**WEIGHT**  
1846 g\* @ 177 cm**MANTRA 108**ART. NO.  
V2510110.000**TECHNOLOGY**

- Carbon Tips
- Titanal Frame
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

**SIDE CUT**  
146\_108\_129**LENGTH (3D RADIUS)**  

R1	Length	R1	R2	R3
R2	170 cm (32.2 m)	16.2 m	29.5 m	
R2	177 cm (35.9 m)	17.9 m	32.1 m	
R3	184 cm (38.5 m)	19.1 m	33.8 m	
R3	191 cm (43.5 m)	21 m	36.3 m	

**WEIGHT**  
2230 g\* @ 177 cm**MANTRA 102**ART. NO.  
V2510111.000**TECHNOLOGY**

- Tailored Carbon Tips
- 3D Radius Sidecut
- Tailored Titanal Frame
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

**SIDE CUT**  
142\_102\_124**LENGTH (3D RADIUS)**  

R1	Length	R1	R2	R3
R2	170 cm (25.5 m)	16 m	23.4 m	
R2	177 cm (28.2 m)	17.9 m	25.8 m	
R3	184 cm (30.2 m)	18.9 m	27.4 m	
R3	191 cm (33.2 m)	20.8 m	30 m	

**WEIGHT**  
2200 g\* @ 184 cm**M7 MANTRA**ART. NO.  
V2510112.000**TECHNOLOGY**

- Tailored Carbon Tips
- 4 Radius Drive
- Tailored Titanal Frame
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

**SIDE CUT**  
139\_96\_121**LENGTH (4 RADIUS DRIVE)**  

R1	Length	R1	R2	R3	R4
R2	163 cm (22.9 m)	36.6 m	13.7 m	17.9 m	
R2	170 cm (23.9 m)	38.3 m	15.2 m	19.8 m	
R3	177 cm (25 m)	40 m	16.8 m	21.8 m	
R3	184 cm (25.7 m)	41.1 m	17.9 m	23.2 m	
R4	191 cm (26.7 m)	42.8 m	19.7 m	25.4 m	

**WEIGHT**  
2090 g\* @ 177 cm**MANTRA 88**ART. NO.  
V2510113.000**TECHNOLOGY**

- Tailored Carbon Tips
- 3D Radius Sidecut
- Tailored Titanal Frame
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

**SIDE CUT**  
134\_88\_114**LENGTH (3D RADIUS)**  

R1	Length	R1	R2	R3
R2	163 cm (23.5 m)	35.6 m	13.2 m	21.3 m
R2	170 cm (26.3 m)	38.3 m	14.7 m	23.3 m
R3	177 cm (29.2 m)	40 m	16.2 m	25.5 m
R3	184 cm (31.2 m)	42.8 m	17.3 m	27 m

**WEIGHT**  
1950 g\* @ 177 cm**MANTRA 84**ART. NO.  
V2510114.000**TECHNOLOGY**

- Tailored Carbon Tips
- 3D Radius Sidecut
- Tailored Titanal Frame
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

**SIDE CUT**  
129\_84\_110**LENGTH (3D RADIUS)**  

R1	Length	R1	R2	R3
R2	163 cm (23.5 m)	35.6 m	13.2 m	21.3 m
R2	170 cm (26.3 m)	38.3 m	14.7 m	23.3 m
R3	177 cm (29.2 m)	40 m	16.2 m	25.5 m
R3	184 cm (31.2 m)	42.8 m	17.3 m	27 m

**WEIGHT**  
1910 g\* @ 177 cm


NEW GRAPHIC



NEW GRAPHIC



NEW GRAPHIC



NEW



NEW

**MADE IN GERMANY****CORE**  
Multilayer Woodcore**REC. BINDING**  
MARKER Duke PT 11  
MARKER KINGPIN MWerks 12**MADE IN GERMANY****CORE**  
Hybrid Multilayer Woodcore**REC. BINDING**  
Marker Jester 18 Pro, Jester 16,  
Jester X 16 MWerks**MADE IN GERMANY****CORE**  
Multilayer Woodcore**REC. BINDING**  
Marker Jester 18 Pro, Jester 16, Griffon 13,  
Griffon X 13 MWerks, Jester X 16 MWerks**MADE IN GERMANY****CORE**  
Multilayer Woodcore**REC. BINDING**  
Marker Griffon 13, Griffon X 13 MWerks

# MANTRA FAMILY IS GROWING!



## MANTRA 102 W

ART. NO.  
V2510115.000

TECHNOLOGY

- 3D Radius Sidecut
- Full Sidewall
- Tailored Titanal Frame
- Tailored Carbon Tips
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT  
142\_102\_124

LENGTH (3D RADIUS)


R1	Length	R1	R2	R3
R2	156 cm (20.4 m	12.8 m	19.1 m)	
	163 cm (22.9 m	14.4 m	21.2 m)	
	170 cm (25.5 m	16 m	23.4 m)	
R3	177 cm (28.2 m	17.7 m	25.8 m)	

WEIGHT  
2140 g\* @ 177 cm

MADE IN GERMANY

CORE  
Multilayer Woodcore

REC. BINDING  
Marker Griffon 13, Griffon X 13 MWerks



\* Weight can vary slightly due to the production cycles.

## M7 MANTRA W

ART. NO.  
V2510116.000

TECHNOLOGY

- Tailored Carbon Tips
- 4 Radius Drive
- Tailored Titanal Frame
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT  
139\_96\_121

LENGTH (4 RADIUS DRIVE)


R1	Length	R1	R2	R3	R4
R2	149 cm (20.8 m	33.3 m	10.8 m	14.4 m)	
	156 cm (21.9 m	35 m	12.2 m	16.1 m)	
	163 cm (22.9 m	36.6 m	13.7 m	17.9 m)	
R3	170 cm (23.9 m	38.3 m	15.2 m	19.8 m)	
	177 cm (25 m	40 m	16.8 m	21.8 m)	

WEIGHT  
2090 g\* @ 177 cm

MADE IN GERMANY

CORE  
Multilayer Woodcore

REC. BINDING  
Marker Griffon 13, Griffon X 13 MWerks



## MANTRA 88 W

ART. NO.  
V2510117.000

TECHNOLOGY

- Tailored Carbon Tips
- 3D Radius Sidecut
- Tailored Titanal Frame
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT  
134\_88\_114

LENGTH (3D RADIUS)


R1	Length	R1	R2	R3
R2	149 cm (18.5 m	10.6 m	17.6 m)	
	156 cm (20.9 m	11.9 m	19.4 m)	
	163 cm (23.5 m	13.2 m	21.3 m)	
R3	170 cm (26.3 m	14.7 m	23.3 m)	

WEIGHT  
1710 g\* @ 163 cm (w/o binding)

MADE IN GERMANY

CORE  
Multilayer Woodcore

REC. BINDING  
Marker Griffon 13, Griffon X 13 MWerks



## MANTRA 84 W

ART. NO.  
V2510118.000

TECHNOLOGY

- Tailored Carbon Tips
- 3D Radius Sidecut
- Tailored Titanal Frame
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT  
129\_84\_110

LENGTH (3D RADIUS)


R1	Length	R1	R2	R3
R2	149 cm (18.5 m	10.6 m	17.6 m)	
	156 cm (20.9 m	11.9 m	19.4 m)	
	163 cm (23.5 m	13.2 m	21.3 m)	
R3	170 cm (26.3 m	14.7 m	23.3 m)	

WEIGHT  
1700 g\* @ 163 cm (w/o binding)

MADE IN GERMANY

CORE  
Multilayer Woodcore

REC. BINDING  
Marker Griffon 13, Griffon X 13 MWerks



## MANTRA 80 W

ART. NO.  
V2510119.000

TECHNOLOGY

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Glass Frame
- Base: P-Tex 2100
- Base structure: Brushed structure

SIDE CUT  
129\_88\_103

LENGTH (3D RADIUS)

R1	Length	R1	R2	R3
R2	147 cm (15.5 m	11.3 m	14.2 m)	
	154 cm (17.5 m	12.0 m	15.9 m)	
	161 cm (18.7 m	13.7 m	17.4 m)	
R3	168 cm (20.9 m	15.3 m	19.2 m)	

WEIGHT  
1680 g\* @ 163 cm (w/o binding)

MADE IN GERMANY

CORE  
Multilayer Woodcore

REC. BINDING  
Marker Griffon 13, Griffon X 13 MWerks



ALL MOUNTAIN LIGHT

# FREERIDE



**V.WERKS  
100****BLAZE  
114****BLAZE  
104 TEAL****BLAZE  
104 PURPLE**ART. NO.  
V2310130.000**TECHNOLOGY**

- Transparent Design
- 3D H-Woodcore
- Tailored Fibre Placement 2.0
- 3D-Ridge Carbon
- Center Sidewall
- Base: P-Tex 4504
- Base structure: Brushed structure

**SIDE CUT**  
140\_100\_122**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
R2	170 cm	(32.6 m	15.6 m	25.2 m)
R3	179 cm	(36.2 m	17.2 m	27.7 m)
R3	186 cm	(39.9 m	19 m	30.3 m)

**WEIGHT**  
1980 g\* @179cm (w/o binding)**SIDE CUT**  
154\_114\_136**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
R2	166 cm	(30.4 m	14.5 m	23.6 m)
R3	158 cm	(18.3 m	10.8 m	18.7 m)
R3	176 cm	(35.1 m	16.7 m	26.8 m)
R3	184 cm	(38.4 m	18.4 m	29.4 m)
R3	192 cm	(42.6 m	20.2 m	32.1 m)

**WEIGHT**  
1945 g\* @184cm Pre-cut skin avail.**SIDE CUT**  
143\_104\_128**LENGTH (4 RADIUS DRIVE)**

R1	Length	R1	R2	R3	R4
R2	158 cm	(17.8 m	28.1 m	12.6 m	17.5 m)
R3	165 cm	(18.3 m	30.8 m	13.6 m	18.7 m)
R3	172 cm	(19.2 m	35.2 m	15.2 m	20.4 m)
R4	179 cm	(20 m	39.9 m	16.8 m	22.3 m)
R4	186 cm	(20.8 m	44.9 m	18.5 m	24.3 m)

**WEIGHT**  
1945 g\* @184cm Pre-cut skin avail.**MADE IN GERMANY****CORE**  
Green Core**REC. BINDING**

Griffon 13 Black; 100 mm

Jester X 16 MWerks, Griffon X 13 MWerks

**HARD SNOW****RELIABILITY****ALL COND****VERSATILITY****PURE POWDER****FLOATATION****LONG TURN****DYNAMICS****SHORT TURN****DYNAMICS****SKIER****LEVEL**

&lt;BEGINNER

PROFESSIONAL&gt;

**SIDE CUT**  
143\_104\_128**LENGTH (4 RADIUS DRIVE)**

R1	Length	R1	R2	R3	R4
R2	158 cm	(17.8 m	28.1 m	12.6 m	17.5 m)
R3	165 cm	(18.3 m	30.8 m	13.6 m	18.7 m)
R3	172 cm	(19.2 m	35.2 m	15.2 m	20.4 m)
R4	179 cm	(20 m	39.9 m	16.8 m	22.3 m)
R4	186 cm	(20.8 m	44.9 m	18.5 m	24.3 m)

**WEIGHT**  
1945 g\* @184cm Pre-cut skin avail.**MADE IN GERMANY****CORE**  
Green Core**REC. BINDING**

Jester 18 Pro, Griffon 13, Duke PT 16,

Jester X 16 MWerks, Griffon X 13 MWerks

**HARD SNOW****RELIABILITY****ALL COND****VERSATILITY****PURE POWDER****FLOATATION****LONG TURN****DYNAMICS****SHORT TURN****DYNAMICS****SKIER****LEVEL**

&lt;BEGINNER

PROFESSIONAL&gt;

**SIDE CUT**  
143\_104\_128**LENGTH (4 RADIUS DRIVE)**

R1	Length	R1	R2	R3	R4
R2	158 cm	(17.8 m	28.1 m	12.6 m	17.5 m)
R3	165 cm	(18.3 m	30.8 m	13.6 m	18.7 m)
R3	172 cm	(19.2 m	35.2 m	15.2 m	20.4 m)
R4	179 cm	(20 m	39.9 m	16.8 m	22.3 m)
R4	186 cm	(20.8 m	44.9 m	18.5 m	24.3 m)

**WEIGHT**  
1945 g\* @184cm Pre-cut skin avail.**BLAZE  
94 BLACK****BLAZE  
94 ROSE****NEW GRAPHIC****BLAZE  
86 GREY****NEW GRAPHIC****BLAZE  
86 PETROL****NEW GRAPHIC**ART. NO.  
V2510134.000**TECHNOLOGY**

- 4 Radius Drive Sidecut
- Full Sidewall
- Titaniq Binding Platform
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure

**SIDE CUT**  
133\_94\_118

R1	Length	R1	R2	R3	R4
R2	151 cm	(16.9 m	24.2 m	11 m	15.8 m)
R3	158 cm	(17.8 m	28.1 m	12.6 m	17.5 m)
R3	165 cm	(18.3 m	30.8 m	13.6 m	18.7 m)
R4	172 cm	(19.2 m	35.2 m	15.2 m	20.4 m)
R4	179 cm	(20 m	39.9 m	16.8 m	22.3 m)
R4	186 cm	(20.8 m	44.9 m	18.5 m	24.3 m)

**WEIGHT**  
1455 g\* @ 165 cm Pre-cut skin avail.**SIDE CUT**  
133\_94\_118

R1	Length	R1	R2	R3	R4
R2	151 cm	(16.9 m	24.2 m	11 m	15.8 m)
R3	158 cm	(17.8 m	28.1 m	12.6 m	17.5 m)
R3	165 cm	(18.3 m	30.8 m	13.6 m	18.7 m)
R4	172 cm	(19.2 m	35.2 m	15.2 m	20.4 m)
R4	179 cm	(20 m	39.9 m	16.8 m	22.3 m)
R4	186 cm	(20.8 m	44.9 m	18.5 m	24.3 m)

**WEIGHT**  
1455 g\* @ 165 cm Pre-cut skin avail.**MADE IN GERMANY**


**BLAZE 86  
GREY VMOTION**

**ART. NO.**  
V2510138.000
**TECHNOLOGY**

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure

**SIDE CUT**


129\_86\_111

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
146 cm	(18.2 m	9.7 m	15.3 m)	
152 cm	(19.8 m	10.6 m	16.7 m)	
159 cm	(22.3 m	11.9 m	18.8 m)	
166 cm	(25 m	13.3 m	21 m)	
173 cm	(27.8 m	14.8 m	23.4 m)	
180 cm	(29.7 m	15.8 m	25 m)	

**WEIGHT**  
1440 g\* @ 173 cm    **OPTIONAL**  
Pre-cut skin avail.
**MADE IN GERMANY**
**CORE**  
Multilayer Woodcore Light
**REC. BINDING**

Squire 11


**BLAZE 86  
PETROL VMOTION**

**ART. NO.**  
V2510139.000
**TECHNOLOGY**

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure

**SIDE CUT**

129\_86\_111

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
146 cm	(18.2 m	9.7 m	15.3 m)	
152 cm	(19.8 m	10.6 m	16.7 m)	
159 cm	(22.3 m	11.9 m	18.8 m)	
166 cm	(25 m	13.3 m	21 m)	
173 cm	(27.8 m	14.8 m	23.4 m)	
180 cm	(29.7 m	15.8 m	25 m)	

**WEIGHT**  
1440 g\* @ 173 cm    **OPTIONAL**  
Pre-cut skin avail.
**MADE IN GERMANY**
**CORE**  
Multilayer Woodcore Light
**REC. BINDING**

Squire 11


**BLAZE 82  
GREY VMOTION**

**ART. NO.**  
V2510142.000
**TECHNOLOGY**

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure
- Plate System: vMotion 1 GW

**SIDE CUT**

125\_82\_107

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
146 cm	(18.2 m	9.7 m	15.3 m)	
152 cm	(19.8 m	10.6 m	16.7 m)	
159 cm	(22.3 m	11.9 m	18.8 m)	
166 cm	(25 m	13.3 m	21 m)	
173 cm	(27.8 m	14.8 m	23.4 m)	
180 cm	(29.7 m	15.8 m	25 m)	

**WEIGHT**  
1530 g\* @ 159 cm    **OPTIONAL**  
Pre-cut skin avail.
**MADE IN GERMANY**
**CORE**  
Multilayer Woodcore Light
**REC. BINDING**

vMotion 12


**BLAZE 82  
PURPLE VMOTION**

**ART. NO.**  
V2510143.000
**TECHNOLOGY**

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Suspension Tips & Tails
- Base: P-Tex 2100
- Base structure: Brushed structure
- Plate System: vMotion 1 GW

**SIDE CUT**

125\_82\_107

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
146 cm	(18.2 m	9.7 m	15.3 m)	
152 cm	(19.8 m	10.6 m	16.7 m)	
159 cm	(22.3 m	11.9 m	18.8 m)	
166 cm	(25 m	13.3 m	21 m)	
173 cm	(27.8 m	14.8 m	23.4 m)	
180 cm	(29.7 m	15.8 m	25 m)	

**WEIGHT**  
1530 g\* @ 159 cm    **OPTIONAL**  
Pre-cut skin avail.
**MADE IN GERMANY**
**CORE**  
Multilayer Woodcore Light
**REC. BINDING**

vMotion 12





ALPINISM  
**TOURING**

**RISE 99  
V-WERKS****RISE BEYOND 96****RISE BEYOND 96 W****RISE HIGH 88****RISE ABOVE 88****RISE ABOVE 88 W**ART. NO.  
V2510070.000ART. NO.  
122370ART. NO.  
122371ART. NO.  
122372ART. NO.  
122374ART. NO.  
122376**TECHNOLOGY**

- Full Carbon Jacket
- Titanal Band
- Base: P-Tex 2100
- Base structure: Brushed structure

**TECHNOLOGY**

- 3D Radius Sidecut
- Smart Skinclip
- Base: P-Tex 2100
- Base structure: Brushed structure

**TECHNOLOGY**

- 3D Radius Sidecut
- Smart Skinclip
- Base: P-Tex 2100
- Base structure: Brushed structure

**TECHNOLOGY**

- Full Carbon Jacket
- Smart Skinclip
- Base: P-Tex 2100
- Base structure: Brushed structure

**TECHNOLOGY**

- 3D Radius Sidecut
- Smart Skinclip
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

**TECHNOLOGY**

- 3D Radius Sidecut
- Smart Skinclip
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

**SIDE CUT**

135\_99\_117

**SIDE CUT**

138\_96\_119

**SIDE CUT**

138\_96\_119

**SIDE CUT**

127\_88\_106

**SIDE CUT**

131\_88\_111

**SIDE CUT**

131\_88\_111

**LENGTH (RADIUS)**  
170 cm (18 m)  
178 cm (20.8 m)  
186 cm (23 m)**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
R1	156 cm	(17 m	12 m	16 m)
R2	163 cm	(19 m	14 m	18 m)
R3	170 cm	(22 m	16 m	20 m)
R3	184 cm	(27 m	19 m	24 m)

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
R2	156 cm	(17 m	12 m	16 m)
R2	163 cm	(19 m	14 m	18 m)
R3	170 cm	(22 m	16 m	20 m)
R3	177 cm	(24 m	17 m	22 m)

**LENGTH (RADIUS)**  
160 cm (16.3 m)  
170 cm (18.9 m)  
180 cm (21.6 m)**OPTIONAL**

Pre-cut skin available

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
R1	156 cm	(20 m	12 m	17 m)
R2	163 cm	(22 m	14 m	19 m)
R3	170 cm	(25 m	15 m	22 m)
R3	177 cm	(28 m	17 m	23 m)

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
R2	149 cm	(19 m	11 m	16 m)
R2	156 cm	(20 m	12 m	17 m)
R3	163 cm	(22 m	14 m	19 m)
R3	170 cm	(25 m	15 m	22 m)

**WEIGHT**  
1660 g\* @ 178 cm**WEIGHT**  
1262 g\* @ 170 cm    **OPTIONAL**  
Pre-cut skin avail.**WEIGHT**  
1122 g\* @ 156 cm    **OPTIONAL**  
Pre-cut skin avail.**WEIGHT**  
1005 g\* @ 160 cm**WEIGHT**  
1187 g\* @ 177 cm    **OPTIONAL**  
Pre-cut skin avail.**WEIGHT**  
1187 g\* @ 170 cm    **OPTIONAL**  
Pre-cut skin avail.**MADE IN GERMANY****MADE IN GERMANY****MADE IN GERMANY****MADE IN GERMANY****MADE IN GERMANY****MADE IN GERMANY****CORE**  
Hybrid Multilayer Woodcore**CORE**  
Multilayer Woodcore Light**CORE**  
Multilayer Woodcore Light**CORE**  
Hybrid Multilayer Woodcore**CORE**  
Multilayer Woodcore Light**CORE**  
Hybrid Multilayer Woodcore**REC. BINDING**  
Marker KINGPIN MWerks 12,  
Alpinist Free**REC. BINDING**  
Marker Kingpin,  
Marker Alpinist Free**REC. BINDING**  
Marker Kingpin  
Marker Alpinist**REC. BINDING**  
Marker Alpinist**REC. BINDING**  
Marker Alpinist**REC. BINDING**  
Marker Alpinist**HARD SNOW RELIABILITY****HARD SNOW RELIABILITY****HARD SNOW RELIABILITY****HARD SNOW RELIABILITY****HARD SNOW RELIABILITY****HARD SNOW RELIABILITY****ALL COND. VERSATILITY****ALL COND. VERSATILITY****ALL COND. VERSATILITY****ALL COND. VERSATILITY****ALL COND. VERSATILITY****ALL COND. VERSATILITY****PURE POWDER FLOATATION****PURE POWDER FLOATATION****PURE POWDER FLOATATION****PURE POWDER FLOATATION****PURE POWDER FLOATATION****PURE POWDER FLOATATION****LONG TURN DYNAMICS****LONG TURN DYNAMICS****LONG TURN DYNAMICS****LONG TURN DYNAMICS****LONG TURN DYNAMICS****LONG TURN DYNAMICS****SHORT TURN DYNAMICS****SHORT TURN DYNAMICS****SHORT TURN DYNAMICS****SHORT TURN DYNAMICS****SHORT TURN DYNAMICS****SHORT TURN DYNAMICS****SKIER LEVEL****SKIER LEVEL****SKIER LEVEL****SKIER LEVEL****SKIER LEVEL****SKIER LEVEL**

**RISE UP 82****RISE UP 82 W****RISE UP 80****ART. NO.**

122378

**TECHNOLOGY**


- 3D Radius Sidecut
- Smart Skinclip
- Full Sidewall
- Base: P-Tex 2100
- Base structure: Brushed structure

**SIDE CUT**


125\_82\_105

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
R2	156 cm (21 m)	12 m	17 m	
	163 cm (23 m)	14 m	20 m	
	170 cm (26 m)	15 m	22 m	
R3	177 cm (29 m)	17 m	24 m	

**WEIGHT** 1081 g\* @ 163 cm   **OPTIONAL** Pre-cut skin avail.**MADE IN GERMANY****CORE** Hybrid Multilayer Woodcore**REC. BINDING** Marker Alpinist**WEIGHT** 1081 g\* @ 163 cm   **OPTIONAL** Pre-cut skin avail.**MADE IN GERMANY****CORE** Hybrid Multilayer Woodcore**REC. BINDING** Marker Alpinist**WEIGHT** 1146 g\* @ 163 cm   **OPTIONAL****MADE IN GERMANY****CORE** Multilayer Woodcore**REC. BINDING** Marker Alpinist 10

\* Weight can vary slightly due to the production cycles.



REVOLT

# FREESKI



**REVOLT 121**ART. NO.  
V2510151.000**TECHNOLOGY**

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Twin Tip
- Base: P-Tex 2100
- Base structure: Brushed structure

**SIDECUT**

143\_121\_135

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
R2	177 cm (18.9 m 17.4 m 18 m)			
R3	184 cm (20.3 m 19.1 m 19.9 m)			
	191 cm (23.2 m 21.7 m 22.4 m)			

**WEIGHT**

2220 g\* @ 177 cm

**REVOLT 114**ART. NO.  
V2510152.000**TECHNOLOGY**

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Twin Tip
- Base: P-Tex 2100
- Base structure: Brushed structure

**SIDECUT**

146\_114\_128

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
R2	177 cm (22.4 m 17.6 m 20.9 m)			
R3	184 cm (24.6 m 19 m 22.4 m)			
	191 cm (27.5 m 21.2 m 25.1 m)			

**WEIGHT**

2251 g\* @ 177 cm

**REVOLT 104**ART. NO.  
V2510153.000**TECHNOLOGY**

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Twin Tip
- Base: P-Tex 2100
- Base structure: Brushed structure

**SIDECUT**

132\_104\_122

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
R2	172 cm (21.9 m 16.9 m 19.4 m)			
R3	180 cm (24.2 m 19 m 22.2 m)			
	188 cm (26.6 m 21.2 m 25.4 m)			

**WEIGHT**

2000 g\* @ 180 cm

**REVOLT 101**ART. NO.  
V2510154.000**TECHNOLOGY**

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Twin Tip
- Base: P-Tex 2100
- Base structure: Brushed structure

**SIDECUT**

133\_101\_115

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
R2	168 cm (19.2 m 15 m 17.2 m)			
R3	175 cm (22 m 16.9 m 19.7 m)			
	182 cm (24.6 m 19 m 22.4 m)			
	188 cm (27 m 21.2 m 25.4 m)			

**WEIGHT**

2000 g\* @ 180 cm

**REVOLT 96**ART. NO.  
V2510155.000**TECHNOLOGY**

- 3D Radius Sidecut
- Full Sidewall / Mini Cap
- Twin Tip
- Base: P-Tex 2100
- Base structure: Brushed structure

**SIDECUT**

126\_96\_117

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
R2	157 cm (15.5 m 13.4 m 14.3 m)			
R3	165 cm (17.6 m 15.2 m 16.6 m)			
	173 cm (19.9 m 17 m 18.6 m)			
	181 cm (23 m 19.8 m 21.5 m)			

**WEIGHT**

2030 g\* @ 180 cm

**REVOLT 90**ART. NO.  
V2510156.000**TECHNOLOGY**

- Full Sidewall / Mini Cap
- Twin Tip
- Base: P-Tex 4504
- Base structure: Brushed structure

**SIDECUT**

118\_90\_118

**LENGTH (RADIUS)**

168 cm (18.2 m)
174 cm (19.5 m)
180 cm (21.5 m)
186 cm (23.0 m)

**WEIGHT**

1810 g\* @ 180 cm

**REVOLT 84**ART. NO.  
V2510157.000**TECHNOLOGY**

- Full Sidewall / Mini Cap
- Twin Tip
- Base: P-Tex 4504
- Base structure: Brushed structure

**SIDECUT**

110\_84\_110

**LENGTH (RADIUS)**

174 cm (21.0 m)
180 cm (23.2 m)
186 cm (24.7 m)

**WEIGHT**

1905 g\* 180 cm

**CORE**  
Multilayer Woodcore**CORE**  
Multilayer Woodcore**CORE**  
Multilayer Woodcore**CORE**  
Multilayer Woodcore**CORE**  
Multilayer Woodcore**CORE**  
Light Swingweight Woodcore**CORE**  
Light Swingweight Woodcore**REC. BINDING**  
Marker Duke PT 16, Jester 18 Pro**REC. BINDING**  
Marker Duke PT 16, Jester 18 Pro**REC. BINDING**  
Marker Griffon 13, Jester 16**REC. BINDING**  
Marker Griffon 13, Jester 16**REC. BINDING**  
Marker Royal Family**REC. BINDING**  
Marker Jester 16**REC. BINDING**  
Marker Jester 16

**REVOLT 86****REVOLT 81**ART. NO.  
V2510160.000

**TECHNOLOGY**  

- Cap Sidewall / Mini Cap
- Twin Tip
- Base: P-Tex 2100/P-Tex 3000
- Base structure: Brushed structure

**SIDE CUT**  
120\_86\_110

**LENGTH (RADIUS)**  
 148 cm (14.8 m)  
 156 cm (16.6 m)  
 164 cm (18.5 m)  
 172 cm (21.2 m)  
 180 cm (23.3 m)

**WEIGHT**  
1840 g\* @ 180 cm


**CORE**  
Multilayer Woodcore

**REC. BINDING**  
Marker Squire 11



\* Weight can vary slightly due to the production cycles.





S K I  
**JUNIOR**





NEW GRAPHIC



NEW GRAPHIC



NEW GRAPHIC



NEW GRAPHIC




NEW GRAPHIC




NEW GRAPHIC

**RACETIGER JR RED****ART. NO.**  
V2510200.000 (FLAT)**LENGTH (RADIUS)**  
70 cm (4.7 m) **SIDE CUT** 93\_67\_76**ART. NO.**  
V2510205.000 (VMOTION)**LENGTH (RADIUS)**  
80 cm (6.6 m) **SIDE CUT** 93\_67\_76**ART. NO.****LENGTH (RADIUS)**  
100 cm (8.3 m) **SIDE CUT** 100\_68\_82  
110 cm (10.4 m)  
120 cm (12.7 m)**ART. NO.****LENGTH (RADIUS)**  
130 cm (11.2 m) **SIDE CUT** 109\_69\_88  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)**TECHNOLOGY**Power Shell • Plate System:  
JR VMOTION S (80-110cm)  
JR VMOTION L (120-160cm)**WEIGHT**1180 g @ 80 cm (w/binding)  
470 g @ 70 cm (FLAT)**CORE**

Composite Core

**REC. BINDING**Flat: Marker 4.5; Marker 7.0  
vMotion: vMotion 4.5 JR;  
vMotion 7.0 JR R **GRIP WALK****RACETIGER JR YELLOW****ART. NO.**  
V2510210.000 (FLAT)**LENGTH (RADIUS)**  
70 cm (4.7 m) **SIDE CUT** 93\_67\_76**ART. NO.**  
V2510205.000 (VMOTION)**LENGTH (RADIUS)**  
80 cm (6.6 m) **SIDE CUT** 93\_67\_76**ART. NO.****LENGTH (RADIUS)**  
100 cm (8.3 m) **SIDE CUT** 100\_68\_82  
110 cm (10.4 m)  
120 cm (12.7 m)**ART. NO.****LENGTH (RADIUS)**  
130 cm (11.2 m) **SIDE CUT** 109\_69\_88  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)**TECHNOLOGY**Power Shell • Plate System:  
JR VMOTION S (80-110cm)  
JR VMOTION L (120-160cm)**WEIGHT**1180 g @ 80 cm (w/binding)  
470 g @ 70 cm (FLAT)**CORE**


Composite Core

**REC. BINDING**Flat: Marker 4.5; Marker 7.0  
vMotion: vMotion 4.5 JR;  
vMotion 7.0 JR R **GRIP WALK****RACETIGER JR PRO****ART. NO.**  
V2510220.000 (VMOTION)**LENGTH (RADIUS)**  
70 cm (4.7 m) **SIDE CUT** 93\_67\_76**ART. NO.**  
V2510215.000 (VMOTION)**LENGTH (RADIUS)**  
80 cm (6.6 m) **SIDE CUT** 93\_67\_76**ART. NO.****LENGTH (RADIUS)**  
100 cm (8.3 m) **SIDE CUT** 100\_68\_82  
110 cm (10.4 m)  
120 cm (12.7 m)**ART. NO.****LENGTH (RADIUS)**  
130 cm (11.2 m) **SIDE CUT** 109\_69\_88  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)**TECHNOLOGY**Full Sidewall / Mini Cap • Vmotion JR L  
• Base P-Tex 2100**WEIGHT**1641 g @ 120 cm (w/binding)  
470 g @ 70 cm (FLAT)**CORE**

Multilayer Woodcore

**REC. BINDING**7.0 vMotion JR  
vMotion 10 **GRIP WALK****PEREGRINE JR****ART. NO.**  
V2510230.000 (FLAT)**LENGTH (RADIUS)**  
70 cm (4.7 m) **SIDE CUT** 93\_67\_76**ART. NO.**  
V2510235.000 (VMOTION)**LENGTH (RADIUS)**  
80 cm (6.6 m) **SIDE CUT** 93\_67\_76**ART. NO.****LENGTH (RADIUS)**  
100 cm (8.3 m) **SIDE CUT** 100\_68\_82  
110 cm (10.4 m)  
120 cm (12.7 m)**ART. NO.****LENGTH (RADIUS)**  
130 cm (11.2 m) **SIDE CUT** 109\_69\_88  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)**TECHNOLOGY**Power Shell • Plate System:  
JR VMOTION S (80-110cm)  
JR VMOTION L (120-160cm)**WEIGHT**1180 g @ 80 cm (w/binding)  
470 g @ 70 cm (FLAT)**CORE**

Composite Core

**REC. BINDING**Flat: Marker 4.5; Marker 7.0  
vMotion: vMotion 4.5 JR;  
vMotion 7.0 JR R **GRIP WALK****PEREGRINE JR PRO****ART. NO.**  
V2510240.000 (VMOTION)**LENGTH (RADIUS)**  
70 cm (4.7 m) **SIDE CUT** 93\_67\_76**ART. NO.**  
121\_70\_102 (140cm - 160cm)**LENGTH (RADIUS)**  
117\_70\_98 (120cm - 130cm)**ART. NO.****LENGTH (RADIUS)**  
120 cm (7.5 m) **SIDE CUT** 93\_67\_76**ART. NO.****LENGTH (RADIUS)**  
130 cm (9.0 m)  
140 cm (9.7 m)  
150 cm (11.2 m)  
160 cm (13.0 m)**TECHNOLOGY**Full Sidewall / Mini Cap • Vmotion JR L  
Base P-Tex 2100**WEIGHT**1641 g @ 120 cm (w/binding)  
470 g @ 70 cm (FLAT)**CORE**

Multilayer Woodcore

**REC. BINDING**7.0 vMotion JR R  
vMotion 10 **GRIP WALK****SHINE JR****ART. NO.**  
V2510250.000 (FLAT)**LENGTH (RADIUS)**  
70 cm (4.7 m) **SIDE CUT** 93\_67\_76**ART. NO.**  
V2510255.000 (VMOTION)**LENGTH (RADIUS)**  
80 cm (6.6 m) **SIDE CUT** 93\_67\_76**ART. NO.****LENGTH (RADIUS)**  
100 cm (8.3 m)  
110 cm (10.4 m)  
120 cm (12.7 m)**ART. NO.****LENGTH (RADIUS)**  
130 cm (11.2 m) **SIDE CUT** 100\_68\_82  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)**TECHNOLOGY**Power Shell • Plate System:  
JR VMOTION S (80-110cm)  
JR VMOTION L (120-160cm)**WEIGHT**1180 g @ 80 cm (w/binding)  
470 g @ 70 cm (FLAT)**CORE**

Composite Core

**REC. BINDING**vMotion JR 4.5  
vMotion 7.0 JR **GRIP WALK**

**BLAZE JR ORANGE**

**ART. NO.**  
V2410265.000 (VMOTION)  
V2410260.000 (FLAT)

**SIDE CUT**  
126\_86\_111 (118,128,138)

**SIDE CUT**  
129\_86\_111 (148,158)

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
118 cm	(9 m	7 m	7 m)	
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
R2				
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
R3				
158 cm	(21 m	11 m	17 m)	

**BLAZE JR BLUE PINK**

**ART. NO.**  
V2410275.000 (VMOTION)

**SIDE CUT**  
126\_86\_111 (118,128,138)

**SIDE CUT**  
129\_86\_111 (148,158)

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
118 cm	(9 m	7 m	7 m)	
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
R2				
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
R3				
158 cm	(21 m	11 m	17 m)	

**MANTRA JR**

**ART. NO.**  
V2410276.000

**SIDE CUT**  
118\_86\_111 (118,128,138)

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
118 cm	(9 m	7 m	7 m)	
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
R2				
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
R3				
158 cm	(21 m	11 m	17 m)	

**RISE JR**

**ART. NO.**  
V2310280

**SIDE CUT**  
129\_86\_111 (148,158)

**LENGTH (3D RADIUS)**

R1	Length	R1	R2	R3
118 cm	(9 m	7 m	7 m)	
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
R2				
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
R3				
158 cm	(21 m	11 m	17 m)	

**REVOLT 100 JR**

**ART. NO.**  
V2510290.000

**SIDE CUT**  
132\_100\_116

**LENGTH (RADIUS)**

R1	Length	R1	R2	R3
118 cm	(9 m	7 m	7 m)	
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
R2				
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
R3				
158 cm	(21 m	11 m	17 m)	

**REVOLT JR PARK**

**ART. NO.**  
V2510295.000 (VMOTION)

**SIDE CUT**  
108\_76\_101

**LENGTH (RADIUS)**

R1	Length	R1	R2	R3
118 cm	(9 m	7 m	7 m)	
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
R2				
128 cm	(12 m	8 m	9 m)	
138 cm	(13 m	10 m	12 m)	
148 cm	(18 m	10 m	14 m)	
R3				
158 cm	(21 m	11 m	17 m)	

**REVOLT JR URBAN**

**ART. NO.**  
V2510296.000 (VMOTION)

**SIDE CUT**  
107\_78\_100

**LENGTH (RADIUS)**

R1	Length	R1	R2	R3
118 cm	(8.2 m)			
128 cm	(10.2 m)			
138 cm	(12.4 m)			
148 cm	(14.8 m)			
R2				
128 cm	(10.2 m)			
138 cm	(12.4 m)			
148 cm	(14.8 m)			
R3				
158 cm	(16.0 m)			



**MINI REVOLT JR**



**ART. NO.**  
V2510299.000

**SIDE CUT**  
96\_66\_89

**LENGTH (RADIUS)**

R1	Length	R1	R2	R3
88 cm	(4.6 m)			
98 cm	(6.0 m)			
108 cm	(7.7 m)			
R2				
88 cm	(4.6 m)			
98 cm	(6.0 m)			
108 cm	(7.7 m)			
R3				
118 cm	(9.2 m)			





S K I  
**RENTAL**




NEW GRAPHIC

**PEREGRINE 7.2 FDT RED**ART. NO.  
V2510360.000**TECHNOLOGY**

- Barcode
- Protected Sticker Area
- Fully Structured Demo Topsheet
- FDT plate pre-mounted
- Base: P-Tex 2100
- Base structure: Zebra structure

**SIDE CUT**

123\_72\_104

**LENGTH (RADIUS)**  
130 cm (8.2 m)  
137 cm (9.4 m)  
144 cm (10.5 m)  
151 cm (11.8 m)  
158 cm (12.7 m)  
165 cm (14.0 m)  
172 cm (15.5 m)  
179 cm (17.0 m)**WEIGHT**  
1360 g\* @ 130 cm (w/o binding)**MADE IN GERMANY****CORE**  
Multilayer Woodcore**REC. BINDING**  
Marker FDT TP 10; 80 mm,  
FDT TLT 10; 80 mm


NEW GRAPHIC

**PEREGRINE 7.6 FDT GOLD**ART. NO.  
V2510361.000**TECHNOLOGY**

- Barcode
- Protected Sticker Area
- FDT plate pre-mounted
- FDT plate pre-mounted
- Full Cap
- Base: P-Tex 2100
- Base structure: Zebra structure

**SIDE CUT**

125\_76\_105

**LENGTH (RADIUS)**  
133 cm (9.2 m)  
140 cm (10.4 m)  
147 cm (11.7 m)  
154 cm (13.1 m)  
161 cm (14.1 m)  
168 cm (15.5 m)  
175 cm (17.1 m)**WEIGHT**  
1520 g\* @ 140 cm (w/o binding)**MADE IN GERMANY****CORE**  
Woodcore**REC. BINDING**  
Marker FDT TP 10; 80 mm,  
FDT TLT 10; 80 mm


NEW GRAPHIC

**PEREGRINE 7.6 FDT ORANGE**ART. NO.  
V2510362.000**TECHNOLOGY**

- Barcode
- Protected Sticker Area
- FDT plate pre-mounted
- FDT plate pre-mounted
- Full Cap
- Base: P-Tex 2100
- Base structure: Zebra structure

**SIDE CUT**

125\_76\_105

**LENGTH (RADIUS)**  
130 cm (8.2 m)  
137 cm (9.4 m)  
144 cm (10.4 m)  
151 cm (11.7 m)  
158 cm (13.1 m)  
165 cm (14.1 m)  
172 cm (15.5 m)  
179 cm (17.0 m)**WEIGHT**  
1520 g\* @ 140 cm (w/o binding)**MADE IN GERMANY****CORE**  
Woodcore**REC. BINDING**  
Marker FDT TP 10; 80 mm,  
FDT TLT 10; 80 mm


NEW GRAPHIC

**PEREGRINE 8.0 GREEN**ART. NO.  
V2510363.000 (W. PLATE)  
V2510364.000 (W/O PLATE)**TECHNOLOGY**

- Barcode
- Protected Sticker Area
- FDT plate pre-mounted
- FDT plate pre-mounted
- Full Cap
- Base: P-Tex 2100
- Base structure: Zebra structure

**SIDE CUT**

125\_80\_109

**LENGTH (RADIUS)**  
130 cm (9.0 m)  
137 cm (10.2 m)  
144 cm (11.5 m)  
151 cm (12.5 m)  
158 cm (13.9 m)  
165 cm (15.4 m)  
172 cm (17 m)  
179 cm (18.7 m)**WEIGHT**  
1510 g\* @ 130 cm (w/o binding)**MADE IN GERMANY****CORE**  
Woodcore**REC. BINDING**  
Marker FDT TP 10; 80 mm,  
FDT TLT 10; 80 mm

NEW GRAPHIC

**M7 MANTRA DEMO**ART. NO.  
V2510350.000**TECHNOLOGY**

- Barcode
- Fully Structured Demo Topsheet
- FDT FREE plate pre-mounted
- Tailored Titanal Frame
- Tailored Carbon Tips
- Metal Tip Protector
- Base: P-Tex 2100

**SIDE CUT**

139\_96\_121

**LENGTH (4 RADIUS DRIVE)**  
R1 Length R1 R2 R3 R4  
R2 163 cm (22.9 m 36.6 m 13.7 m 17.9 m)  
R3 170 cm (23.9 m 38.3 m 15.2 m 19.8 m)  
R4 177 cm (25 m 40 m 16.8 m 21.8 m)  
184 cm (25.7 m 41.1 m 17.9 m 23.2 m)  
191 cm (26.7 m 42.8 m 19.7 m 25.4 m)**WEIGHT**  
2095 g\* @ 177 cm (w/o binding)**MADE IN GERMANY****CORE**  
Multilayer Woodcore**REC. BINDING**  
Marker Griffon 13 D;  
100 mm (w/o plate)

NEW GRAPHIC

**MANTRA 88 DEMO**ART. NO.  
V2510351.000**TECHNOLOGY**

- Barcode
- Fully Structured Demo Topsheet
- FDT FREE plate pre-mounted
- Tailored Titanal Frame
- Tailored Carbon Tips
- Metal Tip Protector
- Base: P-Tex 2100

**SIDE CUT**

134\_88\_114

**LENGTH (3 RADIUS)**  
R1 Length R1 R2 R3  
R2 163 cm (23.5 m 32.2 m 21.3 m)  
170 cm (26.3 m 44.7 m 23.3 m)  
177 cm (29.2 m 46.2 m 25.5 m)  
184 cm (31.2 m 47.3 m 27 m)**WEIGHT**  
2190 g\* @ 177 cm (w/o binding)**MADE IN GERMANY****CORE**  
Multilayer Woodcore**REC. BINDING**  
Marker Griffon 13 D;  
90 mm (w/o plate)

NEW

**MANTRA 84 DEMO**ART. NO.  
V2510352.000**TECHNOLOGY**

- Barcode
- Fully Structured Demo Topsheet
- FDT FREE plate pre-mounted
- Tailored Titanal Frame
- Tailored Carbon Tips
- Metal Tip Protector
- Base: P-Tex 2100

**SIDE CUT**

129\_84\_110

**LENGTH (3D RADIUS)**  
R1 Length R1 R2 R3  
R2 163 cm (23.5 m 32.2 m 21.3 m)  
170 cm (26.3 m 44.7 m 23.3 m)  
177 cm (29.2 m 46.2 m 25.5 m)  
184 cm (31.2 m 47.3 m 27 m)**WEIGHT**  
2190 g\* @ 177 cm (w/o binding)**MADE IN GERMANY****CORE**  
Multilayer Woodcore**REC. BINDING**  
Marker Griffon 13 D;  
90 mm (w/o plate)

NEW GRAPHIC

**BLAZE 86 DEMO**ART. NO.  
V2510354.000**TECHNOLOGY**

- Barcode
- 3D Radius Sidecut
- Fully Structured Demo Topsheet
- Full Sidewall
- FDT FREE plate pre-mounted
- Tailored Titanal Frame
- Tailored Carbon Tips
- Metal Tip Protector
- Suspension Tips & Tails

**SIDE CUT**

129\_86\_111

**LENGTH (3D RADIUS)**  
R1 Length R1 R2 R3  
R2 146 cm (18.2 m 9.7 m 15.3 m)  
152 cm (19.8 m 10.6 m 16.7 m)  
R3 159 cm (22.3 m 11.9 m 18.8 m)  
166 cm (25 m 13.3 m 21 m)  
173 cm (27.8 m 14.8 m 23.4 m)  
180 cm (29.7 m 15.8 m 25 m)**WEIGHT**  
1800 g\* @ 180 cm Pre-cut skin avail.**MADE IN GERMANY****CORE**  
Multilayer Woodcore Light**REC. BINDING**  
Marker Squire 11 TCX D; 90 mm  
Griffon 13 D; 90 mm (w/o plate)

**BLAZE  
82 DEMO**ART. NO.  
V2510355.000

**TECHNOLOGY**

- 3D Radius Sidecut
- Fully Structured Demo Topsheet
- Full Sidewall / Mini Cap
- FDT FREE plate pre-mounted
- Metal Tip Protector
- Base: P-Tex 2100
- Suspension Tips & Tails

**SIDE CUT**  
125\_82\_107


LENGTH (3D RADIUS)				
R1	Length	R1	R2	R3
146 cm	(18.2 m)	9.7 m	15.3 m	
152 cm	(19.8 m)	10.6 m	16.7 m	
159 cm	(22.3 m)	11.9 m	18.8 m	
166 cm	(25 m)	13.3 m	21 m	
173 cm	(27.8 m)	14.8 m	23.4 m	
180 cm	(29.7 m)	15.8 m	25 m	

**WEIGHT**  
1670 g\* @ 173 cm    **OPTIONAL**  
Pre-cut skin avail.

**MADE IN GERMANY**

**CORE**  
Multilayer Woodcore Light

**REC. BINDING**  
Marker Squire 11 TCX D;  
90 mm (w/o plate)



\* Weight can vary slightly due to the production cycles.

**REVOLT 81  
DEMO**ART. NO.  
V2510356.000

**TECHNOLOGY**

- Fully Structured Demo Topsheet
- Cap Construction / Mini Cap
- Full Camber
- Base: Crown F7501

**SIDE CUT**  
111\_81\_104


LENGTH (RADIUS)			
148 cm	(13.9 m)		
158 cm	(16.3 m)		
168 cm	(18.9 m)		
178 cm	(21.8 m)		

**WEIGHT**  
2110 g\* @ 178 cm    **OPTIONAL**  
Pre-cut skin avail.

**MADE IN GERMANY**

**CORE**  
Multilayer Woodcore

**REC. BINDING**  
Marker Squire 11 TCX Demo



**VMOTION GW (FDT / FDT HP)****VMOTION 12****VMOTION 12 RED****VMOTION 12 YELLOW****VMOTION 11 TCX****VMOTION 11 TCX LADY ROSE****VMOTION 11 TCX LADY BLUE****ART. NO.**

6862U1VA

**COLOR**

Black

**DIN RANGE**

4.0 - 12.0

**ART. NO.**

6862U1VB

**COLOR**

Black - Red

**DIN RANGE**

4.0 - 12.0

**ART. NO.**

6862U1VC

**COLOR**

Black - Yellow

**DIN RANGE**

4.0 - 12.0

**ART. NO.**

6762X1VT

**COLOR**

Black

**DIN RANGE**

3.0 - 11.0

**ART. NO.**

6762Z1VP

**COLOR**

Black - Anthracite - Rose

**DIN RANGE**

3.0 - 11.0

**ART. NO.**

6762Z1VW

**COLOR**

Black - White - Blue

**DIN RANGE**

3.0 - 11.0

**COMPETITION RACE****COMP 16 GW MASTER RED****COMP 16 GW MASTER PURPLE****ART. NO.**

6920Y1VR

**COLOR**

Black - Flo-red

**DIN RANGE**

6.0 - 16.0

**ART. NO.**

6920Z1VV

**COLOR**

Black - Purple

**DIN RANGE**

6.0 - 16.0

**R MOTION****RMOTION 12 BLACK RED****RMOTION 12 BLACK****ART. NO.**

6877Z1VR

**COLOR**

Black - Flo - Red

**DIN RANGE**

4.0 - 12.0

**ART. NO.**

6877Z1VB

**COLOR**

Black

**DIN RANGE**

4.0 - 12.0

**VMOTION 11****VMOTION 11 RED****VMOTION 10****VMOTION 10 LADY BLACK****VMOTION 10 LADY GREEN****VMOTION 9 LADY****ART. NO.**

6662U1VA

**COLOR**

Black

**DIN RANGE**

3.0 - 11.0

**ART. NO.**

6662W1VR

**COLOR**

Black

**DIN RANGE**

3.0 - 11.0

**ART. NO.**

6562U1VA

**COLOR**

Black

**DIN RANGE**

3.0 - 10.0

**ART. NO.**

6562Z1VL

**COLOR**

Black

**DIN RANGE**

3.0 - 10.0

**ART. NO.**

6562Z1VG

**COLOR**

Black - Green

**DIN RANGE**

2.5 - 9.0

**ART. NO.**

6462Z1VL

**COLOR**

Black - Anthracite

**DIN RANGE**

2.5 - 9.0

**SPECIAL EDITION****FDT TP 10****VMOTION 10****VMOTION 10****VMOTION 11****ART. NO.**

6562V1MW

**COLOR**

Black - Anthracite

**DIN RANGE**

3.0 - 10.0

**BRAKE WIDTH**

90 mm

**ART. NO.**

6562V1VW

**COLOR**

White - Anthracite

**DIN RANGE**

3.0 - 10.0

**BRAKE WIDTH**

90 mm

**ART. NO.**

6562W1VS

**COLOR**

White

**DIN RANGE**

3.0 - 11.0

**BRAKE WIDTH**

90 mm

**VMOTION JUNIOR****7.0 VMOTION JR****7.0 VMOTION JR LADY****4.5 VMOTION JR****4.5 VMOTION JR LADY****7.0 VMOTION JR; 86MM****4.5 VMOTION JR; 86MM****ART. NO.**

6262T1VA

**COLOR**

Black - Anthracite

**DIN RANGE**

2.0 - 7.0

**ART. NO.**

6262W1VB

**COLOR**

Black - Pink

**DIN RANGE**

2.0 - 7.0

**ART. NO.**

6162T1VA

**COLOR**

Black - Anthracite

**DIN RANGE**

0.75 - 4.5

**ART. NO.**

6162Y1VB

**COLOR**

Black - Pink

**DIN RANGE**

0.75 - 4.5

**ART. NO.**

6262X1VC

**COLOR**

Black - Anthracite

**DIN RANGE**

2.0 - 7.0

**ART. NO.**

6162X1VC

**COLOR**

Black - Anthracite

**DIN RANGE**

0.75 - 4.5

**COMPETITION & RACE****COMP 30****COMP 20****COMP 16****COMP 12****ART. NO.**

7130Z1MS

**COLOR**

Black - Flo - Red

**DIN RANGE**

15.0 - 30.0

**ART. NO.**

7120Z1MS

**COLOR**

Black - Flo - Red


**DIN RANGE**

11.0 - 20.0

**ART. NO.**

6920Y1MS

**COLOR</b**

**FREERIDE (X MWERKS SERIES)**

<b>GRIFFON 13</b>	<b>GRIFFON 13</b>	<b>GRIFFON 13</b>	<b>GRIFFON 13</b>	<b>SQUIRE 11</b>
<b>ART. NO.</b> 7524Z1BA (90 mm) 7524Z1BB (100 mm) 7524Z1BC (110 mm) 7524Z1BD (120 mm)	<b>ART. NO.</b> 7524Z1RA (90 mm) 7524Z1RB (100 mm) 7524Z1RC (110 mm) 7524Z1RD (120 mm)	<b>ART. NO.</b> 7524Z1OA (90 mm) 7524Y1VB (100 mm) 7524Z1OC (110 mm) 7524Z1OD (120 mm)	<b>ART. NO.</b> 7524Y1VA (90 mm) 7524Y1VB (100 mm) 7524Y1VC (110 mm) 7524Y1VD (120 mm)	<b>ART. NO.</b> 7424V1MA (90 mm) 7424V1MB (100 mm) 7424V1MC (110 mm)
<b>COLOR</b> Black - Powder blue	<b>COLOR</b> Black - Red	<b>COLOR</b> Black - Olive green	<b>COLOR</b> Black - Purple	<b>COLOR</b> Black
<b>DIN RANGE</b> 4.0 - 13.0	<b>DIN RANGE</b> 3.0 - 11.0			
<b>SQUIRE 11</b>	<b>SQUIRE 11</b>	<b>SQUIRE 11</b>	<b>SQUIRE 11</b>	<b>SQUIRE 10</b>
<b>ART. NO.</b> 7424V1MD (90 mm) 7424V1ME (100 mm) 7424V1MF (110 mm)	<b>ART. NO.</b> 7424Y1TA (90 mm) 7424Y1TB (100 mm) 7424Y1TC (110 mm)	<b>ART. NO.</b> 7424Y1PA (90 mm) 7424Y1PB (100 mm) 7424Y1PC (110 mm)	<b>ART. NO.</b> 7424Z1YA (90 mm) 7424Z1YB (100 mm) 7424Z1YC (110 mm)	<b>ART. NO.</b> 7224V1MA (85 mm) 7224V1MB (100 mm)
<b>COLOR</b> White	<b>COLOR</b> Black - Tan	<b>COLOR</b> Black - Yellow	<b>COLOR</b> Black - Purple	<b>COLOR</b> Black - Anthracite
<b>DIN RANGE</b> 3.0 - 11.0	<b>DIN RANGE</b> 3.0 - 10.0			

**FREERIDE (ROYAL FAMILY)****PERFECT MATCH VÖLKL X MARKER**



<b>ALPINIST FREE 13</b>	<b>ALPINIST FREE 11</b>	<b>ALPINIST 12</b>	<b>ALPINIST 10</b>	<b>ALPINIST 8</b>
<b>ART. NO.</b> 7920Y1FS (105mm) 7921Y1FS (w/o brake)	<b>ART. NO.</b> 7720Y1FS (105mm) 7721Y1FS (w/o brake)	<b>ART. NO.</b> 7833W1MS (w/o brake) 7832W1MS (90 mm)	<b>ART. NO.</b> 7733W1MS (w/o brake) 7732W1MS (90 mm)	<b>ART. NO.</b> 7433W1MV (C2; w/o brake) 7432W1MV (C2; 90 mm) 7433W1MS (C1; w/o brake) 7432W1MS (C1; 90 mm)
<b>COLOR</b> Black - Silver	<b>COLOR</b> Black - Silver	<b>COLOR</b> Black	<b>COLOR</b> Black	<b>COLOR</b> Black (C1) Black - Purple (C2)
<b>DIN RANGE</b> 6.0 - 13.0	<b>DIN RANGE</b> 4.0 - 11.0	<b>DIN RANGE</b> 6.0 - 12.0	<b>DIN RANGE</b> 4.0 - 10.0	<b>DIN RANGE</b> 3.0 - 8.0



<b>ALPINIST 12 LONG TRAVEL</b>	<b>ALPINIST 10 LONG TRAVEL</b>	<b>ALPINIST JR LONG TRAVEL</b>	<b>KINGPIN M-WERKS 12</b>	<b>KINGPIN 13</b>
<b>ART. NO.</b> 7834W1ML	<b>ART. NO.</b> 7734W1ML	<b>ART. NO.</b> 7232X1MJ (90 mm)	<b>ART. NO.</b> 7831W1CS (75-100mm) 7831W1CW (100-125mm)	<b>ART. NO.</b> 7933W1MA (75-100mm) 7933W1MB (100-125mm)
<b>COLOR</b> Black	<b>COLOR</b> Black	<b>COLOR</b> Anthracite - White	<b>COLOR</b> Black - Red	<b>COLOR</b> Black - Red
<b>DIN RANGE</b> 6.0 - 12.0	<b>DIN RANGE</b> 4.0 - 10.0	<b>DIN RANGE</b> 2.0 - 6.0	<b>DIN RANGE</b> 5.0 - 12.0	<b>DIN RANGE</b> 6.0 - 13.0



<b>KINGPIN 10</b>	<b>CRUISE 12</b>	<b>CRUISE 10</b>	<b>F12 TOUR EPF</b>	<b>F10 TOUR</b>	<b>F5 JR TOUR</b>
<b>ART. NO.</b> 7733W1MA (75-100mm) 7733W1MB (100-125mm)	<b>ART. NO.</b> 7810X1MS (90 mm) 7810X1MW (105 mm)	<b>ART. NO.</b> 7610X1MS (90 mm) 7610X1MW (105 mm)	<b>ART. NO.</b> 7816W1SS (S - 100mm) 7816W1LS (L - 100mm) 7816W1SE (S - 110mm) 7816W1LE (L - 110mm)	<b>ART. NO.</b> 7716W1TC (S - 90mm) 7716W1TD (L - 90mm) 7716W1TS (S - 100mm) 7716W1TL (L - 100mm)	<b>ART. NO.</b> 7216X1JT (235 - 300 mm)
<b>COLOR</b> Black	<b>COLOR</b> Black	<b>COLOR</b> Anthracite - White	<b>COLOR</b> Black - Red	<b>COLOR</b> Black - Red	<b>COLOR</b> Black - Red
<b>DIN RANGE</b> 5.0 - 10.0	<b>DIN RANGE</b> 6.0 - 12.0	<b>DIN RANGE</b> 4.0 - 10.0	<b>DIN RANGE</b> 4.0 - 12.0	<b>DIN RANGE</b> 3.0 - 10.0	<b>DIN RANGE</b> 1.5 - 5.0

**PISTE / ALL MOUNTAIN**

<b>12.0 TPX</b>	<b>11.0 TP</b>	<b>10.0 TP</b>	<b>FREE 7</b>	<b>7.0</b>	<b>4.5</b>
<b>ART. NO.</b> 6820T1MA (90 mm)	<b>ART. NO.</b> 6720T1MA (C1 - 90 mm) 6720S1MB (C2 - 90 mm) 6720T1MC (C1 - 110 mm) 6720S1MD (C2 - 110 mm)	<b>ART. NO.</b> 7216X1JT (85 mm)	<b>ART. NO.</b> 6224U1MS (C1 - 95 mm) 6224U1MW (C2 - 95 mm)	<b>ART. NO.</b> 6220T1MA (C1 - 70 mm) 6220T1MB (C2 - 70 mm) 6220T1MC (C2 - 85 mm)	<b>ART. NO.</b> 6120T1MA (C1 - 70 mm) 6120T1MB (C2 - 70 mm) 6120T1MC (C1 - 85 mm)
<b>COLOR</b> Black - Anthracite	<b>COLOR</b> Black - Anthracite (C1) White (C2)	<b>COLOR</b> Black - Anthracite	<b>COLOR</b> Black (C1) White - Silver (C2)	<b>COLOR</b> Black - Anthracite (C1) White (C2)	<b>COLOR</b> Black - Anthracite (C1) White (C2)
<b>DIN RANGE</b> 4.0 - 12.0	<b>DIN RANGE</b> 3.0 - 11.0	<b>DIN RANGE</b> 3.0 - 10.0	<b>DIN RANGE</b> 2.0 - 7.0	<b>DIN RANGE</b> 2.0 - 7.0	<b>DIN RANGE</b> 0.75 - 4.5

**JUNIOR**

**ALU PRO PLATE****WORLD CUP PC INTERFACE****SIZE**

10 mm

**COLOR**

Silver

**ART. NO.**2030S1PM  
2020Y1SS (10 mm)  
2020Y1SB (10 mm; bulk)  
2022Y1SS (14 mm)  
2022Y1SC (14 mm; bulk)**CRAMPONS****CRAMPON KP / ALPINIST / CRUISE**

<b>ART. NO.</b>	<b>SKI WIDTH</b>
H005S1A (80 mm)	66 - 80 mm
H001P1P (90 mm)	75 - 90 mm
H002P1P (105 mm)	90 - 105 mm
H003P1P (120 mm)	105 - 120 mm

**CRAMPON DUKE PT**

<b>ART. NO.</b>	<b>SKI WIDTH</b>
H006U1R (105 mm)	90 - 105 mm
H007U1R (125 mm)	105 - 125 mm

**CRAMPON**

<b>ART. NO.</b>	<b>SKI WIDTH</b>
H003K1A (82 mm)	< 74 mm
H001M1A (92 mm)	74 - 84 mm
H002N1A (105 mm)	90 - 105 mm
H004M1A (120 mm)	106 - 120 mm

# SMART SKIN CLIP

The innovative Smart Skinclip system allows the ski tourer to decide for themselves, depending on the situation, in which direction they should pull the skin on and off.

A standard snap hook at the tail end of the ski allows the skin to be attached and detached from behind. The skin can, however, also be pulled on and off quickly and easily from the front. This new flexibility is made possible by an elastic snap hook, which is also easy to grip with gloves. A subtle depression in the ski tip gives the hook lateral guidance and prevents it from unintentionally releasing the skin while walking.

**RISE - MIX MOHAIR SKINS**

	RISE MIX MOHAIR SKINS	149	150	156	158	160	163	165	170	172	175	177	178	180	184	186	191
<b>159752</b>	Rise Up 82 Skins		x		x			x		x		x					
<b>159753</b>	Rise Above 88 Skins		x		x			x		x		x			x		
<b>159754</b>	Rise High 88 Skins					x			x				x				
<b>159760</b>	Rise Beyond 96 Skins				x			x		x		x		x		x	
<b>159772</b>	Rise 99 V-Werks Skins								x			x	x				

**BLAZE - MIX MOHAIR SKINS**

	BLAZE MIX MOHAIR SKINS	146	152	156	158	159	163	165	166	172	173	176	179	180	184	186	191	192
<b>159768</b>	Blaze 82 Skins		x	x			x			x		x		x				
<b>159761</b>	Blaze 86 Skins		x	x			x			x		x		x				
<b>159756</b>	Blaze 94 Skins				x			x		x		x		x		x		
<b>159757</b>	Blaze 106 / 104 Skins					x			x		x		x		x		x	
<b>159767</b>	Blaze 114 Skins											x		x		x		

**JUNIOR SKIN - MIX MOHAIR SKINS**

	RISE / BLAZE MIX MOHAIR SKINS	118	128	138	148	158
<b>159769</b>	Rise & Blaze JR Skin	x	x	x	x	x

**VWERKS - MIX MOHAIR SKINS**

	VWERKS MIX MOHAIR SKINS	149	150	156	158	160	163	166	170	172	177	178	180	184	186	191
<b>159771</b>	v-werks Katana Skins									x		x	x	x	x	

**UNIVERSAL SKINS**

	UNIVERSAL MIX MOHAIR SKINS	149	150	156	158	160	163	165	170	172	177	179	180	184	186	191
<b>159724</b>	Universal Vacuum Skins 130 mm												one size			
<b>159758</b>	Marker Freeride Universal Skins												one size			

**CLASSIC LINE****CLASSIC BOOT BAG**  
VÖLKL**ART. NO.**  
140100**COLOR**  
Black / Grey / Yellow**SIZE IN CM**  
40 x 28 x 39**VOLUME IN L**  
45**CLASSIC BOOT & HELMET BAG**  
VÖLKL**ART. NO.**  
140102**COLOR**  
Black / Grey / Yellow**SIZE IN CM**  
40.5 x 27 x 42**VOLUME IN L**  
46**CLASSIC BOOT & HELMET BACKPACK**  
VÖLKL**ART. NO.**  
140103**COLOR**  
Black / Grey / Yellow**SIZE IN CM**  
40.5 x 27 x 42**VOLUME IN L**  
46**CLASSIC SINGLE SKI BAG 175 CM**  
VÖLKL**ART. NO.**  
140104**COLOR**  
Black / Yellow**SIZE IN CM**  
175 x 25 x 25**VOLUME IN L**  
80**CLASSIC DOUBLE SKI BAG 195 CM**  
VÖLKL**ART. NO.**  
140105**COLOR**  
Black / Yellow**SIZE IN CM**  
195 x 35 x 35**VOLUME IN L**  
120**RACE LINE****RACE BOOT PACK**  
VÖLKL**ART. NO.**  
142100**COLOR**  
Black/Red**SIZE IN CM**  
34 x 31 x 48**VOLUME IN L**  
55**RACE BOOT & HELMET BACKPACK**  
VÖLKL**ART. NO.**  
142101**COLOR**  
Black/Red**SIZE IN CM**  
39 x 30 x 47**VOLUME IN L**  
56**RACE BACKPACK TEAM LARGE**  
VÖLKL**ART. NO.**  
142103**COLOR**  
Black/Red**SIZE IN CM**  
49 x 36 x 65**VOLUME IN L**  
115**RACE BACKPACK TEAM MEDIUM**  
VÖLKL**ART. NO.**  
142105**COLOR**  
Black/Red**SIZE IN CM**  
40 x 36 x 60**VOLUME IN L**  
85**TRAVEL LINE****TEAM PRO BACKPACK**  
VÖLKL**ART. NO.**  
143100**COLOR**  
Heather Grey**SIZE IN CM**  
56 x 33 x 28**VOLUME IN L**  
52**FLIGHT 30 L BACKPACK**  
VÖLKL**ART. NO.**  
143101**COLOR**  
Heather Grey**SIZE IN CM**  
50 x 33 x 18**VOLUME IN L**  
30**TRAVEL 60 L DUFFEL**  
VÖLKL**ART. NO.**  
143102**COLOR**  
Heather Grey**SIZE IN CM**  
61 x 33 x 25**VOLUME IN L**  
60**TRAVEL 90 L DUFFEL**  
VÖLKL**ART. NO.**  
143103**COLOR**  
Heather Grey**SIZE IN CM**  
74 x 42 x 28**VOLUME IN L**  
90**RACE ROLLING BAG**  
VÖLKL**ART. NO.**  
142108**COLOR**  
Black/Red**SIZE IN CM**  
76 x 39 x 35**VOLUME IN L**  
120**RACE SINGLE SKI BAG 175 CM**  
VÖLKL**ART. NO.**  
142109**COLOR**  
Black/Red**SIZE IN CM**  
175 x 14 x 14**VOLUME IN L**  
80**RACE SINGLE SKI BAG 165+15+15**  
VÖLKL**ART. NO.**  
142110**COLOR**  
Black/Red**SIZE IN CM**  
(165+15 x 2) x 14 x 14**VOLUME IN L**  
80**RACE DOUBLE SKI BAG 195 CM**  
VÖLKL**ART. NO.**  
142111**COLOR**  
Black/Red**SIZE IN CM**  
195 x 26 x 40**VOLUME IN L**  
120**ROLLING 70 L BAG**  
VÖLKL**ART. NO.**  
143104**COLOR**  
Heather Grey**SIZE IN CM**  
61 x 36 x 31**VOLUME IN L**  
70**ROLLING 120 L BAG**  
VÖLKL**ART. NO.**  
143105**COLOR**  
Heather Grey**SIZE IN CM**  
76 x 41 x 41**VOLUME IN L**  
120**ROLLING DOUBLE SKI BAG 185 CM**  
VÖLKL**ART. NO.**  
143106**COLOR**  
Heather Grey**SIZE IN CM**  
185 x 33 x 20**VOLUME IN L**  
122**ROLLING ALL PRO GEAR BAG 200 CM**  
VÖLKL**ART. NO.**  
143107**COLOR**  
Heather Grey**SIZE IN CM**  
200 x 36 x 25**VOLUME IN L**  
180

**RACE****SPEEDSTICK CARBON**

ART. NO.

141001

**COLOR**

Black

**LENGTH IN CM**

110 - 135

**SPEEDSTICK RED**

ART. NO.

141002

**COLOR**

Red

**LENGTH IN CM**

110 - 135

**SPEEDSTICK YELLOW**

ART. NO.

141003

**COLOR**

Yellow

**LENGTH IN CM**

110 - 135

**ALPINE & FREESKI****PHANTASTICK CARBON**

ART. NO.

141004

**COLOR**

Black

**LENGTH IN CM**

110 - 135

**ALPINE & FREESKI****PHANTASTICK III BLACK**

ART. NO.

141015

**COLOR**

Black

**LENGTH IN CM**

110 - 135

**PHANTASTICK III WHITE**

ART. NO.

141016

**COLOR**

White

**LENGTH IN CM**

110 - 135

**WMN****PHANTASTICK W BERRY**

ART. NO.

141018

**COLOR**

Purple

**LENGTH IN CM**

100 - 130

**PHANTASTICK W SILVER**

ART. NO.

141017

**COLOR**

Grey

**LENGTH IN CM**

100 - 130

**PHANTASTICK W PURPLE**

ART. NO.

141019

**COLOR**

Purple

**LENGTH IN CM**

100 - 130

**ALPINE & FREESKI****PHANTASTICK YELLOW**

ART. NO.

141005 (16 mm)  
141006 (18 mm)**COLOR**

Yellow

**LENGTH IN CM**

110 - 135

**PHANTASTICK GREEN**ART. NO.  
141007 (16 mm)  
141006 (18 mm)**COLOR**

Green

**LENGTH IN CM**

110 - 135

**PHANTASTICK RED**ART. NO.  
141009 (16 mm)  
141010 (18 mm)**COLOR**

Red

**LENGTH IN CM**

110 - 135

**PHANTASTICK BLACK**ART. NO.  
141011 (16 mm)  
141012 (18 mm)**COLOR**

Black

**LENGTH IN CM**

110 - 135

**PHANTASTICK WHITE**ART. NO.  
141010 (16 mm)  
141012 (18 mm)**COLOR**

White

**LENGTH IN CM**

110 - 135

**TOURING****TOURISTICK AA**

ART. NO.

141028

**COLOR**

White

**LENGTH IN CM**

Adjustable

**TOURISTICK AC**

ART. NO.

141029

**COLOR**

Blue

**LENGTH IN CM**

Adjustable

**TOURISTICK CC**

ART. NO.

141030

**COLOR**

Black

**LENGTH IN CM**

Adjustable

**ALPINE & FREESKI****PHANTASTICK FR**

ART. NO.

140014

**COLOR**



Blue, Red, Yellow

**LENGTH IN CM**

Adjustable (Max. 140 cm)

**JUNIOR****SPEEDSTICK JR  
YELLOW**ART. NO.  
141020COLOR  
YellowLENGTH IN CM  
90 - 110**SPEEDSTICK KIDS  
YELLOW**ART. NO.  
141021COLOR  
YellowLENGTH IN CM  
90 - 110**PHANTASTICK JR  
YELLOW**ART. NO.  
141022COLOR  
YellowLENGTH IN CM  
90 - 110**PHANTASTICK JR  
GREEN**ART. NO.  
141023COLOR  
GreenLENGTH IN CM  
90 - 110**PHANTASTICK JR  
BERRY**ART. NO.  
141024COLOR  
PurpleLENGTH IN CM  
90 - 110

24/25

**PHANTASTICK****LASER  
STRUCTURED  
GRIP ZONE**Enhanced grip  
no matter which  
temperatureSophisticated  
look & feel**DUAL CORE GRIP**Soft rubber  
surface combined  
with lightweight  
polyamide

Ergonomic shape

**LIGHT AND  
STRONG ALLOY  
SHAFT**Highest quality alloy  
7075Perfect weight/  
performance ratio**JUNIOR****RENTASTICK****PHANTASTICK KIDS  
YELLOW**ART. NO.  
141025COLOR  
YellowLENGTH IN CM  
70 - 105**PHANTASTICK KIDS  
GREEN**ART. NO.  
141026COLOR  
GreenLENGTH IN CM  
70 - 105**PHANTASTICK KIDS  
BERRY**ART. NO.  
141027COLOR  
PurpleLENGTH IN CM  
70 - 105**RENTASTICK  
CARBON**ART. NO.  
169826COLOR  
Color CodedLENGTH IN CM  
110 - 135**RENTASTICK  
ALU**ART. NO.  
169827COLOR  
Color CodedLENGTH IN CM  
110 - 135**RENTASTICK  
KIDS**ART. NO.  
169828COLOR  
Color CodedLENGTH IN CM  
70 - 105**SETS INKL. DISPLAY**EXEMPLARY  
ILLUSTRATION

		LOT UPC CODE				
LOT NR.	DESCRIPTION	110	115	120	125	Total
141070	Phantastick 16 mm Lot (25 Pairs + Display)					821264729489
item nr.	Modelle	110	115	120	125	Total
141005	Phantastick 16 mm Yellow	1	2	2	5	
141007	Phantastick 16 mm Green	1	2	2	5	
141009	Phantastick 16 mm Red	1	2	2	5	
141011	Phantastick 16 mm Black	1	2	2	5	
141013	Phantastick 16 mm White	1	2	2	5	

		LOT UPC CODE				
LOT NR.	BESCHREIBUNG	110	115	120	125	Total
141071	Phantastick 18 mm Lot (25 Pairs + Display)					821264729496
item nr.	Modelle	110	115	120	125	Total
141006	Phantastick 18 mm Yellow	1	1	2	4	
141008	Phantastick 18 mm Green	1	2	3	6	
141010	Phantastick 18 mm Red	1	1	2	6	
141012	Phantastick 18 mm Black	1	1	2	1	5
141014	Phantastick 18 mm White	1	2	1		4

**PHANTASTICK  
16MM LOT**  
(25 pairs + display)  
ART. NO.  
141070  
COLOR  
Green

**PHANTASTICK  
18MM LOT**  
(25 pairs + display)  
ART. NO.  
141071  
COLOR  
Green

## RACE



RACETIGER GS MASTER	RACETIGER GS	RACETIGER SL MASTER	RACETIGER SL	RACETIGER RC BLACK	RACETIGER RC RED	RACETIGER SC BLACK	RACETIGER SC YELLOW	RACETIGER SC WHITE
ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.
V2510001.000	V2510002.000	V2510003.000	V2510004.000	V2510005.000	V2510006.000	V2510007.000	V2510008.000	V2510009.000
SIDE CUT 115_67_98	SIDE CUT 115_67_98	SIDE CUT 125_67_102	SIDE CUT 126_67_102	SIDE CUT 122_69_100 (165cm - 179cm)	SIDE CUT 122_69_100 (165cm - 179cm)	SIDE CUT 123_68_102 (148cm - 165cm)	SIDE CUT 123_68_102 (148cm - 165cm)	SIDE CUT 123_68_102 (148cm - 165cm)
LENGTH (RADIUS) 168 cm (15.4 m) 173 cm (16.4 m) 178 cm (17.5 m) 183 cm (18.6 m)	LENGTH (RADIUS) 168 cm (15.4 m) 173 cm (16.4 m) 178 cm (17.5 m) 183 cm (18.6 m)	LENGTH (RADIUS) 155 cm (12.2 m) 165 cm (12.8 m)	LENGTH (RADIUS) 150 cm (10.2 m) 155 cm (11.0 m) 160 cm (11.8 m) 165 cm (12.6 m) 170 cm (13.4 m)	LENGTH (RADIUS) 155 cm (11.8 m) 165 cm (13.9 m) 172 cm (15.3 m) 179 cm (16.8 m)	LENGTH (RADIUS) 148 cm (10.2 m) 153 cm (11.0 m) 158 cm (11.8 m) 165 cm (13.1 m) 179 cm (16.8 m)	LENGTH (RADIUS) 148 cm (10.2 m) 153 cm (11.0 m) 158 cm (11.8 m) 165 cm (13.1 m) 172 cm (15.3 m)	LENGTH (RADIUS) 148 cm (10.2 m) 153 cm (11.0 m) 158 cm (11.8 m) 165 cm (13.1 m) 172 cm (15.3 m)	LENGTH (RADIUS) 148 cm (10.2 m) 153 cm (11.0 m) 158 cm (11.8 m) 165 cm (13.1 m) 172 cm (15.3 m)

## RACE



RACETIGER SRC	SHINE SC CARBON	SHINE SC	SHINE MT	SHINE 78	SHINE 76	SHINE 72
ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.
V2510010.000	V2510050.000	V2510051.000	V2510052.000	V2510053.000	V2510055.000	V2510056.000
SIDE CUT 124_73_103	SIDE CUT 123_68_102	SIDE CUT 124_73_103	SIDE CUT 126_75_105	SIDE CUT 127_78_106	SIDE CUT 124_76_105	SIDE CUT 123_72_104
LENGTH (RADIUS) 153 cm (20.0 m) 158 cm (12.9 m) 163 cm (13.9 m) 168 cm (14.8 m) 173 cm (15.8 m)	LENGTH (RADIUS) 148 cm (10.2 m) 153 cm (11.0 m) 158 cm (11.8 m) 163 cm (13.9 m) 168 cm (14.8 m)	LENGTH (RADIUS) 153 cm (20.0 m) 158 cm (12.9 m) 163 cm (13.9 m) 168 cm (14.8 m) 173 cm (15.8 m)	LENGTH (RADIUS) 147 cm (11.3 m) 154 cm (12.2 m) 161 cm (13.5 m)	LENGTH (3D RADIUS) 147 cm (11.8 m) 154 cm (12.7 m) 161 cm (14.2 m)	LENGTH (RADIUS) 147 cm (11.8 m) 154 cm (12.7 m) 161 cm (14.2 m)	LENGTH (RADIUS) 137 cm (9.4 m) 144 cm (10.1 m) 151 cm (11.4 m) 158 cm (12.7 m) 165 cm (14.0 m)
R1 Length 147 cm (11.8 m) 154 cm (12.7 m) 161 cm (14.2 m)	R2 R3 Length 147 cm (11.8 m) 154 cm (12.7 m) 161 cm (14.2 m)	R1 R2 R3 Length 147 cm (11.8 m) 154 cm (12.7 m) 161 cm (14.2 m)	R1 R2 R3 Length 147 cm (11.8 m) 154 cm (12.7 m) 161 cm (14.2 m)	R1 R2 R3 Length 147 cm (11.8 m) 154 cm (12.7 m) 161 cm (14.2 m)	R1 R2 R3 Length 147 cm (11.8 m) 154 cm (12.7 m) 161 cm (14.2 m)	R1 R2 R3 Length 147 cm (11.8 m) 154 cm (12.7 m) 161 cm (14.2 m)

## ALL MOUNTAIN PISTE



PEREGRINE 76 MASTER	PEREGRINE 76	PEREGRINE 72 MASTER	PEREGRINE 72 BLACK	PEREGRINE 72 GREEN	PEREGRINE MT			
ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.			
V2510020.000	V2510022.000	V2510023.000	122_72_103	122_72_103	122_75_105			
SIDE CUT 124_76_104	SIDE CUT 124_76_104	LENGTH (3D RADIUS)	Length R1 158 cm (16.8 m) 163 cm (18.1 m) 168 cm (19.4 m) 173 cm (20.7 m) 178 cm (22.2 m)	Length R1 158 cm (16.8 m) 163 cm (18.1 m) 168 cm (19.4 m) 173 cm (20.7 m) 178 cm (22.2 m)	Length R1 158 cm (16.8 m) 163 cm (18.1 m) 168 cm (19.4 m) 173 cm (20.7 m) 178 cm (22.2 m)	Length R1 158 cm (16.8 m) 163 cm (18.1 m) 168 cm (19.4 m) 173 cm (20.7 m) 178 cm (22.2 m)	Length R1 158 cm (16.8 m) 163 cm (18.1 m) 168 cm (19.4 m) 173 cm (20.7 m) 178 cm (22.2 m)	Length R1 158 cm (16.8 m) 163 cm (18.1 m) 168 cm (19.4 m) 173 cm (20.7 m) 178 cm (22.2 m)
LENGTH (RADIUS) 176 cm (17.6 m) 181 cm (18.7 m)	LENGTH (RADIUS) 176 cm (17.6 m) 181 cm (18.7 m)	LENGTH (RADIUS) 176 cm (17.6 m) 181 cm (18.7 m)	LENGTH (RADIUS) 176 cm (17.6 m) 181 cm (18.7 m)	LENGTH (RADIUS) 176 cm (17.6 m) 181 cm (18.7 m)	LENGTH (RADIUS) 176 cm (17.6 m) 181 cm (18.7 m)	LENGTH (RADIUS) 176 cm (17.6 m) 181 cm (18.7 m)		

## ALL MOUNTAIN FREERIDE



PEREGRINE V.WERKS	PEREGRINE 82	PEREGRINE 80	PEREGRINE 78	PEREGRINE XT	PEREGRINE X	MANTRA 102	M7 MANTRA	MANTRA 88 W	MANTRA 84 W	MANTRA 80 W
ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.	ART. NO.
V2410040.000	132_84_115	V2510041.000	128_82_111	V2510042.000	126_80_109	V2510043.000	127_78_106	V2510028.000	V2510029.000	V2510115.000
LENGTH (3D RADIUS)	Length R1 162 cm (21.6 m) 167 cm (23.1 m) 172 cm (23.6 m) 177 cm (24.1 m) 182 cm (25.6 m)	Length R1 162 cm (21.6 m) 167 cm (23.3 m) 172 cm (25.1 m) 177 cm (26.9 m) 182 cm (28.8 m)	Length R1 162 cm (21.6 m) 167 cm (23.3 m) 172 cm (25.1 m) 177 cm (26.9 m) 182 cm (28.8 m)	Length R1 162 cm (21.6 m) 167 cm (23.3 m) 172 cm (25.1 m) 177 cm (26.9 m) 182 cm (28.8 m)	Length R1 162 cm (21.6 m) 167 cm (23.3 m) 172 cm (25.1 m) 177 cm (26.9 m) 182 cm (28.8 m)	Length R1 162 cm (21.6 m) 167 cm (23.3 m) 172 cm (25.1 m) 177 cm (26.9 m) 182 cm (28.8 m)	Length R1 162 cm (21.6 m) 167 cm (23.3 m) 172 cm (25.1 m) 177 cm (26.9 m) 182 cm (28.8 m)	Length R1 162 cm (21.6 m) 167 cm (23.3 m) 172 cm (25.1 m) 177 cm (26.9 m) 182 cm (28.8 m)	Length R1 162 cm (21.6 m) 167 cm (23.3 m) 172 cm (25.1 m) 177 cm (26.9 m) 182 cm (28.8 m)	Length R1 162 cm (21.6 m) 167 cm (23.3 m) 172 cm (25.1 m) 177 cm (26.9 m) 182 cm (28.8 m)
Length R2 13 m 14 m 15 m 16 m 17 m	Length R2 13 m 14 m 15 m 16 m 17 m	Length R2 13 m 14 m 15 m 16 m 17 m	Length R2 13 m 14 m 15 m 16 m 17 m	Length R2 13 m 14 m 15 m 16 m 17 m	Length R2 13 m 14 m 15 m 16 m 17 m	Length R2 13 m 14 m 15 m 16 m 17 m	Length R2 13 m 14 m 15 m 16 m 17 m	Length R2 13 m 14 m 15 m 16 m 17 m	Length R2 13 m 14 m 15 m 16 m 17 m	Length R2 13 m 14 m 15 m 16 m 17 m
Length R3 18 m 19 m 20 m 21 m 22 m	Length R3 18 m 19 m 20 m 21 m 22 m	Length R3 18 m 19 m 20 m 21 m 22 m	Length R3 18 m 19 m 20 m 21 m 22 m	Length R3 18 m 19 m 20 m 21 m 22 m	Length R3 18 m 19 m 20 m 21 m 22 m	Length R3 18 m 19 m 20 m 21 m 22 m	Length R3 18 m 19 m 20 m 21 m 22 m	Length R3 18 m 19 m 20 m 21 m 22 m	Length R3 18 m 19 m 20 m 21 m 22 m	Length R3 18 m 19 m 20 m 21 m 22 m
Length R4 19 m 20 m 21 m 22 m 23 m	Length R4 19 m 20 m 21 m 22 m 23 m	Length R4 19 m 20 m 21 m 22 m 23 m	Length R4 19 m 20 m 21 m 22 m 23 m	Length R4 19 m 20 m 21 m 22 m 23 m	Length R4 19 m 20 m 21 m 22 m 23 m	Length R4 19 m 20 m 21 m 22 m 23 m	Length R4 19 m 20 m 21 m 22 m 23 m	Length R4 19 m 20 m 21 m 22 m 23 m	Length R4 19 m 20 m 21 m 22 m 23 m	Length R4 19 m 20 m 21 m 22 m 23 m

## ALL MOUNTAIN FREERIDE



## FREESKI



## ALL MOUNTAIN FREERIDE



## FREESKI



## TOURING



## JUNIOR



**RACETIGER JR RED**

**ART. NO.**  
V2510200.000 (FLAT)  
**LENGTH (RADIUS)**  
70 cm (4.7 m)

**ART. NO.**  
V2510205.000 (VMOTION)  
**LENGTH (RADIUS)**  
80 cm (6.6 m)  
90 cm (8.8 m)

**ART. NO.**  
V2510206.000 (VMOTION)  
**LENGTH (RADIUS)**  
100 cm (8.3 m)  
110 cm (10.4 m)  
120 cm (12.7 m)

**ART. NO.**  
V2510207.000 (VMOTION)  
**LENGTH (RADIUS)**  
130 cm (11.2 m)  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)



**RACETIGER JR YELLOW**

**ART. NO.**  
V2510210.000 (FLAT)  
**LENGTH (RADIUS)**  
70 cm (4.7 m)

**ART. NO.**  
V2510215.000 (VMOTION)  
**LENGTH (RADIUS)**  
80 cm (6.6 m)  
90 cm (8.8 m)

**ART. NO.**  
V2510216.000 (VMOTION)  
**LENGTH (RADIUS)**  
100 cm (8.3 m)  
110 cm (10.4 m)  
120 cm (12.7 m)

**ART. NO.**  
V2510217.000 (VMOTION)  
**LENGTH (RADIUS)**  
130 cm (11.2 m)  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)



**RACETIGER JR PRO**

**ART. NO.**  
V2510220.000  
**LENGTH (RADIUS)**  
70 cm (4.7 m)

**SIDE CUT**  
121\_70\_102  
(140 cm - 160 cm)

**LENGTH (RADIUS)**  
117\_70\_98  
(120 cm - 130 cm)

**LENGTH (RADIUS)**  
130 cm (9.0 m)  
140 cm (9.7 m)  
150 cm (11.2 m)  
160 cm (13.0 m)



**PEREGRINE JR**

**ART. NO.**  
V2510230.000 (FLAT)  
**LENGTH (RADIUS)**  
70 cm (4.7 m)

**SIDE CUT**  
121\_70\_102  
(140 cm - 160 cm)

**LENGTH (RADIUS)**  
117\_70\_98  
(120 cm - 130 cm)

**LENGTH (RADIUS)**  
120 cm (7.5 m)  
130 cm (9.0 m)  
140 cm (9.7 m)  
150 cm (11.2 m)  
160 cm (13.0 m)



**PEREGRINE JR PRO**

**ART. NO.**  
V2510240.000 (VMOTION)  
**LENGTH (RADIUS)**  
70 cm (4.7 m)

**SIDE CUT**  
121\_70\_102  
(140 cm - 160 cm)

**LENGTH (RADIUS)**  
117\_70\_98  
(120 cm - 130 cm)

**LENGTH (RADIUS)**  
130 cm (9.0 m)  
140 cm (9.7 m)  
150 cm (11.2 m)  
160 cm (13.0 m)



**REVOLT 81 DEMO**

**ART. NO.**  
V2510356.000  
**LENGTH (RADIUS)**  
80 cm (4.7 m)

**SIDE CUT**  
111\_81\_104  
(148 cm - 178 cm)



**REVOLT 80 GREEN**

**ART. NO.**  
V2510363.000 (W. PLATE)  
V2510364.000 (W/O PLATE)  
**LENGTH (RADIUS)**  
80 cm (4.7 m)

**SIDE CUT**  
125\_80\_109  
(130 cm - 179 cm)



**REVOLT 81 FDT FREE**

**ART. NO.**  
V2510356.000  
**LENGTH (RADIUS)**  
80 cm (4.7 m)

**SIDE CUT**  
111\_81\_104  
(148 cm - 178 cm)

## RENTAL



**PEREGRINE 7.2 FDT RED**

**ART. NO.**  
V2510360.000  
**LENGTH (RADIUS)**  
80 cm (4.7 m)

**SIDE CUT**  
123\_72\_104  
(120 cm - 179 cm)



**PEREGRINE 7.6 FDT GOLD**

**ART. NO.**  
V2510361.000  
**LENGTH (RADIUS)**  
80 cm (4.7 m)

**SIDE CUT**  
125\_76\_105  
(120 cm - 175 cm)



**PEREGRINE 7.6 FDT ORANGE**

**ART. NO.**  
V2510362.000  
**LENGTH (RADIUS)**  
80 cm (4.7 m)

**SIDE CUT**  
125\_76\_105  
(120 cm - 175 cm)



**PEREGRINE 8.0 GREEN**

**ART. NO.**  
V2510363.000 (W. PLATE)  
V2510364.000 (W/O PLATE)  
**LENGTH (RADIUS)**  
80 cm (4.7 m)

**SIDE CUT**  
125\_80\_109  
(130 cm - 179 cm)



**SHINE JR**

**ART. NO.**  
V2510250.000 (FLAT)  
**LENGTH (RADIUS)**  
70 cm (4.7 m)

**SIDE CUT**  
93\_67\_76  
(130 cm - 160 cm)



**BLAZE JR ORANGE**

**ART. NO.**  
V2510265.000 (VMOTION)  
V2410260.000 (FLAT)  
**LENGTH (RADIUS)**  
70 cm (4.7 m)

**SIDE CUT**  
93\_67\_76  
(130 cm - 160 cm)



**BLAZE JR BLUE PINK**

**ART. NO.**  
V2410275.000  
(VMOTION)  
**LENGTH (RADIUS)**  
70 cm (4.7 m)

**SIDE CUT**  
126\_86\_111  
(130 cm - 160 cm)



**MANTRA JR**

**ART. NO.**  
V2410276.000  
(VMOTION)  
**LENGTH (RADIUS)**  
70 cm (4.7 m)

**SIDE CUT**  
118\_86\_111  
(130 cm - 160 cm)



**RISE JR**

**ART. NO.**  
V2310280.000  
**LENGTH (RADIUS)**  
70 cm (4.7 m)

**SIDE CUT**  
129\_86\_111  
(130 cm - 160 cm)



**BLAZE 86 DEMO**

**ART. NO.**  
V2510354.000  
**LENGTH (RADIUS)**  
80 cm (4.7 m)

**SIDE CUT**  
129\_82\_107  
(130 cm - 160 cm)



**BLAZE 82 DEMO**

**ART. NO.**  
V2510355.000  
**LENGTH (RADIUS)**  
80 cm (4.7 m)

**SIDE CUT**  
125\_82\_107  
(130 cm - 160 cm)



**M7 MANTRA DEMO**

**ART. NO.**  
V2510350.000  
**LENGTH (RADIUS)**  
80 cm (4.7 m)

**SIDE CUT**  
139\_86\_121  
(130 cm - 160 cm)



**MANTRA 88 DEMO**

**ART. NO.**  
V2510351.000  
**LENGTH (RADIUS)**  
80 cm (4.7 m)

**SIDE CUT**  
134\_88\_114  
(130 cm - 160 cm)



**MANTRA 84 DEMO**

**ART. NO.**  
V2510352.000  
**LENGTH (RADIUS)**  
80 cm (4.7 m)

**SIDE CUT**  
134\_88\_114  
(130 cm - 160 cm)

**ART. NO.**  
V2510257.000 (VMOTION)  
**LENGTH (RADIUS)**  
100 cm (8.3 m)  
110 cm (10.4 m)  
120 cm (12.7 m)

**SIDE CUT**  
100\_68\_82  
(130 cm - 160 cm)

**ART. NO.**  
V2510256.000 (VMOTION)  
**LENGTH (RADIUS)**  
100 cm (8.3 m)  
110 cm (10.4 m)  
120 cm (12.7 m)

**SIDE CUT**  
100\_68\_82  
(130 cm - 160 cm)

**ART. NO.**  
V2510255.000 (VMOTION)  
**LENGTH (RADIUS)**  
80 cm (6.6 m)  
90 cm (8.8 m)

**SIDE CUT**  
93\_67\_76  
(130 cm - 160 cm)

**ART. NO.**  
V2510256.000 (VMOTION)  
**LENGTH (RADIUS)**  
100 cm (8.3 m)  
110 cm (10.4 m)  
120 cm (12.7 m)

**SIDE CUT**  
100\_68\_82  
(130 cm - 160 cm)

**ART. NO.**  
V2510257.000 (VMOTION)  
**LENGTH (RADIUS)**  
130 cm (11.2 m)  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)

**SIDE CUT**  
109\_69\_88  
(130 cm - 160 cm)

**ART. NO.**  
V2510255.000 (VMOTION)  
**LENGTH (RADIUS)**  
130 cm (11.2 m)  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)

**SIDE CUT**  
109\_69\_88  
(130 cm - 160 cm)

**ART. NO.**  
V2510256.000 (VMOTION)  
**LENGTH (RADIUS)**  
130 cm (11.2 m)  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)

**SIDE CUT**  
109\_69\_88  
(130 cm - 160 cm)

**ART. NO.**  
V2510257.000 (VMOTION)  
**LENGTH (RADIUS)**  
130 cm (11.2 m)  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)

**SIDE CUT**  
109\_69\_88  
(130 cm - 160 cm)

**ART. NO.**  
V2510258.000 (VMOTION)  
**LENGTH (RADIUS)**  
130 cm (11.2 m)  
140 cm (13.3 m)  
150 cm (15.6 m)  
160 cm (17.9 m)

</

**völk**



#### **IMPRINT**

Marker Dalbello Völkl International GmbH  
Ruessenstrasse 6  
6341 Baar  
Schweiz

Contact:  
Julia Frühschütz  
Phone +49 8856 8000 277  
julia.fruehschuetz@elevate-oc.eu

**Created & produced by:** yearning.de  
© 2024 by Völkl. Subject to alteration

**Photography:** Max Dräger, Moritz Ablinger,  
GEPA, Matt McCormick, Mathäus Gartner, Pally  
Learmond, Michael Mayer, Syo Van Vliet, Aina  
Punsola